

Item Tex Literature Citation

- Backer, H.D., J.C. Mohle-Boetani, S. B. Werner, S.L. Abbott, J. Farrar, and D.J. Vugia. 2000. High incidence of extra-intestinal infections in a *Salmonella* havana outbreak associated with alfalfa sprouts. *Publis Health Reports*. 115:339-344. Ref. No.: 6
- Barak, J.D. and A.S. Liang. 2008. Role of soil, crop debris, and a plant pathogen in *Salmonella enterica* contamination of tomato plants. *PLoS ONE*. 3(2):e1657. Ref. No.: 39
- Barak, J.D., L. Gorski, P. Naraghi-Arani, and A.O.Charkowski. 2005. *Salmonella enterica* virulence genes are required for bacterial attachment to plant tissue. *Appl. Environ. Microbiol.* 71:5685-5691. Ref. No.: 44
- Barak, J.D., L.C. Whitehand, and A.O. Charkowki. 2002. Differences in attachment of *Salmonella enterica* serovars and *Escherichia coli* O157:H7 and alfalfa sprouts. *Applied and Environ. Microbiol.* 68(10):4758-4763. Ref. No.: 38
- Brandl, M.. 2008. Plant lesions promote the rapid multiplication of *Escherichia coli* O157:H7 on post-harvest lettuce. *App & Env Microbiology*. 74(7):5285-5289. Ref. No.: 88
- Brandl, M., & R. Amundson. 2008. Leaf age as a risk factor in the contamination of lettuce with *Escherichia coli* O157:H7 and *Salmonella enterica*. *App & Env Microbiology*. 74:2298-2306. Ref. No.: 90
- Brandl, M.T.. 2006. Fitness of human enteric pathogens on plants and implications for food safety. *Annual Rev. Phytopathol.* 44:367-392. Ref. No.: 37
- Brandl, M.T.. 2006. Human pathogens and the health threat of the phyllosphere. In *Microbial Ecology of Aerial Plant Surface*, ed. M. Bailly. Cambridge, UK: CABI Publ. . Ref. No.: 46
- Brandl, M.T.. 2004. Fitness of *Salmonella enterica* in the phyllosphere. *Phytopathology*. 94(Suppl):128. Ref. No.: 47
- Brandl, M.T. A.F. Haxo, A.H. Bates, R.E. and Mandrell. 2004. Comparison of survival of *Campylobacter jejuni* in the phyllosphere with that in the rhizosphere of spinach and radish plants. *Appl. Environ. Microbiol.* 70:1182-1189. Ref. No.: 48
- Brandl, M.T., W.G. Miller, A.H. Bates, and R.E. Mandrell. 2005. Production of autoinducer 2 in *Salmonella enterica* serovar Thompson contributes to its fitness in chickens but not on cilantro leaf surfaces. *Appl. Environ. Microbiol.* 71:2653-2662. Ref. No.: 4
- Breuer, T., et al. 2001. A multistate outbreak of *Escherichia coli* O157:H7 infections linked to alfalfa sprouts grown from contaminated seeds. *Emerging Infectious Dis.* 7:977-982. Ref. No.: 1
- Brooks, J.T., S.Y. Rowe, P. Shillam, D.M. Heitzel, S.B. Hunter, L. Slutsker, R.M. Hoekstra, and S.P. Luby. 2001. *Salmonella typhimurium* infections transmitted by chlorine-pretreated clover sprout seeds. *Am Journal of Epidemiology*. 154(11):1020-1028. Ref.
- Buck, J.W., R.R. Walcott, and L.R. Beuchet. 2002. Recent trends in microbiological safety of fruits and vegetables. *Plant Health Progress*. doi 10.1094/PHP-2003-0121-01-RV. Ref. No.: 2
- Carter, M.Q., M. Brandt, J.W. Louie, J.L. Kyle, D.K. Carychao, M.B. Cooley, C. Parker, A.H. Bates, & R.E. Mandrell. 2010. Curli variants of enterohemorrhagic *Escherichia coli* O157:H7 display distinct survival fitness. *App & Env Microbiology*. 02315-1. Ref.
- Charkowski, A.O., J.D. Barak, C.Z. Sarreal and R.E. Mandrell. 2002. Differences in growth of *Salmonella enterica* and *Escherichia coli* O157:H7 on alfalfa sprouts. *Applied and Environ. Microbiol.* 68(6):3114-3120. Ref. No.: 36
- Cooley, M.B., D. Carychao, L. Crawford-Miksza, M.T. Jay, C. Myers, C. Rose, C. Keys, J. Farrar, R. E. Mandrell. 2007. Incidence and tracking of *Escherichia coli* O157:H7 in a major produce production region in California. *PLoS ONE*. 2(11):e1159. doi:10.1371/
- Cooley, M.B., W.G. Miller, and R.E. Mandrell. 2003. Colonization of *Arabidopsis thaliana* with *Salmonella enterica* and enterohemorrhagic *Escherichia coli* O157:H7 and competition by *Enterobacter asburiae*. *Applied and Environ. Microbiol.* 69:4915-4926.

- Cooley, M.B., W.G. Miller and R.E. Mandrell. 2003. Human pathogenic bacteria contamination of *Arbidopsis thaliana* seed following root inoculation. . . poster Ref. No.: 59
- Dong, Y., A.L. Iniguez, B.M.M. Ahmer, and E.W. Triplett. 2003. Kinetics and strain specificity of rhizosphere and endophytic colonization by enteric bacteria on seedlings of *Medicago sativa* and *Medicago truncatula*.
Applied and Environ. Microbiol. 69(3):17
- Ercolani, G.L.. 1979. Differential survival of *Salmonella typhi*, *Escherichia coli*, and *Enterobacter aerogenes* on lettuce in the field. Zentralbl. Bakteriologie. Naturwiss. 134:402-411. Ref. No.: 50
- Erickson, M., J. Lean, A. Payton, D.G. Riley, C. Webb, L. Davey, S. Kimbrel, L. Ma, G. Zhang, I. Flitcroft, M. Doyle & L. Beuchat. 2010. Preharvest internalization of *Escherichia coli* O157:H7 into lettuce leaves, as affected by insect and physical damage
- Fahey, J.W., P.J. Ourisson, and F.H. Degnon. 2006. Pathogen detection, testing, and control in fresh broccoli sprouts. Nutrition Journal. 5:13. Ref. No.: 63
- Fett, W., M.L. Tortorello, and T.J. Fu. 2005. Seed sprouts: the state of microbiological safety. Microbiology of Fresh Produce. p. 167-219. abstract Ref. No.: 41
- Fett, W.F. and P.H. Cooke. 2003. Reduction of *Escherichia coli* O157:H7 and *Salmonella* on Laboratory-Inoculated Alfalfa Seed with Commercial Citrus-Related Products. J. Food Protection. 66(7):1158-1165. Ref. No.: 25
- Fett, W.F. and P.H. Cooke. 2003. Scanning electron microscopy of native biofilms on mung bean sprouts. Can. J. Microbiol.. 49:45-50. Ref. No.: 51
- Fonseca, J.M., S. Ravishankar, & C. Sanchez. 2009. Estimation of the area affected by animal feces in vegetable fields under overhead sprinkle irrigation systems. CLGRP Annual Report. 198-207. Ref. No.: 95
- Food Safety Research Information Office. 2011. fsiro.nal.usda.gov. Ag Research. April 2011. Ref. No.: 91
- Franz, E., A.A. Visser, A.D. Van Diepeningen, M.M. Klerks, A.J. Termorshuizen and H.C. van Bruggen. 2006. Quantification of contamination of lettuce by GFP-expressing *Escherichia coli* O157:H7 and *Salmonella enterica* serovar Typhimurium. Food Microbiology.
- Gorski, L., J.D. Palumbo and K.D. Nguyen. 2004. Strain-specific differences in the attachment of *Listeria monocytogenes* to alfalfa sprouts. J. Food Prot.. 67:2488-2495. Ref. No.: 53
- Gorski, L., J.D. Palumbo and R.E. Mandrell. 2003. Attachment of *Listeria monocytogenes* to radish tissue is dependent on temperature and flagellar motility. Appl. Environ. Microbiol. 69:258-266. Ref. No.: 52
- Gupte, A.R., C.L.E. de Rezende, and S.W. Joseph. 2003. Induction and resuscitation of viable but nonculturable *Salmonella enterica* serovar Typhimurium DT104. Applied and Environ. Microbiol. 69(11):6669-6675. Ref. No.: 42
- Hara-Kudo, Y., et al. 2004. Survival of *Escherichia coli* O157 and *Salmonella* in Seeds during storage and contamination of sprouts germinated from the seeds. Japanese J Food Microbiology. 21(1):14-22. Abstract Ref. No.: 31
- Harris, L, A. Moyne, M. Cahn, & S. Koike. 2009. Survival of attenuated *E. coli* O157:H7 ATCC 700728 in field inoculated lettuce. CLGRP Annual Report. 169-182. Ref. No.: 93
- Heaton, J.C. and K. Jones. 2007. Microbial contamination of fruit and vegetables and the behaviour of enteropathogens in the phyllosphere: a review. J of Applied Microbiology. 104:613-626. Ref. No.: 84
- Hora, R., et al. 2007. Inactivation of *Escherichia coli* O157:H7 and *Salmonella* on artificially or naturally contaminated mung beans (*Vigna radiata* L) using a stabilized oxychloro-based sanitizer. Letters in Applied Microbiology. 44(2):188-193. Ref. No.:

37 . Hu, H., et al. 2004. Heat treatments to enhance the safety of mung bean seeds. J. Food Protection. 67:1257-1260. Ref. No.: 4

38 . Inami, G.B., and S.E. Moler. 1999. Detection and isolation of Salmonella from naturally contaminated alfalfa seeds following an outbreak investigation. J. Food Protection. 62:662-664. abstract Ref. No.: 5

39 . Inami, G.B., et al. 2001. Two processing methods for the isolation of Salmonella from naturally contaminated alfalfa seeds. J. Food Protection. 64:1240-1243. Ref. No.: 6

40 . Ingham, S.C. et al. 2004. Escherichia coli contamination of vegetables grown in soils fertilized with noncomposted bovine manure: garden-scale studies. Applied and Environ. Microbiol. 70:6420-6427. Ref. No.: 7

41 . Iniguez, A.L., Y. Dong, H.D. Carter B.M Ahmer, J.M.Stone, and E.W. Triplett. 2005. Regulation of enteric endophytic bacterial colonization by plant defense. Mol. Plant-Microbe Interact. 18:169-178. Ref. No.: 54

42 . Islam, M., J. Morgan, M.P. Doyle, S.C. Phatak, P. Millner, and X. Jiang. 2004. Fate of Salmonella enterica serovar Typhimurium on carrots and radishes grown in fields treated with contaminated manure composts or irrigation water. Applied and Environ. Microbiol. 70:6420-6427. Ref. No.: 8

43 . Islam, M., M.P. Doyle, S.C. Phatak, P. Millner, and X. Jiang. 2004. Persistence of enterohemorrhagic Escherichia coli O157:H7 in soil and leaf lettuce and parsley grown in fields treated with contaminated manure composts or irrigation water. J. Food Prot. 27:1532-1535. Ref. No.: 61

44 . Itoh, Y., Y. Sugita-Konishi, F. Kasuga, et al. 1998. Enterohemorrhagic Escherichia coli O157:H7 present in radish sprouts. Applied and Environ. Microbiol. 64(4):1532-1535. Ref. No.: 61

45 . Jablason, J., K. Warriner and M. Griffiths. 2005. Interactions of E. coli O157:H7, Salmonella typhimurium, and Listeria monocytogenes on plants cultivated in gnotobiotic system. International J. of Food Microbiol. 99:7-18. Ref. No.: 8

46 . Jiang, X., J. Morgan and M. P. Doyle. 2002. Fate of Escherichia coli O157:H7 in Manure-Amended Soil. Applied and Environ. Microbiol. 68:2605-2609. Ref. No.: 9

47 . Johannessen, G., et al. 2005. Potential uptake of E.coli O157:H7 from organic manure into crisphead lettuce. Applied and Environ. Microbiol. 71:2221-2225. Ref. No.: 10

48 . Kazue, T. and J.F. Frank. 1999. Penetration of Escherichia coli O157:H7 into lettuce tissues as affected by inoculum size and temperature and the effect of chlorine treatment on cell viability. J Food Protection. 63(4):434-440. Ref. No.: 27

49 . Koike, S., M. Cahn, R. Smith, & T. Suslow. 2009. Survival and biology of E. coli under field production environments. CLGRP Annual Report. 183-197. Ref. No.: 94

50 . Kroupitski, Y., R. Pinto, M. Brandl, E. Belausov, & S. Sela. 2009. Studies on biofilm formation and interactions of Salmonella enterica with Romaine-lettuce leaves. J of App Microbiology. 106:1876-1885. Ref. No.: 89

51 . Kumar, M., R. Hora, M. Kostrzynska, W.M. Waites, and K. Warriner. 2006. Inactivation of Escherichia coli O157:H7 and Salmonella on mung beans, alfalfa, and other seed types destined for sprout production by using an Oxichloro-Based sanitizer. J. Food Prot. 29:1257-1260. Ref. No.: 4

52 . Laury, A. M.. 2010. Establishment of a pre-harvest spinach intervention against Escherichia coli O157:H7 using lactic acid bacteria. Doctor of Philosophy Dissertation at TX Tech Univ.. Ref. No.: 82

53 . Liao, C.H., and W. Fett. 2003. Isolation of Salmonella from alfalfa seed and demonstration of impaired growth of heat-injured cells in seed homogenates. International J. Food Microbiol. 82:245-253. Ref. No.: 11

54 . Liu, B. and D. W. Schaffner. 2006. Quantitative analysis of the growth of *Salmonella* Stanley during alfalfa
 sprouting and evaluation of *Enterobacter aerogenes* as its surrogate. *J. Food Protection*. 70(2):316-322. Ref.
 No.: 71
 55 . Matthews, K.R. ed. 2006. *Microbiology of fresh produce*. ASM Press. . Ref. No.: 45
 Mitra, R., E. Cuesta-Alonso, A. Wayadande, J. Talley, S. Gilliland, & J. Fletcher. 2009. Effect of route of
 introduction and host cultivar on the colonization, internalization, and movement of the human pathogen
 56 . *Escherichia coli* O157:H7 in spinach. *J. Food Protection*. 72(1):1-10.
 Mohle-Boetani, J.C., J.A. Farrar, S.B. Werner, D. Minassian, R. Bryant, S. Abbott, L. Slutsker, and D.J. Vugia.
 2001. *Escherichia coli* O157 and *Salmonella* infections associated with sprouts in California, 1996-1998. *Ann*
 57 . *Intern Med*. 135:239-247. Ref. No
 Montville, R., and D.W. Schaffner. 2005. Monte Carlo simulation of pathogen behavior during the sprout
 58 . production process. *Applied and Environ. Microbiol*. 71:746-753. Ref. No.: 13
 Montville, R., and D.W. Schaffner. 2004. Analysis of published sprout seed sanitization studies show treatments
 59 . highly variable. *Journal of Food Protection*. 67:758-765. Ref. No.: 12
 Morris, C.E., J.M. Monier, and M.A. Jacques. 1997. Methods for observing microbial biofilms directly on leaf
 surfaces and recovering them for isolation of culturable microorganisms. *Appl. Environ. Microbiol*. 63:1570-
 60 . 1576. Ref. No.: 56
 NACMCF. 1999. Microbiological safety evaluations and recommendations on fresh produce. *Int J Food*
 61 . *Microbiol*. 52(3):123-153. Ref. No.: 15

 Nakano, S., T. Kobayashi, K. Funabiki, A. Matsumura, Y. Nagao, and T. Yamada. 2003. Development of a
 62 . PCR assay for detection of *Enterobacteriaceae* in foods. *J. Food Protection*. 66(10):1798-1804. Ref. No.: 72
 Nathan, R.. 1997. American seeds suspected in Japanese food poisoning epidemic. *Nature Medicine*. 3:705-
 63 . 706. Ref. No.: 14
 Nebraska. . Food safety links. foodsafety.unl.edu/resources/links.html#research. . Ref. No.: 74
 64 . Park, A.. 2011. How to stop the superbugs. The *E. coli* outbreak that started in Germany reveals how hard it is
 to police a global food supply - and how important, as bacteria grow more deadly. *Time*. 177(25):34-36. Ref.
 65 . No.: 92
 Patel, J.. 2010. Differences in attachment of *Salmonella enterica* serovars to cabbage and lettuce leaves. *Int J*
 66 . *Food Microbiol*. 139:41-7. Ref. No.: 78
 Penn State. . Food safety database for consumers, food service/retailers, processors & producers.
 67 . foodsafety.psu.edu/database.html. . Ref. No.: 73

 Proctor, M., M. Hamacher, M. Tortorello, J. Archer and J. P. Davis. 2001. Multistate Outbreak of *Salmonella*
 Seroovar Muenchen Infections Associated with Alfalfa Sprouts Grown from Seeds Pretreated with Calcium
 68 . Hypochlorite. *Journal of Clinical Microbiology*. 39:103-107.

 Rahme, L.G., E.J. Stevens, S.F. Wolfort, J. Shao, R.G. Tompkins, and F.M. Ausubel. 1995. Common virulence
 69 . factors for bacterial pathogenicity in plants and animals. *Science*. 268:1899-18902. Ref. No.: 57
 Richardson, K., and B. George. 2000. Sprouts and foodborne disease. A bulletin for the Australian Food
 70 . Industry. . Ref. No.: 29
 Robertson, L.J., G.S. Johannessen, B.K. Gjerde, and S. Loncarevic. 2002. Microbiological analysis of seed
 71 . sprouts in Norway. *Int. J Food Microbiology*. 75(1-2):119-126. Ref. No.: 32
 Saldana, Z., E. Sanchez, J. Xicohtencatl-Cortes, J.L. Puente and J. A. Giroin. 2011. Surface structures involved
 in plant stomata and leaf colonization by Shiga-toxigenic *Escherichia coli* O157:H7. *Frontiers in Microbiology*.
 72 . 2(119):1-9. Ref. No.: 79
 Seo, K.H. and J.F. Frank. 1999. Attachment of *Escherichia coli* O157:H7 to lettuce leaf surface and bacterial
 viability in response to chlorine treatment as demonstrated by using confocal scanning laser microscopy. *J.*
 73 . *Food Prot.*. 62(1):3-9. abstract Ref.

74 . Sharma, M.. 2011. ARS Scientists Study the Ins and Outs of E. coli Contamination. Agri Research. April 2011.
Ref. No.: 75

75 . Sharma, M.. 2009. A novel approach to investigate the uptake and internalization of Escherichia coli O157:H7
in spinach cultivated in soil and hydroponic medium. J Food Prot. 72:1513-1520. Ref. No.: 77

76 . Solomon, E.B., S. Yaron, and K.R. Matthews. 2002. Transmission of Escherichia coli O157:H7 from
contaminated manure and irrigation water to lettuce plant tissue and its subsequent internalization. Applied and
Environ. Microbiol. 68:397-400. Ref. No.: 1

77 . SproutNet. 2006. Sprouts and foodborne disease. <http://www.sproutnet.com/SproutNet.htm>. . Ref. No.: 18

78 . Stewart, D.S., et al. 2001. Growth of Salmonella during sprouting of alfalfa seeds associated with
salmonellosis outbreaks. J. Food Protection. 64:618-622. Ref. No.: 19

79 . Suslow, T. V., J. Wu, W.F. Fett, and L.J. Harris. 2002. Detection and elimination of Salmonella mbandaka
from naturally contaminated alfalfa seed by treatment with heat or calcium hypochlorite. J. Food Prot.. 65:452-
458. Ref. No.: 20

80 . Takeuchi, K. and J.F. Frank. 2000. Penetration of Escherichia coli O157:H7 into lettuce tissues as affected by
inoculum size and temperature and the effect of chlorine treatment on cell viability. J. Food Protection.
63(4):434-440. Ref. No.: 43

81 . Talley, J.L., A.C. Wayadande, A.C. Gerry, J. Fletcher, U. DeSilva & S.E. Gilliland. 2009. Association of
Escherichia coli O157:H7 with filth flies (Muscidae and Calliphoridae) captured in leafy greens fields and
experimental transmission of E. coli O157:

82 . Taormina, P.J., and L.R. Beuchat. 1999. Comparison of chemical treatments to eliminate enterohemorrhagic
Escherichia coli O157:H7 on alfalfa seeds. J. Food Protection. 62:318-324. Ref. No.: 21

83 . Taormina, P.J., L.R. Beuchat, and L. Slutsker. 1999. Infections associated with eating seed sprouts: an
international concern. Emerging Infectious Diseases. . Ref. No.: 30

84 . Taylor, M.R. & S.D. David. 2009. Stronger Partnerships for Safer Food: An agenda for strengthening state and
local roles in the nation's food safety system. Executive Summary. 12 pages. Ref. No.: 86

85 . Van Beneden, CA, W.E. Keene, R.A. Strang, D.H. Werker, A.S. King, B. Mahon, K. Hedberg, A. Bell, M.T.
Kelly, V.K. Balan, W.R. MacKenzie, and D. Fleming. 1995. Multinational outbreak of Salmonella enterica
serotype Newport infections due to contaminated alf

86 . Wachtel, M.R., L.C. Whitehand and R.E. Mandrell. 2002. Association of Escherichia coli O157:H7 with
preharvest leaf lettuce upon exposure to contaminated irrigation water. J Food Protection. 45(1):18-25. Ref.
No.: 28

87 . Warriner, K., et al. 2005. Seed decontamination as an intervening step for eliminating Escherichia coli on salad
vegetables and herbs. J. Sci. Food and Ag. 85:2307-2313. Ref. No.: 23

88 . Warriner, K., et al. 2003. Interaction of Escherichia coli with growing salad spinach plants. J. Food Protection.
66:1790-1797. Ref. No.: 22

89 . Warriner, K., S. Spaniolas, M. Dickinson, C. Wright and W.M. Waites. 2003. Internalization of bioluminescent
Escherichia coli and Salmonella Montevideo in growing bean sprouts. J. Applied Microbiology. 95:719-727.
Ref. No.: 70

90 . Wasala, L., J. Talley, J. Fletcher, S. Gilliland & A. Wayadande. 2009. Contamination of the spinach
phyloplane by Escherichia coli O157:H7 Do House flies play a role in dissemination?. Phytopath. 99:S139.
Ref. No.: 76

91 . Wells, J.M., and J.E. Butterfield. 1997. Salmonella contamination associated with bacterial soft-rot of fresh
fruits and vegetables in the marketplace. Plant Disease. 81:867-872. Ref. No.: 58

- 92 . Winfield, M.D. and E.A. Groisman. 2003. Role of nonhost environments in the lifestyles of Salmonella and
Escherichia coli. Applied and Env Microbiology. 69(7):3687-3694. Ref. No.: 33
- 93 . Winthrop, K.L., M.S. Palumbo, J.A. Farrar, J.C. Mohle-Boetani, S. Abbott, M.E. Beatty, G. Inami, and S.B.
Werner. 2003. Alfalfa sprouts and Salmonella Kottbus infection: a multistate outbreak following inadequate
seed disinfection with heat and chlorine.
- 94 . Wood, J.D., G.S. Bezanson, R.J. Gordon & R. Jamieson. 2010. Population dynamics of Escherichia coli
inoculated by irrigation into the phyllosphere of spinach grown under commercial production conditions. Int J
of Food Microbiology. 143(3):198-204. Ref
- 95 . Wu, F.M., et al. 2001. Factors influencing the detection and enumeration of Escherichia coli O157:H7 on alfalfa
seeds. Inter.J. Food Microbiology. 71:93-99. Ref. No.: 24