



Animal and Plant  
Health Inspection  
Service

Plant Protection and  
Quarantine

November 18, 2013

**A Pathway-Initiated Risk Analysis for the  
export seed of *Zea mays*, *Cynodon* spp.,  
*Festuca* spp., *Lolium* spp., *Oryza* spp.,  
*Panicum* spp., *Paspalum* spp., *Solanum*  
*lycopersicum*, *Brassica* spp. *Capsicum* spp.,  
*Lactuca* spp., *Cucurbita* spp., *Cucumis* spp.,  
and *Citrullus* spp. from the United States to  
the Republic of Vietnam**

**Agency Contact:**

Plant Epidemiology and Risk Analysis Laboratory  
Center for Plant Health Science and Technology

United States Department of Agriculture  
Animal and Plant Health Inspection Service  
Plant Protection and Quarantine  
1730 Varsity Drive, Ste. 300  
Raleigh, NC 27606

## DRAFT

### Executive Summary

The Plant Epidemiology and Risk Analysis Laboratory of the United States Department of Agriculture, Animal and Plant Health Inspection Service, Plant Protection and Quarantine, Center for Plant Health Science and Technology (USDA-APHIS-PPQ-CPHST) has evaluated the potential introduction of quarantine pests into the Republic of Vietnam with the importation of commercially produced *Zea mays*, *Cynodon* spp., *Festuca* spp., *Lolium* spp., *Oryza* spp., *Panicum* spp., and *Paspalum* spp. (Poaceae plant species) and *Solanum lycopersicum*, *Brassica* spp., *Capsicum* spp., *Lactuca* spp., *Cucurbita* spp., *Cucumis* spp., and *Citrullus* spp. (non-Poaceae plant species) seeds from the United States.

A total of 580 pests were evaluated as potential pests that could be introduced with the importation of *Zea mays*, *Cynodon* spp., *Festuca* spp., *Lolium* spp., *Oryza* spp., *Panicum* spp., and *Paspalum* spp. (Poaceae) and *Solanum lycopersicum*, *Brassica* spp., *Capsicum* spp., *Lactuca* spp., *Cucurbita* spp., *Cucumis* spp., and *Citrullus* spp. (non-Poaceae) seeds into the Republic of Vietnam. From this analysis, we identified 46 pests of quarantine significance to the Republic of Vietnam that can follow the seed pathway; these include nine bacteria, 22 fungi, three insects, one nematode, and 11 viruses.

## **Table of Contents**

|   |    |
|---|----|
| <b>Executive Summary</b> .....  | ii |
| 1. Introduction.....  | 1  |
| 1.1 Background.....   | 1  |
| 2. Pest List and Pest Categorization.....   | 1  |
| 3. Acknowledgements.....  | 7  |
| 4. Literature Cited.....  | 7  |
| 5. Appendices.....  | 9  |
| Appendix A. Pest list for <i>Solanum lycopersicum</i> , <i>Brassica</i> spp., <i>Capsicum</i> spp., <i>Lactuca</i> spp., <i>Cucurbita</i> spp., <i>Cucumis</i> spp., and <i>Citrillus</i> spp. (non-Poaceae) seeds from the United States. .... | 9  |
| Appendix B. Pest list for <i>Zea mays</i> , <i>Cynodon</i> spp., <i>Festuca</i> spp., <i>Lolium</i> spp., <i>Oryza</i> spp., <i>Panicum</i> spp., and <i>Paspalum</i> spp. (Poaceae) seeds from the United States. ....                         | 37 |

## **1. Introduction**

We prepared this commodity-based, pathway-initiated pest risk assessment in response to a request by U.S. seed producers to allow the export of seed of several commodities into the Republic of Vietnam.

### **1.1 Background**

The request is for the importation of dry seed of *Zea mays*, *Cynodon* spp., *Festuca* spp., *Lolium* spp., *Oryza* spp., *Panicum* spp., and *Paspalum* spp. (Poaceae) and *Solanum lycopersicum*, *Brassica* spp., *Capsicum* spp., *Lactuca* spp., *Cucurbita* spp., *Cucumis* spp., and *Citrillus* spp. (non-Poaceae) plant species.

There will be controls to avoid contamination with noxious weeds. Normal phytosanitary controls should be used as in the commercial production of the same species.

## **2. Pest List and Pest Categorization**

The pest list of these seeds commodities was developed based on the information obtained from the Ministry of Agriculture and Rural Development of the Socialist Republic of Vietnam (MARD, 2005). Some pests can be expected to follow the pathway in commercial shipments of these seeds. A pest is considered able to follow the pathway if it is associated with the commodity and likely to survive with and remain on the commodity until entry into the Republic of Vietnam.

- Pests of quarantine significance for Vietnam are listed in Tables 1 and 2. These pests were selected based on the following criteria: a) they have been reported to be present in the United States, b) they are absent or are not known to be present in the Republic of Vietnam, and c) they are seed borne and have been proven to be seed transmitted. Species highlighted in gray are pests that regulated by the Ministry of Agriculture and Rural Development of the Socialist Republic of Vietnam (MARD, 2005).
- Additional organisms that are not identified as quarantine pests by MARD but that meet the criteria for quarantine pests described here are also included in Tables 1 and 2.
- Pests of no quarantine significance for the republic of Vietnam are listed in the appendices

**DRAFT**

**Table 1.** Pests of quarantine significance for the Republic of Vietnam on seeds of non-Poaceae plant genera.

| Pest   | <i>Solanum lycopersicum</i>      | <i>Brassica</i> spp.             | <i>Capsicum</i> spp.             | <i>Lactuca</i> spp.              | <i>Cucurbita</i> spp.            | <i>Cucumis</i> spp.              | <i>Citrullus</i> spp.            |
|--|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|
| <b>Bacteria</b>  |                                  |                                  |                                  |                                  |                                  |                                  |                                  |
| <i>Acidovorax citrulli</i> (Schaad et al.) Schaad et al.                             |                                  |                                  |                                  |                                  | Seed transmitted<br>(CABI, 2013) | Seed transmitted<br>(CABI, 2013) | Seed transmitted<br>(CABI, 2013) |
| <i>Clavibacter michiganensis</i> subsp. <i>michiganensis</i> (Smith) Davis et al.    | Seed transmitted<br>(CABI, 2013) |                                  |                                  |                                  |                                  |                                  |                                  |
| <i>Pseudomonas corrugata</i> Roberts & Scarlett, emend. Sutra et al.                 | Seed transmitted<br>(CABI, 2013) |                                  |                                  |                                  |                                  |                                  |                                  |
| <i>Pseudomonas syringae</i> pv. <i>lachrymans</i> (Smith & Bryan) Young Dye & Wilkie |                                  |                                  |                                  |                                  |                                  | Seed transmitted<br>(CABI, 2013) |                                  |
| <i>Pseudomonas syringae</i> pv. <i>syringae</i>                                      | Seed transmitted<br>(CABI, 2013) |                                  |
| <i>Pseudomonas syringae</i> pv. <i>tomato</i> (Okabe) Young, Dye & Wilkie            | Seed transmitted<br>(CABI, 2013) |                                  |                                  |                                  |                                  |                                  |                                  |
| <i>Pseudomonas viridisflava</i> (Burkholder) Dowson                                  | Seed transmitted<br>(CABI, 2013) | Seed transmitted<br>(CABI, 2013) | Seed transmitted<br>(CABI, 2013) |                                  | Seed transmitted<br>(CABI, 2013) | Seed transmitted<br>(CABI, 2013) | Seed transmitted<br>(CABI, 2013) |
| <i>Rhodococcus fascians</i> (Tilford) Goodfellow                                     | Seed transmitted<br>(CABI, 2013) |                                  |                                  | Seed transmitted<br>(CABI, 2013) |                                  | Seed transmitted<br>(CABI, 2013) |                                  |
| <b>Fungi</b>   |                                  |                                  |                                  |                                  |                                  |                                  |                                  |
| <i>Albugo candida</i> (Pers.) Kuntze   |                                  | Seed transmitted<br>(CABI, 2013) |                                  |                                  |                                  |                                  |                                  |
| <i>Alternaria brassicicola</i> (Schwein.) Wiltshire                                  | Seed transmitted<br>(CABI, 2013) | Seed transmitted<br>(CABI, 2013) |                                  | Seed transmitted<br>(CABI, 2013) |                                  | Seed transmitted<br>(CABI, 2013) |                                  |
| <i>Alternaria dauci</i> (J.G.)   | Seed                             | Seed                             |                                  | Seed                             |                                  | Seed                             |                                  |

**DRAFT**

| Pest  | <i>Solanum lycopersicum</i>         | <i>Brassica</i> spp.                | <i>Capsicum</i> spp.                | <i>Lactuca</i> spp.                 | <i>Cucurbita</i> spp.               | <i>Cucumis</i> spp.                 | <i>Citrullus</i> spp.               |
|---|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| Kühn) J.W. Groves & Skolko                              | transmitted<br>(CABI, 2013)         | transmitted<br>(CABI, 2013)         |                                     | transmitted<br>(CABI, 2013)         |                                     | transmitted<br>(CABI, 2013)         |                                     |
| <i>Alternaria japonica</i> Yoshii                       | Seed<br>transmitted<br>(CABI, 2013) | Seed<br>transmitted<br>(CABI, 2013) |                                     |                                     |                                     |                                     |                                     |
| <i>Gibberella avenacea</i> R.J. Cook                    | Seed<br>transmitted<br>(CABI, 2013) | Seed<br>transmitted<br>(CABI, 2013) |                                     |                                     | Seed<br>transmitted<br>(CABI, 2013) | Seed<br>transmitted<br>(CABI, 2013) |                                     |
| <i>Leptosphaeria maculans</i><br>(Desm.) Ces. & de Not. |                                     | Seed<br>transmitted<br>(CABI, 2013) |                                     |                                     |                                     |                                     |                                     |
| <i>Sarocladium strictum</i> (W. Gams) Summerb           | Seed<br>transmitted<br>(CABI, 2013) |                                     |                                     |                                     |                                     |                                     |                                     |
| <b>Virus</b>  |                                     |                                     |                                     |                                     |                                     |                                     |                                     |
| <i>Alfalfa mosaic virus</i>                             | Seed<br>transmitted<br>(CABI, 2013) |                                     | Seed<br>transmitted<br>(CABI, 2013) |                                     |                                     |                                     |                                     |
| <i>Arabis mosaic virus</i>                              |                                     |                                     |                                     | Seed<br>transmitted<br>(CABI, 2013) | Seed<br>transmitted<br>(CABI, 2013) | Seed<br>transmitted<br>(CABI, 2013) |                                     |
| <i>Bean yellow mosaic virus</i>                         |                                     |                                     |                                     |                                     | Seed<br>transmitted<br>(CABI, 2013) |                                     |                                     |
| <i>Lettuce mosaic virus</i>                             |                                     |                                     |                                     | Seed<br>transmitted<br>(CABI, 2013) |                                     |                                     |                                     |
| <i>Potato spindle tuber viroid</i>                      | Seed<br>transmitted<br>(CABI, 2013) |                                     |                                     |                                     |                                     |                                     |                                     |
| <i>Squash mosaic virus</i>                              |                                     |                                     |                                     |                                     | Seed<br>transmitted<br>(CABI, 2013) | Seed<br>transmitted<br>(CABI, 2013) | Seed<br>transmitted<br>(CABI, 2013) |
| <i>Tobacco streak virus</i>                             | Seed<br>transmitted<br>(CABI, 2013) |                                     |                                     | Seed<br>transmitted<br>(CABI, 2013) |                                     | Seed<br>transmitted<br>(CABI, 2013) |                                     |

**DRAFT**

| Pest  | <i>Solanum lycopersicum</i>         | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrullus</i> spp. |
|---|-------------------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|-----------------------|
| <i>Tomato bushy stunt virus</i><br>( <i>Lycopersicon</i> virus 4) | Seed<br>transmitted<br>(CABI, 2013) |                      |                      |                     |                       |                     |                       |
| <i>Tomato mosaic virus</i>  | Seed<br>transmitted<br>(CABI, 2013) |                      |                      |                     |                       |                     |                       |

**Conclusion for seeds of the analyzed non-Poaceae genera (Table 1)**

We identified a total of 24 pests of quarantine significance on all these commodities; these include eight bacteria, seven fungi, and nine viruses. From this list, we identified 16 pests on *Solanum lycopersicum*, 11 on *Cucumis* spp., eight each on *Brassica* spp. and *Lactuca* spp., seven on *Cucurbita* spp., three on *Citrillus* spp., and two on *Capsicum* spp.

Based on the list of pests that are regulated by the Ministry of Agriculture and Rural Development of the Republic of Vietnam (MARD, 2005), only *Clavibacter michiganensis* subsp. *michiganensis* on tomato would be considered a quarantine pest.

**Table 2.** Pests of quarantine significance for the Republic of Vietnam on seeds of Poaceae plant genera.

| Pest   | <i>Zea mays</i>                     | <i>Cynodon</i> spp. | <i>Festuca</i> spp. | <i>Lolium</i> spp. | <i>Oryza</i> spp. | <i>Panicum</i> spp.                 | <i>Paspalum</i> spp. |
|--|-------------------------------------|---------------------|---------------------|--------------------|-------------------|-------------------------------------|----------------------|
| <b>Bacteria</b>  |                                     |                     |                     |                    |                   |                                     |                      |
| <i>Acidovorax citrulli</i> (Schaad et al.) Schaad et al.                   |                                     |                     |                     |                    |                   | Seed<br>transmitted<br>(CABI, 2013) |                      |
| <i>Clavibacter michiganensis</i> subsp. <i>nebraskensis</i>                | Seed<br>transmitted<br>(CABI, 2013) |                     |                     |                    |                   |                                     |                      |
| <i>Pantoea stewartii</i> (Smith) Mergaert et al.                           | Seed<br>transmitted<br>(CABI, 2013) |                     |                     |                    |                   |                                     |                      |
| <i>Pseudomonas corrugata</i><br>Roberts & Scarlett, emend.<br>Sutra et al. | Seed<br>transmitted<br>(CABI, 2013) |                     |                     |                    |                   |                                     |                      |
| <i>Pseudomonas syringae</i> pv.  | Seed                                |                     |                     |                    |                   |                                     |                      |

**DRAFT**

| <b>Pest</b>  | <i>Zea mays</i>                     | <i>Cynodon</i> spp.                 | <i>Festuca</i> spp.              | <i>Lolium</i> spp.                  | <i>Oryza</i> spp.                   | <i>Panicum</i> spp.                 | <i>Paspalum</i> spp.                |
|--|-------------------------------------|-------------------------------------|----------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| <i>pisi</i> (Sackett) Young et al.   |                                     | transmitted<br>(CABI, 2013)         |                                  |                                     |                                     |                                     |                                     |
| <i>Pseudomonas syringae</i> pv.<br><i>syringae</i>   |                                     | Seed<br>transmitted<br>(CABI, 2013) |                                  |                                     | Seed<br>transmitted<br>(CABI, 2013) | Seed<br>transmitted<br>(CABI, 2013) |                                     |
| <i>Pseudomonas viridiflava</i><br>(Burkholder) Dowson  | Seed<br>transmitted<br>(CABI, 2013) |                                     |                                  |                                     |                                     |                                     |                                     |
| <i>Rathayibacter rathayi</i><br>(Smith) Zgurskaya et al.   |                                     | Seed<br>transmitted<br>(CABI, 2013) |                                  |                                     |                                     |                                     |                                     |
| <b>Fungi</b>   |                                     |                                     |                                  |                                     |                                     |                                     |                                     |
| <i>Balansia oryzae-sativae</i><br>Hashioka   |                                     | Seed<br>transmitted<br>(CABI, 2013) |                                  |                                     | Seed<br>transmitted<br>(CABI, 2013) |                                     | Seed<br>transmitted<br>(CABI, 2013) |
| <i>Cochliobolus spicifer</i><br>Nelson   |                                     | Seed<br>transmitted<br>(CABI, 2013) |                                  |                                     |                                     |                                     |                                     |
| <i>Fusarium culmorum</i> (W.G.<br>Sm.) Sacc.   |                                     |                                     |                                  | Seed<br>transmitted<br>(CABI, 2013) |                                     |                                     |                                     |
| <i>Gibberella avenacea</i> R.J.<br>Cook  | Seed<br>transmitted<br>(CABI, 2013) |                                     |                                  | Seed<br>transmitted<br>(CABI, 2013) | Seed<br>transmitted<br>(CABI, 2013) |                                     |                                     |
| <i>Glomerella graminicola</i><br>Politis   | Seed<br>transmitted<br>(CABI, 2013) | Seed<br>transmitted<br>(CABI, 2013) |                                  |                                     |                                     |                                     |                                     |
| <i>Monographella nivalis</i><br>(Schaffnit) E.Müll.<br>Anamorph: <i>Micronectriella</i><br><i>nivalis</i> (Schaffnit) C. Booth |                                     |                                     | Seed transmitted<br>(CABI, 2013) | Seed<br>transmitted<br>(CABI, 2013) |                                     | Seed<br>transmitted<br>(CABI, 2013) |                                     |
| <i>Neotyphodium</i><br><i>coenophialum</i> (Morgan-<br>Jones & W. Gams) Glenn,<br>C.W. Bacon & Hanlin                          |                                     |                                     | Seed transmitted<br>(CABI, 2013) |                                     |                                     |                                     |                                     |
| <i>Phaeosphaeria nodorum</i><br>(E. Müll.) Hedjar  |                                     | Seed<br>transmitted<br>(CABI, 2013) |                                  | Seed<br>transmitted<br>(CABI, 2013) |                                     |                                     |                                     |

**DRAFT**

| <b>Pest</b>   | <i>Zea mays</i>                  | <i>Cynodon</i> spp.              | <i>Festuca</i> spp.              | <i>Lolium</i> spp.               | <i>Oryza</i> spp.                | <i>Panicum</i> spp. | <i>Paspalum</i> spp. |
|---|----------------------------------|----------------------------------|----------------------------------|----------------------------------|----------------------------------|---------------------|----------------------|
| <i>Pyrenophora chaetomioides</i> Speg.                  |                                  |                                  |                                  | Seed transmitted<br>(CABI, 2013) |                                  |                     |                      |
| <i>Pyrenophora tritici-repentis</i> (Died.) Drechsler   |                                  |                                  |                                  | Seed transmitted<br>(CABI, 2013) |                                  |                     |                      |
| <i>Sarcocladium strictum</i> (W. Gams) Summerb          | Seed transmitted<br>(CABI, 2013) |                                  |                                  |                                  |                                  |                     |                      |
| <i>Stenocarpella macrospora</i> (Earle) B.Sutton        | Seed transmitted<br>(CABI, 2013) |                                  |                                  |                                  |                                  |                     |                      |
| <i>Stenocarpella maydis</i> (Berk.) B. Sutton           | Seed transmitted<br>(CABI, 2013) |                                  |                                  |                                  |                                  |                     |                      |
| <i>Trichoconiella padwickii</i> (Ganguly) B.L. Jain     |                                  |                                  |                                  |                                  | Seed transmitted<br>(CABI, 2013) |                     |                      |
| <i>Urocystis agropyri</i> (Preuss)<br>A.A. Fisch. Waldh |                                  | Seed transmitted<br>(CABI, 2013) | Seed transmitted<br>(CABI, 2013) |                                  |                                  |                     |                      |
| <b>Nematodes</b>  |                                  |                                  |                                  |                                  |                                  |                     |                      |
| <i>Anguina agrostis</i> (Steinbuch) Filipjev,           |                                  | Seed transmitted<br>(CABI, 2013) | Seed transmitted<br>(CABI, 2013) |                                  |                                  |                     |                      |
| <b>Viruses</b>  |                                  |                                  |                                  |                                  |                                  |                     |                      |
| <i>Maize chlorotic mottle virus</i>                     | Seed transmitted<br>(CABI, 2013) |                                  |                                  |                                  |                                  |                     |                      |
| <i>Maize dwarf mosaic virus</i>                         | Seed transmitted<br>(CABI, 2013) |                                  |                                  |                                  | Seed transmitted<br>(CABI, 2013) |                     |                      |

**Conclusion for seeds of analyzed Poaceae genera (Table 2)**

We identified a total of 26 pests of quarantine significance on all these commodities; these include three insects, eight bacteria, 15 fungi, one nematode, and two viruses. From this list, we identified 11 pests on *Zea mays*, seven on *Cynodon* spp., six each on *Festuca* spp. and *Lolium* spp., five on *Oryza* spp., three on *Panicum* spp., and one on *Paspalum* spp.

## DRAFT

Based on the list of pests that regulated by the Ministry of Agriculture and Rural Development of the Republic of Vietnam (MARD, 2005), only *Pantoea stewartii* on corn would be considered a quarantine pest.

### **3. Acknowledgements**

Author: Walter A. Gutierrez, USDA-APHIS-PPQ-CPHST-PERAL

Reviewers: Scott C. Redlin, USDA-APHIS-PPQ-CPHST-PERAL

James Smith, USDA-APHIS-PPQ-CPHST-PERAL

### **4. Literature Cited**

- Brcák, J., and J. Pozdena. 1976. Some Virus and Virus-like Diseases of Tobacco, Tomato, Papaya, and Rubber Tree in Vietnam and Cambodia. *Biological Plantarum (PRAHA)* 18(4):290-292.
- Burgess, L. W., T. E. Knight, L. Tesoriero, and H. T. Phan. 2008. Diagnostic manual for plant diseases in Vietnam.
- CABI. 2013. Crop protection compendium. Commonwealth Agricultural Bureau International (CABI). <http://www.cabi.org/cpc/>. (Archived at PERAL).
- Cuong, N. M., H. Wilhelm, A. Porzel, and et.al. 2008. 1-O-Substituted derivatives of murrayafoline A and their antifungal properties. . *Journal of Asian Natural Products Research* 22(11):950-954.
- Díaz-Pendón, J. A., M. C. Cañizares, E. Moriones, E. R. Bejarano, H. Czosnek, and J. Navas-Castillo. 2010. Tomato yellow leaf curl viruses: ménage à trois between the virus complex, the plant and the whitefly vector. *Molecular Plant Pathology* 11(4):441-450.
- FAO. 2008. Cucumber Integrated Pest management: An Ecological Guide. FAO Regional Vegetable IPM Programme. Bangkok.
- Luong, T. M., L. M. T. Huynh, T. V. Le, L. W. Burgess, and H. T. Phan. 2010. First report of Sclerotinia blight caused by *Sclerotinia sclerotiorum* in Quang Nam, Vietnam. *Australasian Plant Disease Notes* 5:42-44.
- MARD. 2005. The list of Plant Quarantine Pests of the Socialist Republic of Vietnam. *in* M. o. A. a. R. Development, ed.
- Mehta, N., M. S. Sangwan, and G. S. Saharam. 2005. Fungal diseases of rapeseed-mustard. *in* G. S. Saharam, N. Mehta, and M. S. Sangwan, (eds.). Diseases of Oilseed crops. Indus Publishing Company, New delhi.
- Minh, T. D., T. D. Long, and T. T. Ngu. 1997. Screening wheat for *Bipolaris sorokiniana* resistane in Vietnam. E. Duveiller, H. J. Dubin, J. Reeves, and A. McNab, (eds.). *Helminthosporium Blights of Wheat: Spot Blotch and Tan Spot : Proceedings of an International Workshop Held at CIMMYT, February 1997, El Batán, Mexico.*

**DRAFT**

- Nguyen, T. H. P., O. Vinnere Pettersson, P. Olsson, and E. Liljeroth. 2010. Identification of *Colletotrichum* species associated with anthracnose disease of coffee in Vietnam. European Journal Plant Pathology 27(1):73-87.
- PestID. 2013. Pest Report - reportable status for Insects and Mites. *in* A. a. P. H. I. S. United States Department of Agriculture, Plant Protection and Quarantine, ed., Riverdale, Maryland.
- Pham, T. T., D. D. Le, and G. V. Nguyen. 1994. Research on multiplication of *Beauveria bassiana* fungus and preliminary utilisation of Bb bioproduct for pest management in stored products in Vietnam. E. Highley, E. J. Wright, H. J. Banks, and B. R. Champ, (eds.). Proceedings of the 6th International Working Conference on Stored-product. CAB International, Wallingford, United Kingdom,, Canberra, Australia.
- Quang, D. N., J. Schmidt, A. Porzel, L. Wessjohann, M. Haid, and N. Arnold. 2010. Ampullospine, a new isoquinoline alkaloid from *Sepedonium ampullosporum* (Ascomycetes). Natural Product Communications 5(6):869-872.
- RBG, and Domain Trust. 2013. Fusarium wilt - *Fusarium oxysporum*. Royal Botanic Gardens & Domain Trust.  
[http://www.rbgsyd.nsw.gov.au/science/plant\\_pathology\\_research/Soilborne\\_plant\\_disease..](http://www.rbgsyd.nsw.gov.au/science/plant_pathology_research/Soilborne_plant_disease..)
- Than, p. p., H. Prihastuti, S. Phoulivong, P. W. J. Taylor, and K. D. Hyde. 2008. review: Chilli anthracnose disease caused by *Colletotrichum* species. Journal of Zhejiang University Science B 9(10):764-778.
- Vien, T. D. 2005. Overview on tomato production and tomato varieties in Vietnam. Hanoi Agricultural University, Hanoi – Vietnam.
- Werkman, A. W., and C. E. Sansford. 2010. Pest Risk Analysis for Pepino mosaic virus for the EU. Deliverable Report 4.3. EU Sixth Framework Project Project PEPEIRA. <http://www.pepeira.com>.
- Women Union of Vinh Chau District. 2010. Developing a community-based model on onion-based cultivation crops to adapt to climate change impact (droughts and saline intrusion) in Vinh Chau Commune, Vinh Chau District, Soc Trang Province - CBA/VN/SPA/09/07. *in* D. o. A. o. V. C. District, ed.

## 5. Appendices

### Appendix A. Pest list for *Solanum lycopersicum*, *Brassica* spp., *Capsicum* spp., *Lactuca* spp., *Cucurbita* spp., *Cucumis* spp., and *Citrillus* spp. (non-Poaceae) seeds from the United States.

Below we list a group of organisms that **cannot be** considered of quarantine significance for the Republic of Vietnam due to the following reasons: a) pest is present in Vietnam, b) pest is not seedborne, c) there is no reliable evidence of seed transmission, and d) pest is present and regulated in the United States. Species highlighted in gray are pests regulated by the Ministry of Agriculture and Rural Development (MARD) of the Republic of Vietnam, species bolded are pests regulated by the United States, and pest with limited distribution are shown with the state abbreviation in brackets [AB].

| Pest  | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp. | Vietnam   | Seed | Comments                     |
|---|-----------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|-----------------------|-----------|------|------------------------------|
| <b>Mites</b>                                |                             |                      |                      |                     |                       |                     |                       |           |      |                              |
| <i>Aculops lycopersici</i> (Tryon)          |                             |                      | CABI, 2013           |                     |                       |                     |                       | Not known | No   | Foliage feeder (CABI, 2013)  |
| <i>Acarus siro</i> Linnaeus                 | CABI, 2013                  | CABI, 2013           |                      |                     |                       |                     |                       | Not known | Yes  | External feeder (CABI, 2013) |
| <i>Mononychellus tanajoa</i>                | CABI, 2013                  |                      |                      |                     |                       |                     |                       | Not known | No   | Foliage feeder (CABI, 2013)  |
| <i>Petrobia latens</i> (O.F. Müller)        |                             |                      | CABI, 2013           |                     | CABI, 2013            |                     |                       | Not known | No   | Foliage feeder (CABI, 2013)  |
| <i>Phytonemus pallidus</i> (Banks)          |                             |                      | CABI, 2013           |                     |                       |                     |                       | Not known | No   | Foliage feeder (CABI, 2013)  |
| <i>Polyphagotarsonemus latus</i> Banks      | CABI, 2013                  |                      | CABI, 2013           |                     | CABI, 2013            |                     |                       | Not known | No   | Foliage feeder (CABI, 2013)  |
| <i>Tetranychus cinnabarinus</i> (Boisduval) | CABI, 2013                  | CABI, 2013           | CABI, 2013           |                     | CABI, 2013            | CABI, 2013          | CABI, 2013            | Not known | No   | Foliage feeder (CABI, 2013)  |
| <i>Tetranychus pacificus</i> McGregor       |                             |                      |                      |                     | CABI, 2013            | CABI, 2013          | Not known             | No        |      | Foliage feeder (CABI, 2013)  |
| <i>Tetranychus urticae</i> Koch             | CABI, 2013                  |                      | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          | CABI, 2013            | Not known | No   | Foliage feeder (CABI, 2013)  |

**DRAFT**

| Pest                                      | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp. | Vietnam    | Seed | Comments  |
|---|-----------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|-----------------------|------------|------|---|
| <i>Tyrophagus putrescentiae</i> (Schrank) |                             |                      |                      |                     | CABI, 2013            |                     |                       | Not known  | Yes  | External feeder (CABI, 2013)  |
| <b>Insects</b>                            |                             |                      |                      |                     |                       |                     |                       |            |      |   |
| <i>Acalymma vittatum</i> (Fabricius)      |                             | CABI, 2013           |                      |                     | CABI, 2013            | CABI, 2013          | CABI, 2013            | Not known  | No   | External feeder (CABI, 2013)  |
| <i>Achaea janata</i> (Linnaeus)           |                             | CABI, 2013           |                      |                     |                       |                     | CABI, 2013            | No         |      | External feeder (CABI, 2013)  |
| <i>Acrosternum hilare</i> (Say)           | CABI, 2013                  | CABI, 2013           |                      |                     |                       |                     |                       | Not known  | No   | External feeder (CABI, 2013)  |
| <i>Acyrtosiphon kondoi</i> Shinji         |                             |                      |                      |                     | CABI, 2013            |                     |                       | Not known  | No   | Foliage feeder (CABI, 2013)   |
| <i>Adelphocoris lineolatus</i> Goeze      | CABI, 2013                  |                      |                      | CABI, 2013          |                       | CABI, 2013          |                       | Not known  | No   | External feeder (CABI, 2013)  |
| <i>Agriotes lineatus</i> (Linnaeus)       | CABI, 2013                  | CABI, 2013           |                      | CABI, 2013          |                       |                     |                       | Not known  | No   | Host status unknown (CABI, 2013); root and leaf feeder (CABI, 2013) |
| <i>Agrotis ipsilon</i> (Hufnagel)         | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          | CABI, 2013            | CABI, 2013 | No   | External feeder (CABI, 2013)  |
| <i>Ahasverus advena</i> (Waltl)           |                             |                      |                      | CABI, 2013          |                       |                     |                       | Not known  | Yes  | External feeder (CABI, 2013)  |
| <i>Aleurodicus dispersus</i> Russell      | CABI, 2013                  |                      | CABI, 2013           |                     |                       | CABI, 2013          |                       | CABI, 2013 | No   | External feeder (CABI, 2013)  |
| <i>Anthonomus eugenii</i> Cano            | CABI, 2013                  |                      | CABI, 2013           |                     |                       |                     |                       | Not known  | No   | Fruit feeder (CABI, 2013)   |
| <i>Aonidiella orientalis</i> (Newstead)   |                             |                      |                      |                     | [FL] (CABI, 2013)     |                     |                       | Not known  | No   | Foliage feeder (CABI, 2013)   |
| <i>Aphis craccivora</i> Koch              | CABI, 2013                  | CABI, 2013           | CABI, 2013           |                     |                       |                     | CABI, 2013            | No         |      | External feeder (CABI, 2013)  |
| <i>Aphis fabae</i> Scopoli                | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          |                       | Not known  | No   | External feeder (CABI, 2013)  |
| <i>Aphis gossypii</i> Glover              | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          | CABI, 2013            | CABI, 2013 | No   | External feeder (CABI, 2013)  |
| <i>Aphis spiraecola</i> Patch             |                             |                      | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          |                       | CABI,      | No   | External feeder   |

**DRAFT**

| Pest  | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp. | Vietnam    | Seed | Comments                     |
|---|-----------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|-----------------------|------------|------|------------------------------|
| <i>Araecerus fasciculatus</i> (De Geer)         |                             |                      |                      |                     |                       |                     |                       | 2013       |      | (CABI, 2013)                 |
| <i>Aspidiotus destructor</i> Signoret           | CABI, 2013                  | CABI, 2013           | CABI, 2013           |                     |                       | CABI, 2013          |                       | CABI, 2013 | No   | External feeder (CABI, 2013) |
| <i>Atherigona orientalis</i> Schiner            | CABI, 2013                  | CABI, 2013           | CABI, 2013           |                     | CABI, 2013            | CABI, 2013          | CABI, 2013            | Not known  | No   | Internal feeder (CABI, 2013) |
| <i>Aulacaspis tubercularis</i> Newstead         |                             |                      |                      |                     | CABI, 2013            |                     |                       | CABI, 2013 | No   | Foliage feeder (CABI, 2013)  |
| <i>Aulacorthum solani</i> Kaltenbach            | CABI, 2013                  |                      | CABI, 2013           | CABI, 2013          |                       | CABI, 2013          |                       | Not known  | No   | External feeder (CABI, 2013) |
| <i>Bemisia tabaci</i> (Gennadius)               | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          |                       | CABI, 2013          |                       | CABI, 2013 | No   | Foliage feeder (CABI, 2013)  |
| <i>Bemisia tabaci</i> (B biotype) (Gennadius)   | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          | CABI, 2013            |                     |                       | Not known  | No   | External feeder (CABI, 2013) |
| <i>Brachycaudus helichrysi</i> Kaltenbach       | CABI, 2013                  |                      |                      |                     | CABI, 2013            |                     |                       | Not known  | No   | Foliage feeder (CABI, 2013)  |
| <i>Cacoecimorpha pronubana</i> Hübner           | [OR] (CABI, 2013)           | [OR] (CABI, 2013)    |                      |                     |                       |                     |                       | Not known  | No   | External feeder (CABI, 2013) |
| <i>Ceroplastes ceriferus</i> (Indian wax scale) |                             |                      |                      |                     | CABI, 2013            |                     |                       | Not known  | Yes  | External feeder (CABI, 2013) |
| <i>Ceutorhynchus assimilis</i> (Paykull)        |                             | CABI, 2013           |                      |                     |                       |                     |                       | Not known  | Yes  | External feeder (CABI, 2013) |
| <i>Chaetocnema confinis</i> Crotch              |                             | CABI, 2013           |                      |                     |                       |                     |                       | Not known  | No   | External feeder (CABI, 2013) |
| <i>Chrysodeixis eriosoma</i> Doubleday          | [HI] (CABI, 2013)           | [HI] (CABI, 2013)    | [HI] (CABI, 2013)    | [HI] (CABI, 2013)   | [HI] (CABI, 2013)     | [HI] (CABI, 2013)   | [HI] (CABI, 2013)     | CABI, 2013 | No   | External feeder (CABI, 2013) |
| <i>Chrysodeixis includens</i> (Walker)          |                             | CABI, 2013           | CABI, 2013           | CABI, 2013          |                       | CABI, 2013          | CABI, 2013            | Not known  | No   | External feeder (CABI, 2013) |
| <i>Circulifer tenellus</i> (Baker)              | CABI, 2013                  | CABI, 2013           | CABI, 2013           |                     |                       |                     |                       | Not known  | No   | External feeder (CABI, 2013) |
| <i>Coccus hesperidum</i> Linnaeus               |                             |                      |                      |                     | CABI, 2013            |                     | CABI, 2013            | CABI, 2013 | No   | Foliage feeder (CABI, 2013)  |

**DRAFT**

| Pest  | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp.                       | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp.                   | Vietnam    | Seed | Comments  |
|---|-----------------------------|----------------------|----------------------|---|-----------------------|---------------------|---|------------|------|---|
| <i>Contarinia nasturtii</i> (Kieffer)                       |                             |                      | CABI, 2013           |   |                       |                     |   | Not known  | No   | Foliage feeder (CABI, 2013)   |
| <i>Corcyra cephalonica</i> (Stainton)                       |                             |                      | CABI, 2013           |   |                       |                     |   | CABI, 2013 | No   | External feeder (CABI, 2013)  |
| <i>Crocidosema plebejana</i> Zeller                         |                             |                      |                      | [CA, FL, LO, NM, NC, SC, TX] (CABI, 2013) |                       |                     |   | Not known  | No   | Foliage feeder (CABI, 2013)   |
| <i>Chromatomyia horticola</i> Goureau                       | CABI, 2013                  |                      |                      |   |                       |                     |   | CABI, 2013 | No   | Foliage feeder (CABI, 2013)   |
| <i>Delia floralis</i> (Fallén)                              |                             | CABI, 2013           |                      |   |                       |                     |   | Not known  | No   | Internal feeder (CABI, 2013)  |
| <i>Delia platura</i> (Meigen)                               |                             | CABI, 2013           | CABI, 2013           |   | CABI, 2013            | CABI, 2013          | Women Union of Vinh Chau District, 2010 |            | Yes  | Underground feeder; especially germinating seeds; not associated with flowering structures (CABI, 2013) |
| <i>Delia radicum</i> Linnaeus                               |                             | CABI, 2013           |                      |   |                       |                     |   | Not known  | No   | Internal feeder (CABI, 2013)  |
| <i>Diabrotica balteata</i> LeConte                          | CABI, 2013                  |                      |                      | CABI, 2013                                | CABI, 2013            |                     |   | Not known  | No   | External feeder (CABI, 2013)  |
| <i>Diabrotica barberi</i> Smith & Lawrence, (Krysan et al.) |                             |                      |                      | CABI, 2013                                | CABI, 2013            |                     |   | Not known  | No   | External feeder (CABI, 2013)  |
| <i>Diabrotica undecimpunctata</i> Mannerheim                |                             |                      |                      | CABI, 2013                                | CABI, 2013            | CABI, 2013          | Not known                               | No         |      | External feeder (CABI, 2013)  |
| <i>Diabrotica virgifera virgifera</i> LeConte               |                             |                      |                      | CABI, 2013                                |                       |                     | Not known                               | No         |      | External feeder (CABI, 2013)  |
| <i>Diaphania indica</i> (Saunders)                          | [FL] (CABI, 2013)           |                      |                      | [FL] (CABI, 2013)                         | [FL] (CABI, 2013)     | [FL] (CABI, 2013)   | CABI, 2013                              |            | No   | External feeder (CABI, 2013)  |
| <i>Diaphania nitidalis</i> (Stoll)                          |                             |                      |                      | CABI, 2013                                | CABI, 2013            | CABI, 2013          | Not known                               | No         |      | External feeder (CABI, 2013)  |
| <i>Diaprepes abbreviatus</i> (Linnaeus)                     |                             | [FL, MS] (CABI,      |                      |   |                       |                     | Not known                               | No         |      | External feeder (CABI, 2013)  |

**DRAFT**

| Pest   | <i>Solanum lycopersicum</i>   | <i>Brassica</i> spp.          | <i>Capsicum</i> spp. | <i>Lactuca</i> spp.          | <i>Cucurbita</i> spp.        | <i>Cucumis</i> spp. | <i>Citrillus</i> spp. | Vietnam    | Seed | Comments  |
|--|-------------------------------|-------------------------------|----------------------|------------------------------|------------------------------|---------------------|-----------------------|------------|------|---|
| 2013)  |                               |                               |                      |                              |                              |                     |                       |            |      |   |
| <i>Duponchelia fovealis</i><br>Zeller              |                               |                               | CABI, 2013           | CABI, 2013                   |                              |                     |                       | Not known  | No   | External feeder (CABI, 2013)                                    |
| <i>Dysmicoccus brevipes</i><br>(Cockerell)         | [CA, FL, HI, LA] (CABI, 2013) | [CA, FL, HI, LA] (CABI, 2013) |                      | CA, FL, HI, LA] (CABI, 2013) | CA, FL, HI, LA] (CABI, 2013) |                     |                       | CABI, 2013 | No   | External feeding (CABI, 2013); US regulated pest (PestID, 2013) |
| <i>Elasmopalpus lignosellus</i> (Zeller)           |                               | CABI, 2013                    |                      |                              |                              |                     |                       | CABI, 2013 | No   | Foliage feeder (CABI, 2013)                                     |
| <i>Empoasca fabae</i><br>Harris                    |                               | CABI, 2013                    |                      |                              |                              | CABI, 2013          |                       | Not known  | No   | Foliage feeder (CABI, 2013)                                     |
| <i>Epitrix cucumeris</i><br>(Harris)               | CABI, 2013                    | CABI, 2013                    | CABI, 2013           | CABI, 2013                   | CABI, 2013                   | CABI, 2013          |                       | Not known  | No   | External feeder (CABI, 2013)                                    |
| <i>Epitrix tuberis</i> Gentner                     | CABI, 2013                    | CABI, 2013                    | CABI, 2013           | CABI, 2013                   |                              | CABI, 2013          |                       | Not known  | No   | Internal feeder (CABI, 2013)                                    |
| <i>Eudocima fullonia</i><br>(Clerck)               | [HI] (CABI, 2013)             |                               | [HI] (CABI, 2013)    |                              |                              | [HI] (CABI, 2013)   |                       | CABI, 2013 | No   | Fruit feeder (CABI, 2013)                                       |
| <i>Ferrisia virgata</i><br>Cockerell               |                               | CABI, 2013                    |                      |                              | CABI, 2013                   |                     |                       | CABI, 2013 | No   | External feeder (CABI, 2013)                                    |
| <i>Frankliniella fusca</i><br>(Hinds)              |                               | CABI, 2013                    |                      | CABI, 2013                   |                              |                     | CABI, 2013            | Not known  | No   | Foliage feeder (CABI, 2013)                                     |
| <i>Frankliniella intonsa</i><br>(Trybom)           |                               | CABI, 2013                    |                      | CABI, 2013                   |                              |                     |                       | Not known  | No   | External feeder (CABI, 2013)                                    |
| <i>Frankliniella occidentalis</i><br>(Pergande)    |                               | CABI, 2013                    | CABI, 2013           | CABI, 2013                   | CABI, 2013                   | CABI, 2013          |                       | Not known  | No   | External feeder (CABI, 2013)                                    |
| <i>Frankliniella schultzei</i><br>(Trybom)         |                               | CABI, 2013                    |                      | CABI, 2013                   | CABI, 2013                   |                     |                       | Not known  | No   | Foliage feeder (CABI, 2013)                                     |
| <i>Gryllotalpa africana</i><br>Palisot de Beauvois |                               |                               | CABI, 2013           |                              |                              |                     |                       | CABI, 2013 | No   | Root feeder (CABI, 2013)  |
| <i>Gryllotalpa gryllotalpa</i> (Linnaeus)          | CABI, 2013                    | CABI, 2013                    | CABI, 2013           | CABI, 2013                   | CABI, 2013                   | CABI, 2013          |                       | Not known  | No   | Root feeder (CABI, 2013)  |
| <i>Helicoverpa zea</i><br>(Boddie)                 | CABI, 2013                    | CABI, 2013                    | CABI, 2013           | CABI, 2013                   |                              | CABI, 2013          |                       | Not known  | No   | External feeder (CABI, 2013)                                    |
| <i>Heliothis virescens</i>                         | CABI, 2013                    |                               | CABI, 2013           | CABI, 2013                   | CABI, 2013                   |                     |                       | Not known  | No   | External feeder   |

**DRAFT**

| Pest  | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp.  | Vietnam    | Seed                         | Comments  |
|---|-----------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|------------------------|------------|------------------------------|---|
| (Fabricius)                                 | (CABI, 2013)                |                      |                      |                     |                       |                     |                        |            |                              |   |
| <i>Hellula undalis</i> (Fabricius)          |                             | [HI] (CABI, 2013)    |                      |                     |                       |                     |                        | CABI, 2013 | No                           | Foliage feeder (CABI, 2013)   |
| <i>Hercinothrips femoralis</i> (Reuter)     |                             |                      |                      |                     |                       | CABI, 2013          |                        | Not known  | No                           | External feeder (CABI, 2013)  |
| <i>Hydraecia micacea</i> (Esper)            |                             | CABI, 2013           |                      |                     |                       |                     |                        | Not known  | No                           | Foliage and root feeder (CABI, 2013)                                    |
| <i>Hypera postica</i> (Gyllenhal)           |                             | CABI, 2013           |                      | CABI, 2013          |                       |                     |                        | Not known  | No                           | Foliage feeder (CABI, 2013)   |
| <i>Hyperomyzus lactucae</i> Linnaeus        |                             |                      |                      | CABI, 2013          |                       |                     |                        | Not known  | No                           | External feeder (CABI, 2013)  |
| <i>Keiferia lycopersicella</i> Walsingham   |                             | CABI, 2013           |                      |                     |                       |                     |                        | Not known  | No                           | Foliage and fruit feeder (CABI, 2013)                                   |
| <i>Lasioderma serricorne</i> Fabricius      |                             |                      | CABI, 2013           |                     |                       |                     |                        | Not known  | Ye                           | Pest of dried products; especially a pest of cured tobacco (CABI, 2013) |
| <i>Latheticus oryzae</i> Waterhouse         |                             | CABI, 2013           |                      |                     |                       |                     |                        | Not known  | Yes                          | External feeder (CABI, 2013)  |
| <i>Leptitarsa decemlineata</i> Say          |                             | CABI, 2013           |                      |                     |                       |                     | Regulated (MARD, 2005) | No         | Foliage feeder (CABI, 2013)  |   |
| <i>Limonius californicus</i> (Mannerheim)   |                             | CABI, 2013           |                      |                     |                       | CABI, 2013          | Not known              | No         | Root feeder (CABI, 2013)     |   |
| <i>Limothrips cerealium</i> (Haliday)       |                             | CABI, 2013           |                      |                     |                       |                     | Not known              | Yes        | External feeder (CABI, 2013) |   |
| <i>Limothrips denticornis</i> Haliday       |                             | CABI, 2013           |                      |                     |                       |                     | Not known              | No         | External feeder (CABI, 2013) |   |
| <i>Lipaphis erysimi</i> Kaltenbach          |                             | CABI, 2013           |                      |                     |                       |                     | Not known              | No         | Foliage feeder (CABI, 2013)  |   |
| <i>Liposcelis bostrychophila</i> (Badonnel) |                             |                      | CABI, 2013           |                     |                       |                     | Not known              | Yes        | External feeder (CABI, 2013) |   |
| <i>Liriomyza brassicae</i>                  |                             | CABI, 2013           |                      |                     |                       |                     | Not known              | No         | Foliage feeder               |   |

**DRAFT**

| Pest  | <i>Solanum lycopersicum</i> | <i>Brassica</i><br>spp. | <i>Capsicum</i><br>spp. | <i>Lactuca</i><br>spp. | <i>Cucurbita</i><br>spp. | <i>Cucumis</i><br>spp. | <i>Citrillus</i><br>spp. | Vietnam       | Seed      | Comments                        |
|---|-----------------------------|-------------------------|-------------------------|------------------------|--------------------------|------------------------|--------------------------|---------------|-----------|---------------------------------|
| Riley   |                             |                         |                         |                        |                          |                        |                          |               |           |                                 |
| <i>Liriomyza sativae</i><br>Blanchard                                     | CABI, 2013                  | CABI, 2013              | CABI, 2013              | CABI, 2013             | CABI, 2013               | CABI, 2013             | CABI, 2013               | CABI,<br>2013 | No        | Foliage feeder<br>(CABI, 2013)  |
| <i>Liriomyza trifolii</i><br>Burgess et al., 2008                         | CABI, 2013                  | CABI, 2013              | CABI, 2013              | CABI, 2013             | CABI, 2013               | CABI, 2013             | CABI, 2013               | Not known     | No        | Foliage feeder<br>(CABI, 2013)  |
| <i>Listroderes costirostris</i><br>Schönherr                              | CABI, 2013                  | CABI, 2013              | CABI, 2013              | CABI, 2013             |                          |                        |                          | Not known     | No        | External feeder<br>(CABI, 2013) |
| <i>Lygus lineolaris</i><br>Palisot de Beauvois                            |                             |                         | CABI, 2013              |                        |                          |                        | CABI, 2013               | Not known     | No        | External feeder<br>(CABI, 2013) |
| <i>Macrosiphum euphorbiae</i> Thomas                                      | CABI, 2013                  |                         |                         | CABI, 2013             | CABI, 2013               | CABI, 2013             | CABI, 2013               | Not known     | No        | External feeder<br>(CABI, 2013) |
| <i>Macrosteles quadrilineatus</i><br>(Forbes)                             |                             |                         |                         |                        | CABI, 2013               |                        |                          |               | Not known | Foliage feeder<br>(CABI, 2013)  |
| <i>Manduca quinquemaculata</i><br>(Haworth)                               | CABI, 2013                  | CABI, 2013              | CABI, 2013              |                        |                          |                        |                          | Not known     | No        | Foliage feeder<br>(CABI, 2013)  |
| <i>Manduca sexta</i><br>(Linnaeus)  | CABI, 2013                  |                         |                         |                        | CABI, 2013               |                        |                          |               | Not known | Foliage feeder<br>(CABI, 2013)  |
| <i>Melanoplus bivittatus</i><br>(Say)                                     |                             |                         | CABI, 2013              |                        |                          |                        |                          | Not known     | No        | External feeder<br>(CABI, 2013) |
| <i>Melanoplus sanguinipes</i><br>(Fabricius)                              | CABI, 2013                  |                         |                         |                        |                          |                        |                          |               | Not known | External feeder<br>(CABI, 2013) |
| <i>Melanotus communis</i><br>Gyllenhal                                    |                             |                         |                         | CABI, 2013             |                          |                        |                          |               | Not known | Root feeder (CABI,<br>2013)     |
| <i>Meligethes aeneus</i><br>Fabricius                                     | CABI, 2013                  | CABI, 2013              |                         |                        |                          |                        |                          |               |           | External feeder<br>(CABI, 2013) |
| <i>Murgantia histrionica</i><br>(Hahn)                                    | CABI, 2013                  | CABI, 2013              |                         |                        | CABI, 2013               | CABI, 2013             |                          |               |           | Foliage feeder<br>(CABI, 2013)  |
| <i>Mythimna unipuncta</i><br>Haworth Syn:<br><i>Pseudaletia unipuncta</i> | CABI, 2013                  | CABI, 2013              |                         |                        |                          |                        |                          |               |           | External feeder<br>(CABI, 2013) |

**DRAFT**

| Pest   | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp.  | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp. | Vietnam    | Seed | Comments  |
|--|-----------------------------|----------------------|-----------------------|---------------------|-----------------------|---------------------|-----------------------|------------|------|---|
| (Haworth)  |                             |                      |                       |                     |                       |                     |                       |            |      |   |
| <i>Myzus persicae</i> Sulzer                               | CABI, 2013                  | CABI, 2013           | CABI, 2013            | CABI, 2013          | CABI, 2013            | CABI, 2013          | CABI, 2013            | CABI, 2013 | No   | External feeder (CABI, 2013)                                    |
| <i>Nesidiocoris tenuis</i> (Reuter)                        | CABI, 2013                  |                      |                       |                     |                       |                     |                       | CABI, 2013 | No   | Foliage and fruit feeder (CABI, 2013)                           |
| <i>Nasonovia ribisnigri</i> (Mosley)                       |                             |                      |                       | CABI, 2013          |                       |                     |                       | Not known  | No   | Foliage feeder (CABI, 2013)                                     |
| <i>Nezara viridula</i> (Linnaeus)                          | CABI, 2013                  | CABI, 2013           | CABI, 2013            |                     |                       |                     |                       | Not known  | Yes  | External feeder (CABI, 2013)                                    |
| <i>Noctua pronuba</i> (Linnaeus)                           |                             | CABI, 2013           |                       | CABI, 2013          |                       |                     |                       | Not known  | No   | External feeder (CABI, 2013)                                    |
| <i>Opogona sacchari</i> Bojer                              |                             |                      | [FL, HI] (CABI, 2013) |                     |                       |                     |                       | Not known  | No   | Foliage feeding (CABI, 2013); US regulated pest (PestID, 2013)  |
| <i>Orthezia insignis</i> Browne                            | CABI, 2013                  |                      | CABI, 2013            |                     |                       |                     |                       | Not known  | No   | External feeder (CABI, 2013)                                    |
| <i>Oryzaephilus mercator</i> (Fauvel)                      |                             |                      |                       |                     | CABI, 2013            |                     |                       | Not known  | Yes  | External feeder (CABI, 2013)                                    |
| <i>Ostrinia nubilalis</i> (Hübner)                         |                             |                      | CABI, 2013            |                     |                       |                     |                       | Not known  | Yes  | External feeder (CABI, 2013)                                    |
| <i>Parabemisia myricae</i> (Kuwana)                        | [CA, FL, HI] (CABI, 2013)   |                      |                       |                     |                       |                     |                       | CABI, 2013 | No   | External feeding (CABI, 2013); US regulated pest (PestID, 2013) |
| <i>Paracoccus marginatus</i> Williams & Granara de Willink | [FL, HI] (CABI, 2013)       |                      | [FL, HI] (CABI, 2013) |                     |                       |                     |                       | Not known  | No   | External feeding (CABI, 2013); US regulated pest (PestID, 2013) |
| <i>Parasaissetia nigra</i> (Nietner)                       |                             |                      | CABI, 2013            |                     | CABI, 2013            |                     |                       | CABI, 2013 | No   | External feeder (CABI, 2013)                                    |
| <i>Perkinsiella saccharicida</i>                           | [FL, HI, TX]                |                      |                       |                     |                       |                     |                       | CABI,      | No   | Foliage feeding (CABI, 2013); US                                |

**DRAFT**

| Pest   | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp. | Vietnam    | Seed | Comments                      |
|--|-----------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|-----------------------|------------|------|-------------------------------|
| <b>Kirkaldy, G.W.</b>                                | (CABI, 2013)                |                      |                      |                     |                       |                     |                       | 2013       |      | regulated pest (PestID, 2013) |
| <i>Pentalonia nigronervosa</i> Coquerel              | CABI, 2013                  |                      |                      |                     |                       |                     |                       | CABI, 2013 | No   | External feeder (CABI, 2013)  |
| <i>Peridroma saucia</i> (Hübner)                     | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          | CABI, 2013            | Not known  | No   | External feeder (CABI, 2013)  |
| <i>Phenacoccus madeirensis</i> Green                 |                             |                      | CABI, 2013           |                     |                       |                     |                       | Not known  | No   | External feeder (CABI, 2013)  |
| <i>Phenacoccus solenopsis</i> Tinsley                | CABI, 2013                  |                      | CABI, 2013           |                     | CABI, 2013            | CABI, 2013          | CABI, 2013            | CABI, 2013 | No   | External feeder (CABI, 2013)  |
| <i>Philaenus spumarius</i> Linnaeus                  | CABI, 2013                  |                      |                      |                     |                       |                     |                       | Not known  | No   | Foliage feeder (CABI, 2013)   |
| <i>Phyllotreta cruciferae</i> (Goeze)                |                             | CABI, 2013           |                      |                     |                       |                     |                       | Not known  | Yes  | External feeder (CABI, 2013)  |
| <i>Phyllotreta striolata</i> (Fabricius)             |                             | CABI, 2013           |                      |                     |                       |                     |                       | CABI, 2013 | No   | External feeder (CABI, 2013)  |
| <i>Phthorimaea operculella</i> (Zeller)              | CABI, 2013                  |                      | CABI, 2013           |                     |                       |                     |                       | CABI, 2013 | No   | Foliage feeder (CABI, 2013)   |
| <i>Pieris napi</i> (Linnaeus)                        |                             | CABI, 2013           |                      |                     |                       |                     |                       | Not known  | No   | External feeder (CABI, 2013)  |
| <i>Pieris rapae</i> Linnaeus                         |                             | CABI, 2013           |                      |                     |                       |                     |                       | CABI, 2013 | No   | External feeder (CABI, 2013)  |
| <i>Piezodorus guildinii</i> (Westwood)               |                             |                      | CABI, 2013           |                     |                       |                     |                       | Not known  | No   | External feeder (CABI, 2013)  |
| <i>Planococcus citri</i> (Risso)                     | CABI, 2013                  |                      |                      |                     |                       |                     |                       | CABI, 2013 | No   | External feeder (CABI, 2013)  |
| <i>Platynota stultana</i> Walsingham                 | CABI, 2013                  |                      | CABI, 2013           |                     |                       |                     |                       | Not known  | No   | Foliage feeder (CABI, 2013)   |
| <i>Pseudaulacaspis pentagona</i> (Targioni Tozzetti) |                             |                      | CABI, 2013           |                     |                       |                     |                       | CABI, 2013 | No   | External feeder (CABI, 2013)  |
| <i>Pseudococcus calceolariae</i> (Maskell)           |                             | CABI, 2013           |                      |                     |                       |                     |                       | Not known  | No   | External feeder (CABI, 2013)  |

**DRAFT**

| Pest   | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp.                  | <i>Capsicum</i> spp.                  | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp. | Vietnam    | Seed | Comments  |
|--|-----------------------------|---------------------------------------|---------------------------------------|---------------------|-----------------------|---------------------|-----------------------|------------|------|---|
| <i>Pseudococcus jackbeardsleyi</i> (Jack Beardsley mealybug) | CABI, 2013                  |                                       | CABI, 2013                            |                     | CABI, 2013            | CABI, 2013          |                       | Not known  | No   | External feeder (CABI, 2013)                                    |
| <i>Psila rosae</i> (Fabricius)                               |                             | CABI, 2013                            |                                       |                     |                       |                     |                       | Not known  | No   | Foliage feeder (CABI, 2013)                                     |
| <i>Rhopalosiphum rufiabdominale</i> (Sasaki)                 | CABI, 2013                  |                                       |                                       |                     | CABI, 2013            |                     |                       | Not known  | No   | External feeder (CABI, 2013)                                    |
| <i>Rhyzopertha dominica</i> (Fabricius)                      |                             |                                       | CABI, 2013                            |                     |                       |                     |                       | CABI, 2013 | Yes  | External feeder (CABI, 2013)                                    |
| <i>Saissetia coffeae</i> (Walker)                            |                             |                                       | CABI, 2013                            |                     | CABI, 2013            |                     |                       | CABI, 2013 | No   | External feeder (CABI, 2013)                                    |
| <i>Solenopsis geminata</i> (Fabricius)                       | CABI, 2013                  | CABI, 2013                            |                                       |                     |                       | CABI, 2013          |                       | CABI, 2013 | No   | External feeder (CABI, 2013)                                    |
| <i>Sophonia orientalis</i> (Matsumura)                       |                             |                                       | [CA, HI] (CABI, 2013)                 |                     |                       |                     |                       | Not known  | No   | Foliage feeder (CABI, 2013)                                     |
| <i>Spodoptera eridania</i> Stoll                             | CABI, 2013                  | CABI, 2013                            | CABI, 2013                            |                     | CABI, 2013            |                     | CABI, 2013            | Not known  | No   | External feeder (CABI, 2013)                                    |
| <i>Spodoptera exempta</i> Walker                             |                             | [CA, HI, KS, OR, WA, WI] (CABI, 2013) | [CA, HI, KS, OR, WA, WI] (CABI, 2013) |                     |                       |                     |                       | CABI, 2013 | No   | External feeding (CABI, 2013); US regulated pest (PestID, 2013) |
| <i>Spodoptera exigua</i> (Hübner)                            | CABI, 2013                  | CABI, 2013                            | CABI, 2013                            | CABI, 2013          |                       | CABI, 2013          | CABI, 2013            | CABI, 2013 | No   | External feeder (CABI, 2013)                                    |
| <i>Spodoptera frugiperda</i> J.E. Smith                      | CABI, 2013                  | CABI, 2013                            | CABI, 2013                            | CABI, 2013          |                       | CABI, 2013          | CABI, 2013            | Not known  | No   | External feeder (CABI, 2013)                                    |
| <i>Spodoptera mauritia acronyctoides</i> Guenée              | CABI, 2013                  |                                       |                                       |                     |                       |                     |                       | CABI, 2013 | No   | External feeder (CABI, 2013)                                    |
| <i>Spoladea recurvalis</i> (Fabricius)                       |                             |                                       |                                       |                     |                       | CABI, 2013          | CABI, 2013            | No         |      | Foliage feeder (CABI, 2013)                                     |
| <i>Stegobium paniceum</i> (Linnaeus)                         | CABI, 2013                  |                                       |                                       |                     |                       |                     | Not known             | Yes        |      | External feeder (CABI, 2013)                                    |

**DRAFT**

| Pest                                       | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp. | Vietnam    | Seed | Comments  |
|--|-----------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|-----------------------|------------|------|---|
| <i>Symmetrischema tangolias</i> (Gyen)     | CABI, 2013                  |                      |                      |                     |                       |                     |                       | Not known  | No   | Foliage and fruit feeder (CABI, 2013)                           |
| <i>Thaumatotibia leucotreta</i> Meyrick    |                             | [CA] (CABI, 2013)    |                      |                     |                       |                     |                       | Not known  | Yes  | Internal feeding (CABI, 2013); US regulated pest (PestID, 2013) |
| <i>Thrips hawaiiensis</i> (Morgan)         | CABI, 2013                  | CABI, 2013           |                      |                     |                       |                     |                       | CABI, 2013 | No   | Foliage feeder (CABI, 2013)                                     |
| <i>Thrips palmi</i> Karny                  | [HI] (CABI, 2013)           |                      | [HI] (CABI, 2013)    | [HI] (CABI, 2013)   | [HI] (CABI, 2013)     | [HI] (CABI, 2013)   | CABI, 2013            |            | No   | External feeding (CABI, 2013); US regulated pest (PestID, 2013) |
| <i>Thrips tabaci</i> Lindeman              | CABI, 2013                  | CABI, 2013           |                      |                     | CABI, 2013            | CABI, 2013          |                       | CABI, 2013 | No   | Foliage feeder (CABI, 2013)                                     |
| <i>Trialeurodes vaporariorum</i> Westwood  | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          | CABI, 2013            | Not known  | No   | Foliage feeder (CABI, 2013)                                     |
| <i>Tipula paludosa</i> Meigen              |                             |                      |                      | CABI, 2013          |                       |                     |                       | Not known  | No   | Root feeder (CABI, 2013)  |
| <i>Tribolium castaneum</i> Herbst          | CABI, 2013                  | CABI, 2013           |                      |                     |                       |                     |                       | CABI, 2013 | Yes  | Internal feeder (CABI, 2013)                                    |
| <i>Tribolium confusum</i> Jacquelin du Val |                             |                      |                      |                     |                       |                     |                       | CABI, 2013 | Yes  | Internal feeder (CABI, 2013)                                    |
| <i>Trichoplusia ni</i> (Hübner)            | CABI, 2013                  | CABI, 2013           | CABI, 2013           |                     | CABI, 2013            | CABI, 201           | CABI, 2013            | CABI, 2013 | No   | Foliage feeder (CABI, 2013)                                     |
| <i>Trogoderma variabile</i> Ballion        |                             |                      |                      | CABI, 2013          |                       |                     |                       | Not known  | Yes  | External feeder (CABI, 2013)                                    |
| <i>Unaspis citri</i> (Comstock)            |                             |                      | CABI, 2013           |                     |                       |                     |                       | CABI, 2013 | No   | External feeder (CABI, 2013)                                    |
| <i>Xestia c-nigrum</i> (Linnaeus)          | CABI, 2013                  | CABI, 2013           |                      | CABI, 2013          |                       | CABI, 2013          |                       | CABI, 2013 | Yes  | External feeder (CABI, 2013)                                    |
| <b>Bacteria</b>                            |                             |                      |                      |                     |                       |                     |                       |            |      |   |

**DRAFT**

| Pest   | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp. | Vietnam    | Seed | Comments  |
|--|-----------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|-----------------------|------------|------|---|
| <i>Acidovorax avenae</i><br>subsp. <i>avenae</i> (Manns)<br>Willems et al.                           |                             |                      | CABI, 2013           |                     |                       |                     |                       | CABI, 2013 | Yes  | Seed transmitted (CABI, 2013)                                       |
| <i>Burkholderia andropogonis</i> (Smith 1911) Gillis et al.  |                             |                      | CABI, 2013           |                     |                       |                     |                       | Not known  | No   | Not seed transmitted (CABI, 2013)                                   |
| <i>Burkholderia cepacia</i><br>(ex Burkholder)<br>Yabuuchi et al.                                    | CABI, 2013                  | CABI, 2013           |                      | CABI, 2013          |                       |                     |                       | Not known  | No   | Not seed transmitted (CABI, 2013)                                   |
| <i>Clavibacter michiganensis</i> subsp.<br><i>sepedonicus</i><br>(Speckermann & Kotthoff) Dye & Kemp |                             | CABI, 2013           |                      |                     |                       |                     |                       | Not known  | No   | Not seed transmitted (CABI, 2013)                                   |
| <i>Dickeya chrysanthemi</i><br>(Burkholder et al.)<br>Samson et al.                                  | CABI, 2013                  |                      | CABI, 2013           | CABI, 2013          |                       | CABI, 2013          |                       | Not known  | No   | Not seed transmitted (CABI, 2013)                                   |
| <i>Dickeya dianthicola</i><br>(Samson et al.)  | CABI, 2013                  |                      |                      |                     |                       |                     |                       | Not known  | No   | Not seed transmitted (CABI, 2013)                                   |
| <i>Dickeya zeae</i> Samson et al.  | CABI, 2013                  |                      |                      |                     |                       |                     |                       | Not known  | No   | Not seed transmitted (CABI, 2013)                                   |
| <i>Erwinia tracheiphila</i><br>(Smith)   |                             |                      |                      | CABI, 2013          | CABI, 2013            | CABI, 2013          |                       | Not known  | No   | Not seed transmitted (CABI, 2013)                                   |
| <i>Pantoea ananatis</i> pv.<br><i>ananatis</i> (Serrano)<br>Mergaert et al.                          | CABI, 2013                  |                      |                      |                     | CABI, 2013            |                     |                       | Not known  | No   | No evidence of seed transmission in <i>Zea mays</i> (CABI, 2013)    |
| <i>Pectobacterium atrosepticum</i> (van Hall) Gardan et al.  | CABI, 2013                  | CABI, 2013           |                      |                     | CABI, 2013            |                     | CABI, 2013            |            | No   | Not seed transmitted (CABI, 2013)                                   |
| <i>Erwinia rhipontici</i><br>(Millard) Burkholder  | CABI, 2013                  |                      |                      |                     | CABI, 2013            |                     |                       | Not known  | Yes  | Seed borne (Huang 2003); seed transmitted (CABI, 2013). No evidence |

**DRAFT**

| Pest  | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp. | Vietnam              | Seed | Comments  |
|---|-----------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|-----------------------|----------------------|------|---|
|   |                             |                      |                      |                     |                       |                     |                       |                      |      | of seed transmission in tomato or <i>Cucumis</i> sp.                  |
| <i>Pectobacterium carotovorum</i> subsp. <i>carotovorum</i> (Jones) Hauben et al. | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          | CABI, 2013            |                     |                       | Not known            | No   | Not seed transmitted (CABI, 2013)                                     |
| <i>Pseudomonas cichorii</i> (Swingle) Stapp                                       | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          |                       |                     | CABI, 2013            | Not known            | No   | Not seed transmitted (CABI, 2013)                                     |
| <i>Pseudomonas marginalis</i> pv. <i>marginalis</i> (Brown) Stevens               | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          |                       | Not known            |      | Not seed transmitted (CABI, 2013)                                     |
| <i>Pseudomonas syringae</i> van Hall  | CABI, 2013                  |                      | CABI, 2013           |                     | CABI, 2013            | CABI, 2013          |                       | Burgess et al., 2008 | No   | Host status unknown (CABI, 2013)                                      |
| <i>Pseudomonas syringae</i> pv. <i>aptata</i> (Brown & Jamieson) Young et al.     |                             |                      | CABI, 2013           |                     |                       | CABI, 2013          |                       | Not known            | No   | No evidence of seed transmission in <i>Capsicum</i> spp. (CABI, 2013) |
| <i>Pseudomonas syringae</i> pv. <i>maculicola</i> (McCulloch ) Young et al.       |                             | CABI, 2013           |                      |                     |                       |                     |                       | Not known            | No   | Not seed transmitted (CABI, 2013)                                     |
| <i>Pseudomonas syringae</i> pv. <i>tabaci</i> (Wolf & Foster) Young et al.,       | CABI, 2013                  |                      | CABI, 2013           |                     | CABI, 2013            |                     | CABI, 2013            |                      | Yes  | Seed transmitted (CABI, 2013)   |
| <i>Ralstonia solanacearum</i> (Smith) Yabuuchi et al.                             | CABI, 2013                  |                      | CABI, 2013           |                     | CABI, 2013            | CABI, 2013          |                       | CABI, 2013           | No   | Not seed transmitted (CABI, 2013)                                     |
| <i>Ralstonia solanacearum</i> race 1 (Smith ) Yabuuchi et al.                     | CABI, 2013                  |                      | CABI, 2013           |                     |                       |                     | CABI, 2013            |                      | No   | Not seed transmitted (CABI, 2013)                                     |
| <i>Rhizobium radiobacter</i> (Beijerinck & van                                    | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          | CABI, 2013            | Not known            | No   | Not seed transmitted (CABI,   |

**DRAFT**

| Pest  | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp. | Vietnam            | Seed | Comments  |
|---|-----------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|-----------------------|--------------------|------|---|
| Delden) Young et al.  |                             |                      |                      |                     |                       |                     |                       |                    |      |   |
| <i>Rhizobium rhizogenes</i> (Riker et al.) Young et al.             | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          | CABI, 2013            | Not known          | No   | Not seed transmitted (CABI, 2013)                                 |
| <i>Xanthomonas albilineans</i> (Ashby) Dowson                       |                             |                      |                      |                     |                       |                     | CABI, 2013            |                    | No   | Not seed transmitted (CABI, 2013)                                 |
| <i>Xanthomonas campestris</i> pv. <i>armoraciae</i> (McCulloch) Dye |                             | CABI, 2013           |                      |                     |                       |                     | Not known             |                    | No   | Not seed transmitted (CABI, 2013) in <i>Brassica</i> (CABI, 2013) |
| <i>Xanthomonas campestris</i> pv. <i>campestris</i> (Pammel) Dowson |                             | CABI, 2013           |                      |                     |                       |                     | CABI, 2013            |                    | Yes  | Seed transmitted (CABI, 2013)                                     |
| <i>Xanthomonas vesicatoria</i> (Dodge) Dowson                       | CABI, 2013                  |                      | CABI, 2013           |                     |                       |                     | Vien, 2005            |                    | Yes  | Seed transmitted (CABI, 2013)                                     |
| <b>Fungi</b>  |                             |                      |                      |                     |                       |                     |                       |                    |      |   |
| <i>Alternaria brassicae</i> (Berk.) Sacc                            | CABI, 2013                  | CABI, 2013           |                      | CABI, 2013          |                       | CABI, 2013          | CABI, 2013            |                    | Yes  | Seed transmitted (CABI, 2013)                                     |
| <i>Alternaria tomato</i> (Cooke) L.R. Jones                         | CABI, 2013                  |                      |                      |                     |                       |                     | Not known             |                    | No   | Not seed transmitted (CABI, 2013)                                 |
| <i>Aspergillus flavus</i> Link                                      | CABI, 2013                  | CABI, 2013           | CABI, 2013           |                     | CABI, 2013            |                     | CABI, 2013            |                    | Yes  | Seed transmitted (CABI, 2013)                                     |
| <i>Aspergillus niger</i> Tiegh                                      | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          |                       | CABI, 2013          | CABI, 2013            |                    | Yes  | Seed transmitted (CABI, 2013)                                     |
| <i>Athelia rolfsii</i> (Curzi) C. C. Tu & Kimbr                     | CABI, 2013                  | CABI, 2013           | CABI, 2013           |                     | CABI, 2013            | CABI, 2013          | CABI, 2013            | CABI, 2013         | No   | Not seed transmitted (CABI, 2013)                                 |
| <i>Botryotinia fuckeliana</i> (de Bary) Whetzel                     | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          |                       | Luong et al., 2010 | Yes  | Seed transmitted on beans (CABI, 2013)                            |
| <i>Bremia lactucae</i> Regel  |                             |                      |                      | CABI, 2013          |                       |                     | Not known             |                    | No   | Not seed transmitted (CABI,                                       |

**DRAFT**

| Pest  | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp. | Vietnam                                | Seed | Comments   |
|---|-----------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|-----------------------|--|------|--|
| <i>Ceratocystis fimbriata</i> Ellis & Halst.                      |                             |                      |                      |                     | CABI, 2013            |                     |                       | CABI, 2013                             | No   | 2013)<br>Not seed transmitted (CABI, 2013)                     |
| <i>Cercospora apii</i> Fresen.                                    |                             |                      |                      | CABI, 2013          |                       |                     |                       | Not known                              | No   | Not seed transmitted (CABI, 2013)                              |
| <i>Cercospora nicotianae</i> Ellis & Everh.                       | CABI, 2013                  |                      |                      |                     |                       |                     |                       | Not known                              | No   | Not seed transmitted (CABI, 2013)                              |
| <i>Chalara elegans</i> Nag Raj & W.B. Kendr                       | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          | CABI, 2013            | Not known                              | Yes  | Seed transmission reported in peanuts (CABI, 2013)             |
| <i>Choanephora cucurbitarum</i> (Berk. & Ravenel) Thaxt.          |                             | CABI, 2013           | CABI, 2013           |                     | CABI, 2013            | CABI, 2013          | CABI, 2013            | Not known                              | No   | Not seed transmitted (CABI, 2013)                              |
| <i>Cladosporium cucumerinum</i> Ellis & Arthur                    |                             |                      |                      |                     | CABI, 2013            | CABI, 2013          | CABI, 2013            | Cuong et al., 2008; Quang et al., 2010 | Yes  | Seedborne (CABI, 2013)   |
| <i>Cochliobolus lunatus</i> R.R. Nelson & Haasis                  | CABI, 2013                  |                      | CABI, 2013           |                     |                       | CABI, 2013          |                       | CABI, 2013                             | Yes  | Seed transmitted (CABI, 2013)                                  |
| <i>Cochliobolus sativus</i> (S. Ito & Kurib.) Drechsler ex Dastur |                             | CABI, 2013           |                      | CABI, 2013          |                       |                     |                       | Minh et al., 1997                      | Yes  | Seed transmitted (CABI, 2013)                                  |
| <i>Colletotrichum acutatum</i> Simmonds ex Simmonds               |                             |                      | CABI, 2013           |                     |                       |                     |                       | Than et al., 2008                      | No   | Unknown (CABI, 2013)   |
| <i>Colletotrichum capsici</i> (Syd.) E.J. Butler & Bisby          | CABI, 2013                  |                      | CABI, 2013           |                     |                       |                     |                       | Than et al., 2008                      | No   | Unconfirmed reports on cowpea and <i>Capsicum</i> (CABI, 2013) |
| <i>Colletotrichum dematioides</i> (Pers.) Grove                   | CABI, 2013                  |                      | CABI, 2013           |                     |                       |                     |                       | Nguyen et al., 2010                    | Yes  | Seed transmitted (CABI, 2013)                                  |
| <i>Colletotrichum orbiculare</i> (Berk. & Mont.) Arx              |                             |                      |                      | CABI, 2013          | CABI, 2013            | CABI, 2013          | CABI, 2013            |  | No   | Unknown (CABI, 2013)   |
| <i>Colletotrichum</i>   |                             |                      | CABI, 2013           |                     |                       |                     |                       | CABI,                                  | Yes  | Seed transmission  |

**DRAFT**

| Pest  | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp. | Vietnam                    | Seed | Comments  |
|---|-----------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|-----------------------|----------------------------|------|---|
| <i>truncatum</i> (Schwein.) Andrus & W.D. Moore                               |                             |                      |                      |                     |                       |                     |                       | 2013                       |      | reported in soybeans (CABI, 2013)                   |
| <i>Diaporthe phaseolorum</i> (Cooke & Ell.) Sacc                              |                             |                      | CABI, 2013           |                     |                       |                     |                       | Not known                  | Yes  | Host status unknown (CABI, 2013)                    |
| <i>Diaporthe phaseolorum</i> var. <i>meridionalis</i> F.A. Fern.              | CABI, 2013                  |                      |                      |                     |                       |                     |                       | Not known                  | Yes  | Seed transmission reported in soybeans (CABI, 2013) |
| <i>Diaporthe phaseolorum</i> var. <i>sojae</i> (Lehman) Wehm.                 | CABI, 2013                  |                      | CABI, 2013           |                     |                       |                     |                       | Not known                  | Yes  | Seed transmission reported in soybeans (CABI, 2013) |
| <i>Didymella bryoniae</i> (Auersw.) Rehm                                      |                             |                      |                      | CABI, 2013          | CABI, 2013            | CABI, 2013          | FAO, 2008             | Yes                        |      | Unknown (CABI, 2013)                                |
| <i>Didymella ligulicola</i> (Baker, Dimock & Davis) v. Arx                    |                             |                      |                      | CABI, 2013          |                       |                     |                       | Not known                  | No   | Not seed transmitted (CABI, 2013)                   |
| <i>Didymella lycopersici</i> Kleb   | CABI, 2013                  |                      | CABI, 2013           |                     |                       |                     |                       | Not known                  | No   | Not seed transmitted (CABI, 2013)                   |
| <i>Erysiphe cruciferarum</i> Opiz ex L. Junell                                |                             | CABI, 2013           |                      |                     |                       |                     |                       | Not known                  | No   | Not seed transmitted (CABI, 2013)                   |
| <i>Fusarium oxysporum</i> Schlechtendahl                                      | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          | CABI, 2013            | RBG and Domain Trust, 2013 | No   | Unknown (CABI, 2013)                                |
| <i>Fusarium oxysporum</i> f.sp. <i>cucumerinum</i> J.H. Owen                  |                             |                      |                      |                     | CABI, 2013            |                     |                       | Not known                  | Yes  | Unknown (CABI, 2013)                                |
| <i>Fusarium oxysporum</i> f.sp. <i>radicis-lycopersici</i> Jarvis & Shoemaker | CABI, 2013                  |                      |                      |                     |                       |                     |                       |                            | No   | Unknown (CABI, 2013)                                |
| <i>Fusarium oxysporum</i>   |                             |                      |                      |                     | CABI, 2013            | CABI, 2013          |                       | Not known                  | Yes  | Seed transmitted (CABI, 2013)                       |

**DRAFT**

| Pest  | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp. | Vietnam                    | Seed | Comments                          |
|---|-----------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|-----------------------|----------------------------|------|-----------------------------------|
| <i>f.sp. niveum</i> (E.F. Sm.)<br>Snyder & H.N. Hansen                                      |                             |                      |                      |                     |                       |                     |                       |                            |      |                                   |
| <i>Fusarium oxysporum</i><br><i>f.sp. vasinfectum</i> (G.F. Atk.) W.C. Snyder & H.N. Hansen |                             |                      | CABI, 2013           |                     |                       |                     |                       | CABI, 2013                 | Yes  | Seed transmitted (CABI, 2013)     |
| <i>Gaeumannomyces graminis</i> var. <i>graminis</i> (Sacc.) v. Arx & Olivier                |                             |                      |                      |                     |                       |                     |                       | Not known                  | No   | Not seed transmitted (CABI, 2013) |
| <i>Gibberella fujikuroi</i> var. <i>fujikuroi</i> (Sawada) Wollenw.                         | CABI, 2013                  |                      |                      |                     | CABI, 2013            |                     |                       | CABI, 2013                 | Yes  | Seed transmitted (CABI, 2013)     |
| <i>Gibberella zeae</i> (Schwein.) Petch   |                             | CABI, 2013           |                      |                     | CABI, 2013            |                     |                       | RBG and Domain Trust, 2013 | Yes  | Seed transmitted (CABI, 2013)     |
| <i>Glomerella cingulata</i> (Stonem.) Spauld. & Schrenk                                     | CABI, 2013                  |                      | CABI, 2013           |                     | CABI, 2013            | CABI, 2013          | CABI, 2013            | CABI, 2013                 | Yes  | Seed transmitted (CABI, 2013)     |
| <i>Golovinomyces cichoracearum</i> (DC.) V.P. Heluta  |                             |                      |                      | CABI, 2013          | CABI, 2013            |                     | CABI, 2013            | Not known                  | No   | Not seed transmitted (CABI, 2013) |
| <i>Golovinomyces orontii</i> (Castagne) V.P. Heluta   | CABI, 2013                  |                      | CABI, 2013           |                     | CABI, 2013            | CABI, 2013          | CABI, 2013            | Not known                  | No   | Not seed transmitted (CABI, 2013) |
| <i>Haematonectria haematococca</i> (Berk. & Broome) Samuels & Rossman                       | CABI, 2013                  | CABI, 2013           | CABI, 2013           |                     | CABI, 2013            | CABI, 2013          | CABI, 2013            | Not known                  | No   | Not seed transmitted (CABI, 2013) |
| <i>Hyaloperonospora parasitica</i> (downy mildew)   |                             |                      | CABI, 2013           |                     |                       |                     |                       | Mehta et al., 2005         | Yes  | Seed transmitted (CABI, 2013)     |
| <i>Khuskia oryzae</i> Huds.   |                             |                      | CABI, 2013           |                     |                       |                     |                       | Not known                  | Yes  | Not seed transmitted (CABI, 2013) |
| <i>Lasiodiplodia</i>  |                             |                      | CABI, 2013           |                     |                       | CABI, 2013          |                       | CABI,                      | Yes  | Seed transmitted                  |

**DRAFT**

| Pest   | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp.                  | <i>Cucumis</i> spp.                    | <i>Citrillus</i> spp. | Vietnam       | Seed | Comments  |
|--|-----------------------------|----------------------|----------------------|---------------------|--|--|-----------------------|---------------|------|---|
| <i>theobromae</i> (Pat.)<br>Griffiths & Maubl.                               |                             |                      |                      |                     |  |  |                       | 2013          |      | (CABI, 2013)  |
| <i>Leveillula taurica</i> (Lév.) G. Arnaud                                   | CABI, 2013                  | CABI, 2013           | CABI, 2013           |                     | CABI, 2013                             | CABI, 2013                             |                       | Not known     | No   | Not seed transmitted (CABI, 2013)                             |
| <i>Macrophomina phaseolina</i> (Tassi)<br>Goid                               | CABI, 2013                  | CABI, 2013           | CABI, 2013           |                     | CABI, 2013                             | CABI, 2013                             | CABI, 2013            | Not known     | Yes  | Not seed transmitted (CABI, 2013)                             |
| <i>Microdochium panattonianum</i> (Berl.)<br>B.Sutton, Galea &<br>T.V. Price |                             |                      |                      | CABI, 2013          |  |  |                       | Not known     | Yes  | Seed borne (CABI, 2013)                                       |
| <i>Monosporascus cannonballus</i> Pollack<br>& Uecker                        |                             |                      |                      |                     | [AR, CA,<br>KS, TX]<br>(CABI,<br>2013) | [AR, CA,<br>KS, TX]<br>(CABI,<br>2013) |                       | Not known     | No   | Unknown (CABI, 2013)  |
| <i>Oidium neolycopersici</i><br>L. Kiss                                      | CABI, 2013                  |                      |                      |                     |  |  |                       | Not known     | No   | Not seed transmitted (CABI, 2013)                             |
| <i>Olpidium brassicae</i><br>(Woronin) P.A. Dang.                            | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          |  | CABI, 2013                             | CABI, 2013            | Not known     | No   | Not seed transmitted (CABI, 2013)                             |
| <i>Passalora fulva</i><br>(Cooke) U. Braun &<br>Crous                        |                             | CABI, 2013           |                      |                     |  |  |                       | CABI,<br>2013 | Yes  | Seed transmitted (CABI, 2013)                                 |
| <i>Penicillium digitatum</i><br>(Pers.) Sacc.                                | CABI, 2013                  | CABI, 2013           |                      |                     |  |  |                       | CABI,<br>2013 | No   | Unknown (CABI, 2013)  |
| <i>Penicillium expansum</i><br>Link  | CABI, 2013                  |                      |                      |                     |  |  |                       | Not known     | No   | Unknown (CABI, 2013)  |
| <i>Penicillium expansum</i><br>Link  | CABI, 2013                  | CABI, 2013           |                      |                     |  |  |                       | Not known     | No   | Unknown (CABI, 2013)  |
| <i>Penicillium italicum</i><br>Stoll   | CABI, 2013                  |                      |                      |                     | CABI, 2013                             |  |                       | CABI,<br>2013 | No   | Not seed transmitted (CABI, 2013)                             |
| <i>Phomopsis longicolla</i><br>Hobbs   | CABI, 2013                  |                      | CABI, 2013           |                     |  |  |                       | Not known     | Yes  | Unconfirmed report on <i>Capsicum</i> and tomato (CABI, 2013) |

**DRAFT**

| Pest   | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp. | Vietnam   | Seed                                    | Comments                          |
|--|-----------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|-----------------------|-----------|---|-----------------------------------|
| <i>Phytophthora cactorum</i> (Lebert & Cohn) J. Schröt.                    | CABI, 2013                  |                      |                      |                     | CABI, 2013            | CABI, 2013          | CABI, 2013            | No        | Not seed transmitted (CABI, 2013)       |                                   |
| <i>Phytophthora capsici</i> Leonian  | CABI, 2013                  |                      |                      | CABI, 2013          | CABI, 2013            | CABI, 2013          | CABI, 2013            | No        | Not seed transmitted (CABI, 2013)       |                                   |
| <i>Phytophthora citrophthora</i> (R.H. Sm. & E. Sm.) Leonian               |                             |                      |                      |                     | CABI, 2013            | CABI, 2013          | CABI, 2013            | No        | Seed transmitted on citrus (CABI, 2013) |                                   |
| <i>Phytophthora cryptogea</i> Pethybr. & Laff.                             | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          | CABI, 2013            | No        | Not seed transmitted (CABI, 2013)       |                                   |
| <i>Phytophthora erythroseptica</i> var. <i>erythroseptica</i> (Waterhouse) | CABI, 2013                  |                      |                      |                     |                       | Not known           | Not known             | No        | Not seed transmitted (CABI, 2013)       |                                   |
| <i>Phytophthora infestans</i> (Mont.) de Bary                              | CABI, 2013                  |                      |                      |                     |                       | CABI, 2013          | CABI, 2013            | Yes       | Seed transmitted (CABI, 2013)           |                                   |
| <i>Phytophthora megasperma</i> Drechsler                                   | CABI, 2013                  | CABI, 2013           |                      |                     |                       | Not known           | Not known             | No        | Not seed transmitted (CABI, 2013)       |                                   |
| <i>Phytophthora nicotianae</i> (black shank)                               | CABI, 2013                  |                      | CABI, 2013           |                     |                       | CABI, 2013          | CABI, 2013            | No        | Not seed transmitted (CABI, 2013)       |                                   |
| <i>Phytophthora porri</i> Foister  |                             | CABI, 2013           |                      | CABI, 2013          |                       |                     | Not known             | No        | Not seed transmitted (CABI, 2013)       |                                   |
| <i>Plasmodiophora brassicae</i> Woronin                                    |                             | CABI, 2013           |                      |                     | CABI, 2013            |                     | Not known             | No        | Not seed transmitted (CABI, 2013)       |                                   |
| <i>Podosphaera fusca</i> (Fr.) U. Braun & Shishkoff                        |                             |                      |                      | CABI, 2013          |                       | CABI, 2013          | CABI, 2013            | No        | Not seed transmitted (CABI, 2013)       |                                   |
| <i>Podosphaera xanthii</i> (Castagne) U. Braun &                           |                             |                      |                      |                     | CABI, 2013            | CABI, 2013          | CABI, 2013            | Not known | No                                      | Not seed transmitted (CABI, 2013) |

**DRAFT**

| Pest  | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp. | Vietnam    | Seed | Comments                               |
|---|-----------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|-----------------------|------------|------|--|
| <b>Shishkoff</b>  |                             |                      |                      |                     |                       |                     |                       |            |      |  |
| <i>Pseudocercospora fuligena</i> (Roldan) Deighton                    | CABI, 2013                  |                      | CABI, 2013           |                     |                       |                     |                       | CABI, 2013 | No   | Not seed transmitted (CABI, 2013)      |
| <i>Pseudoperonospora cubensis</i> (Berk. & M.A. Curtis)<br>Rostovtzev |                             |                      |                      |                     | CABI, 2013            | CABI, 2013          | CABI, 2013            | Not known  | No   | Not seed transmitted (CABI, 2013)      |
| <i>Pythium aphanidermatum</i> (Edson) Fitzp                           | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          |                       | CABI, 2013          | CABI, 2013            | CABI, 2013 | No   | Soil borne pathogen (CABI, 2013)       |
| <i>Pythium arrhenomanes</i> Drechsler                                 | CABI, 2013                  |                      |                      |                     |                       |                     |                       | Not known  | No   | Soil borne pathogen (CABI, 2013)       |
| <i>Pythium debaryanum</i> Hesse                                       | CABI, 2013                  | CABI, 2013           | CABI, 2013           |                     |                       | CABI, 2013          | CABI, 2013            | Not known  | No   | Soil borne pathogen (CABI, 2013)       |
| <i>Pythium graminicola</i> Subram.                                    |                             |                      |                      |                     |                       |                     |                       | Not known  | No   | Soil borne pathogen (CABI, 2013)       |
| <i>Pythium irregularare</i> Buisman                                   | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          |                       | CABI, 2013          | CABI, 2013            | CABI, 2013 | No   | Soil borne pathogen (CABI, 2013)       |
| <i>Pythium myriotylum</i> Drechsler                                   | CABI, 2013                  | CABI, 2013           |                      |                     |                       | CABI, 2013          | CABI, 2013            | Not known  | No   | Soil borne pathogen (CABI, 2013)       |
| <i>Pythium oligandrum</i> Drechsler                                   | CABI, 2013                  | CABI, 2013           |                      |                     |                       | CABI, 2013          |                       | Not known  | No   | Soil borne pathogen (CABI, 2013)       |
| <i>Pythium splendens</i> Braun  |                             | CABI, 2013           |                      |                     |                       | CABI, 2013          |                       | CABI, 2013 | No   | Soil borne pathogen (CABI, 2013)       |
| <i>Pythium vexans</i> de Bary   | CABI, 2013                  | CABI, 2013           |                      |                     |                       | CABI, 2013          |                       | CABI, 2013 | No   | Soil borne pathogen (CABI, 2013)       |
| <i>Rosellinia necatrix</i> Prill.                                     |                             | CABI, 2013           |                      |                     |                       |                     |                       | Not known  | No   | Soil borne pathogen (CABI, 2013)       |
| <i>Sclerotinia sclerotiorum</i> (Lib.) de Bary                        | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          | CABI, 2013            | CABI, 2013 | Yes  | Seed transmission unknown (CABI, 2013) |

**DRAFT**

| Pest   | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp.  | Vietnam   | Seed | Comments  |
|--|-----------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|------------------------|-----------|------|---|
| <i>Spongospora subterranea</i> f.sp.<br><i>subterranea</i> J.A. Toml | CABI, 2013                  |                      | CABI, 2013           |                     |                       |                     |                        | Not known | No   | Not seed transmitted (CABI, 2013)   |
| <i>Stemphylium vesicarium</i> (Wallr.) E.G. Simmons                  | CABI, 2013                  |                      |                      |                     |                       |                     |                        | Not known | No   | Not seed transmitted (CABI, 2013)   |
| <i>Streptomyces scabies</i> (ex Thaxter) Lambert & Loria             |                             | CABI, 2013           |                      |                     |                       |                     |                        | Not known | No   | Not seed transmitted (CABI, 2013)   |
| <i>Thanatephorus cucumeris</i> (Frank) Donk                          | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          | CABI, 2013             | Yes       |      | Seedborne, seed transmitted unknown (CABI, 2013)                            |
| <i>Ulocladium atrum</i> Preuss                                       |                             |                      |                      |                     | CABI, 2013            |                     |                        | Not known | No   | Not seed transmitted (CABI, 2013)   |
| <i>Verticillium albo-atrum</i> Reinke & Berthold                     | CABI, 2013                  | CABI, 2013           |                      | CABI, 2013          | CABI, 2013            |                     | Regulated (MARD, 2005) |           | No   | Reported in <i>Brassica</i> seeds, but transmission is unknown (CABI, 2013) |
| <i>Verticillium dahliae</i> Kleb.                                    | CABI, 2013                  | CABI, 2013           | CABI, 2013           |                     | CABI, 2013            | CABI, 2013          | Not known              |           | No   | Reported in <i>Brassica</i> seeds, but transmission is unknown (CABI, 2013) |
| <b>Nematodes</b>   |                             |                      |                      |                     |                       |                     |                        |           |      |   |
| <i>Aphelenchoides ritzemabosi</i> (Chrysanthemum foliar eelworm)     | CABI, 2013                  |                      |                      |                     |                       |                     | Not known              |           | No   | Foliar nematode (CABI, 2013)  |
| <i>Belonolaimus longicaudatus</i> Rau                                | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          | Not known              |           | No   | Root nematode (CABI, 2013)  |
| <i>Ditylenchus destructor</i> Thorne                                 | CABI, 2013                  |                      |                      | CABI, 2013          | CABI, 2013            |                     | Regulated (MARD, 2005) |           | No   | Foliage nematode (CABI, 2013)   |
| <i>Ditylenchus dipsaci</i> (Kühn) Filip'ev                           |                             | CABI, 2013           | CABI, 2013           |                     |                       |                     | Regulated (MARD, 2005) |           | No   | Foliage nematode (CABI, 2013)   |

**DRAFT**

| Pest  | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp. | Vietnam                | Seed | Comments                      |
|---|-----------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|-----------------------|------------------------|------|-------------------------------|
| <i>Globodera pallida</i> (Stone) Behrens                      | CABI, 2013                  |                      |                      |                     |                       |                     |                       | Regulated (MARD, 2005) | No   | Foliage nematode (CABI, 2013) |
| <i>Globodera rostochiensis</i> (Wollenweber) Behrens          | CABI, 2013                  |                      |                      |                     |                       |                     |                       | Not known              | No   | Root nematode (CABI, 2013)    |
| <i>Globodera tabacum</i> (Lownsbery & Lownsbery) Behrens      | CABI, 2013                  |                      |                      |                     |                       |                     |                       | Not known              | No   | Root nematode (CABI, 2013)    |
| <i>Helicotylenchus dihydystera</i> (Cobb) Sher                | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          | CABI, 2013            | CABI, 2013             | No   | Root nematode (CABI, 2013)    |
| <i>Helicotylenchus multicinctus</i> (Cobb) Golden             |                             | CABI, 2013           |                      | CABI, 2013          |                       | CABI, 2013          | CABI, 2013            | CABI, 2013             | No   | Root nematode (CABI, 2013)    |
| <i>Helicotylenchus pseudorobustus</i> (Steiner) Golden        | CABI, 2013                  |                      |                      | CABI, 2013          |                       | CABI, 2013          |                       | CABI, 2013             | No   | Root nematode (CABI, 2013)    |
| <i>Hemicyclophora arenaria</i> Raski                          | CABI, 2013                  |                      | CABI, 2013           |                     | CABI, 2013            |                     |                       | Not known              | No   | Root nematode (CABI, 2013)    |
| <i>Heterodera glycines</i> Ichinohe                           | CABI, 2013                  |                      |                      |                     |                       |                     |                       | Not known              | No   | Root nematode (CABI, 2013)    |
| <i>Hirschmanniella oryzae</i> (van Breda de Haan) Luc&Goodey  | CABI, 2013                  |                      |                      |                     |                       |                     |                       | CABI, 2013             | No   | Root nematode (CABI, 2013)    |
| <i>Longidorus elongatus</i> (de Man) Micoletzky               | CABI, 2013                  | CABI, 2013           |                      | CABI, 2013          |                       |                     |                       | CABI, 2013             | No   | Root nematode (CABI, 2013)    |
| <i>Meloidogyne arenaria</i> (Neal) Chitwood                   | CABI, 2013                  |                      | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          | CABI, 2013            | Not known              | No   | Root nematode (CABI, 2013)    |
| <i>Meloidogyne chitwoodi</i> Golden, O'BanNon, Santo & Finley | CABI, 2013                  |                      |                      |                     |                       |                     |                       | Not known              | No   | Root nematode (CABI, 2013)    |
| <i>Meloidogyne</i>  | CABI, 2013                  |                      |                      |                     |                       |                     |                       | Not known              | No   | Root nematode                 |

**DRAFT**

| Pest  | <i>Solanum lycopersicum</i>                   | <i>Brassica</i> spp.                          | <i>Capsicum</i> spp.                          | <i>Lactuca</i> spp.                           | <i>Cucurbita</i> spp.                         | <i>Cucumis</i> spp. | <i>Citrillus</i> spp. | Vietnam    | Seed | Comments   |
|---|---|---|---|---|---|---------------------|-----------------------|------------|------|--|
| <i>floridensis</i>  | (CABI, 2013)                                  |   |   |   |   |                     |                       |            |      |  |
| <i>Meloidogyne graminicola</i> Golden & Birchfield                        |   | CABI, 2013                                    |   |   |   |                     |                       | CABI, 2013 | No   | Root nematode (CABI, 2013)                                   |
| <i>Meloidogyne hapla</i> Chitwood   | CABI, 2013                                    |                     |                       | Not known  | No   | Root nematode (CABI, 2013)                                   |
| <i>Meloidogyne incognita</i> (Kofoid & White) Chitwood                    | CABI, 2013                                    |                     |                       | CABI, 2013 | No   | Root nematode (CABI, 2013)                                   |
| <i>Meloidogyne javanica</i> (sugarcane eelworm)                           | CABI, 2013                                    |   | CABI, 2013                                    |   |   | CABI, 2013          | CABI, 2013            | CABI, 2013 | No   | Root nematode (CABI, 2013)                                   |
| <i>Meloidogyne mayaguensis</i> Rammah & Hirschmann                        | [FL, PR] (CABI, 2013)                         |   | [FL, PR] (CABI, 2013)                         | [FL, PR] (CABI, 2013)                         | [FL, PR] (CABI, 2013)                         |                     |                       | Not known  | No   | Root nematode (CABI, 2013)                                   |
| <i>Nacobbus aberrans</i> (Thorne) Thorne & Allen                          | [AR, CO, KS, MT, NE, SD, UT, WY] (CABI, 2013) | [AR, CO, KS, MT, NE, SD, UT, WY] (CABI, 2013) | [AR, CO, KS, MT, NE, SD, UT, WY] (CABI, 2013) | [AR, CO, KS, MT, NE, SD, UT, WY] (CABI, 2013) | [AR, CO, KS, MT, NE, SD, UT, WY] (CABI, 2013) |                     |                       | Not known  | No   | Root nematode (CABI, 2013); US regulated pest (PestID, 2013) |
| <i>Paratrichodorus porosus</i> (Allen) Siddiqi                            | CABI, 2013                                    | CABI, 2013                                    |   |   | CABI, 2013                                    |                     |                       | CABI, 2013 | No   | Root nematode (CABI, 2013)                                   |
| <i>Pratylenchus brachyurus</i> (Godfrey) Filipjev & Schuurmans Stekhoven  |   | CABI, 2013                                    |   |   |   | CABI, 2013          | CABI, 2013            | CABI, 2013 | No   | Root nematode (CABI, 2013)                                   |
| <i>Pratylenchus coffeae</i> (Zimmermann) Filipjev & Schuurmans Steckhoven |   |   |   |   | CABI, 2013                                    |                     |                       | CABI, 2013 | No   | Root nematode (CABI, 2013)                                   |
| <i>Pratylenchus penetrans</i> (Cobb)                                      | CABI, 2013                                    |   |   | CABI, 2013                                    |   |                     |                       | CABI, 2013 | No   | Root nematode (CABI, 2013)                                   |

**DRAFT**

| Pest   | <i>Solanum lycopersicum</i>                   | <i>Brassica</i> spp.                          | <i>Capsicum</i> spp.    | <i>Lactuca</i> spp.     | <i>Cucurbita</i> spp.   | <i>Cucumis</i> spp.     | <i>Citrillus</i> spp.   | Vietnam                | Seed      | Comments                   |
|--|---|---|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|------------------------|-----------|----------------------------|
| Filipjev & Schuurmans Stekhoven                        |   |   |                         |                         |                         |                         |                         |                        |           |                            |
| <i>Pratylenchus thornei</i> Sher & Allen               |   |   |                         |                         |                         |                         |                         | CABI, 2013             | Not known | No                         |
| <i>Pratylenchus vulnus</i> Allen & Jensen              |   |   |                         |                         |                         |                         |                         |                        | Not known | No                         |
| <i>Pratylenchus zeae</i> Graham                        | [AR, FL, GA, HI, LA, MS, NC, TX] (CABI, 2013) | [AR, FL, GA, HI, LA, MS, NC, TX] (CABI, 2013) |                         |                         |                         |                         |                         | CABI, 2013             | No        | Root nematode (CABI, 2013) |
| <i>Radopholus similis</i> (Cobb) Thorne                | CABI, 2013                                    |   |                         |                         |                         |                         |                         | Regulated (MARD, 2005) | No        | Root nematode (CABI, 2013) |
| <i>Rotylenchulus reniformis</i> Linford & Oliveira     | restricted (CABI, 2013)                       | restricted (CABI, 2013)                       | restricted (CABI, 2013) | restricted (CABI, 2013) | restricted (CABI, 2013) | restricted (CABI, 2013) | restricted (CABI, 2013) | CABI, 2013             | No        | Root nematode (CABI, 2013) |
| <i>Trichodorus primitivus</i> (de Man) Micoletzky      |   |   |                         |                         |                         |                         |                         | Not known              | No        | Root nematode (CABI, 2013) |
| <i>Scutellonema brachyurus</i> Steiner. Andrassy       | CABI, 2013                                    |   |                         | CABI, 2013              |                         | CABI, 2013              |                         | Not known              | No        | Root nematode (CABI, 2013) |
| <i>Scutellonema bradyi</i> (Steiner & Le Hew) Andrassy | [AR, FL] (CABI, 2013)                         |   |                         |                         |                         |                         |                         | Not known              | No        | Root nematode (CABI, 2013) |
| <i>Tylenchorhynchus claytoni</i> Steiner               | CABI, 2013                                    |   |                         |                         |                         |                         |                         | Not known              | No        | Root nematode (CABI, 2013) |
| <i>Xiphinema americanum</i> Cobb                       | CABI, 2013                                    |   |                         |                         | CABI, 2013              |                         |                         | Not known              | No        | Root nematode (CABI, 2013) |
| <i>Xiphinema index</i> Thorne & Allen                  | [CA] (CABI, 2013)                             |   |                         |                         |                         |                         |                         | Not known              | No        | root nematode (CABI, 2013) |
| <i>Xiphinema rivesi</i> Dalmasso                       |   |   |                         |                         | CABI, 2013              |                         |                         | Not known              | No        | Root nematode (CABI, 2013) |
| <i>Zygotylenchus</i>                                   | CABI, 2013                                    |   | CABI, 2013              |                         |                         | CABI, 2013              |                         | Not known              | No        | Root nematode (CABI, 2013) |

**DRAFT**

| Pest   | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp. | Vietnam   | Seed | Comments                                      |
|--|-----------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|-----------------------|-----------|------|---|
| <i>guevarai</i> (Tobar Jiménez) Braun & Loof |                             |                      |                      |                     |                       |                     |                       |           |      |   |
| <b>Phytoplasmas</b>                          |                             |                      |                      |                     |                       |                     |                       |           |      |   |
| aster yellows phytoplasma group              | CABI, 2013                  | CABI, 2013           |                      | CABI, 2013          | CABI, 2013            |                     |                       | Not known | No   | Not seed transmitted (CABI, 2013)             |
| Grapevine yellows phytoplasmas               | CABI, 2013                  |                      | CABI, 2013           |                     |                       |                     |                       | Not known | No   | Not seed transmitted (CABI, 2013)             |
| <i>Spiroplasma citri</i>                     |                             | CABI, 2013           |                      |                     |                       |                     |                       | Not known | No   | Not seed transmitted (CABI, 2013)             |
| <b>Viruses</b>                               |                             |                      |                      |                     |                       |                     |                       |           |      |   |
| <i>Beet mosaic virus</i>                     |                             |                      |                      | CABI, 2013          |                       |                     |                       | Not known | No   | Not seed transmitted (CABI, 2013)             |
| <i>Beet curly top virus</i>                  | CABI, 2013                  |                      | CABI, 2013           |                     |                       | CABI, 2013          |                       | Not known | No   | Not seed transmitted (CABI, 2013)             |
| <i>Beet pseudoyellows virus</i>              |                             |                      |                      | CABI, 2013          | CABI, 2013            |                     |                       | Not known | No   | No evidence of seed transmission (CABI, 2013) |
| <i>Beet western yellows virus</i>            | No (CABI, 2013)             |                      |                      | CABI, 2013          |                       |                     |                       | Not known | No   | Not seed transmitted (CABI, 2013)             |
| <i>Broad bean wilt virus</i>                 | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013          |                       |                     |                       | Not known | No   | Not seed transmitted (CABI, 2013)             |
| <i>Carnation mottle virus</i>                |                             |                      |                      | CABI, 2013          |                       |                     |                       | Not known | No   | Not seed transmitted (CABI, 2013)             |
| <i>Cauliflower mosaic virus</i>              |                             | CABI, 2013           |                      |                     |                       |                     |                       | Not known | No   | Not seed transmitted (CABI, 2013)             |
| <i>Citrus exocortis viroid</i>               | CABI, 2013                  | CABI, 2013           |                      |                     |                       |                     | CABI, 2013            | No        |      | Not seedborne (CABI, 2013)                    |
| <i>Clover yellow vein virus</i>              |                             |                      |                      | CABI, 2013          |                       |                     |                       | Not known | No   | Not seed transmitted (CABI, 2013)             |
| <i>Cucumber green mottle mosaic virus</i>    |                             |                      |                      |                     | CABI, 2013            | CABI, 2013          | CABI, 2013            | Yes       |      | Seed borne, seed transmitted (CABI, 2013)     |

**DRAFT**

| Pest  | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp.           | <i>Cucurbita</i> spp.         | <i>Cucumis</i> spp.           | <i>Citrillus</i> spp. | Vietnam                    | Seed | Comments                                     |
|---|-----------------------------|----------------------|----------------------|-------------------------------|-------------------------------|-------------------------------|-----------------------|----------------------------|------|--|
| <i>Cucumber mosaic virus</i>                                  | CABI, 2013                  | CABI, 2013           | CABI, 2013           | CABI, 2013                    | CABI, 2013                    | CABI, 2013                    | CABI, 2013            | CABI, 2013                 | No   | Not reported in <i>Zea mays</i> (CABI, 2013) |
| <i>Curcurbit yellow stunting disorder virus</i>               |                             |                      |                      | [AZ, CA, FL, TX] (CABI, 2013) | [AZ, CA, FL, TX] (CABI, 2013) | [AZ, CA, FL, TX] (CABI, 2013) |                       | Not known                  | No   | Not seed transmitted (CABI, 2013)            |
| <i>Impatiens necrotic spot virus (TSWV-I)</i>                 | CABI, 2013                  |                      |                      | CABI, 2013                    |                               | CABI, 2013                    |                       | Not known                  | No   | Not seed transmitted (CABI, 2013)            |
| <i>Lettuce big-vein virus</i>                                 |                             |                      |                      | CABI, 2013                    |                               |                               |                       | Not known                  | No   | Not reported (CABI, 2013)                    |
| <i>Lettuce infectious yellows virus</i>                       |                             |                      |                      | CABI, 2013                    | CABI, 2013                    | CABI, 2013                    | CABI, 2013            | Not known                  | No   | Not seed transmitted (CABI, 2013)            |
| <i>Papaya ringspot virus (papaya PRSV - strain P: papaya)</i> |                             |                      |                      |                               | CABI, 2013                    | CABI, 2013                    |                       | CABI, 2013                 | Yes  | Unconfirmed record (CABI, 2013)              |
| <i>Peanut stunt virus</i>                                     | CABI, 2013                  |                      |                      |                               |                               |                               |                       | Not known                  | No   | Not seed transmitted (CABI, 2013)            |
| <i>Pepino mosaic virus</i>                                    | CABI, 2013                  |                      |                      |                               |                               |                               |                       | Werkman and Sansford, 2010 | Yes  | Seed borne, seed transmitted (CABI, 2013)    |
| <i>Pepper golden mosaic virus</i>                             | [AZ, TX] (CABI, 2013)       |                      |                      |                               |                               |                               |                       | Not known                  | No   | Not seed transmitted (CABI, 2013)            |
| <i>Pepper mild mottle virus</i>                               | CABI, 2013                  |                      |                      |                               |                               |                               |                       | Not known                  | Yes  | Seed borne, seed transmitted (CABI, 2013)    |
| <i>Potato leafroll virus</i>                                  | CABI, 2013                  |                      |                      |                               |                               |                               |                       | Not known                  | No   | Not seed transmitted (CABI, 2013)            |
| <i>Potato virus X</i>   | CABI, 2013                  | CABI, 2013           | CABI, 2013           |                               |                               |                               |                       | Not known                  | No   | Not seed transmitted (CABI, 2013)            |
| <i>Potato virus Y</i>   | CABI, 2013                  |                      |                      | CABI, 2013                    |                               |                               | CABI, 2013            |                            | No   | Not seed transmitted (CABI, 2013)            |
| <i>Potato yellow dwarf nucleorhabdovirus</i>                  | CABI, 2013                  | CABI, 2013           |                      |                               |                               |                               | Not known             |                            | No   | Not seed transmitted (CABI, 2013)            |
| <i>Prunus necrotic</i>  |                             |                      |                      |                               | CABI, 2013                    |                               | Not known             |                            | Yes  | Seed borne, seed transmitted in              |

**DRAFT**

| Pest                                      | <i>Solanum lycopersicum</i> | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp.       | <i>Cucurbita</i> spp.     | <i>Cucumis</i> spp.       | <i>Citrillus</i> spp. | Vietnam                    | Seed | Comments   |
|---|-----------------------------|----------------------|----------------------|---------------------------|---------------------------|---------------------------|-----------------------|----------------------------|------|--|
| <i>ringspot virus</i>                     |                             |                      |                      |                           |                           |                           |                       |                            |      | Prunus (CABI, 2013)  |
| <i>Rice hoja blanca virus</i>             |                             |                      |                      |                           |                           | CABI, 2013                |                       | Werkman and Sansford, 2010 | No   | Not seed transmitted (CABI, 2013)  |
| <i>Squash leaf curl virus</i>             |                             |                      |                      | [AZ, CA, TX] (CABI, 2013) | [AZ, CA, TX] (CABI, 2013) | [AZ, CA, TX] (CABI, 2013) |                       | Not known                  | No   | Not seed transmitted (CABI, 2013)  |
| <i>Squash mosaic virus</i>                |                             |                      |                      |                           | CABI, 2013                | CABI, 2013                | CABI, 2013            | Not known                  | Yes  | Seed borne, seed transmitted (CABI, 2013)  |
| <i>Sweet potato feathery mottle virus</i> | CABI, 2013                  | CABI, 2013           |                      |                           | CABI, 2013                |                           | CABI, 2013            | No                         |      | Not seed transmitted (CABI, 2013)  |
| <i>Tobacco etch virus</i>                 | CABI, 2013                  |                      | CABI, 2013           |                           |                           |                           |                       | Not known                  | No   | Not seed transmitted (CABI, 2013)  |
| <i>Tobacco leaf curl virus</i>            | CABI, 2013                  |                      |                      |                           |                           |                           |                       | Not known                  | No   | Not seed transmitted (CABI, 2013)  |
| <i>Tobacco mosaic virus</i>               | CABI, 2013                  |                      |                      |                           |                           | CABI, 2013                | CABI, 2013            | Brcák and Pozdena, 1976    | Yes  | Seed borne, seed transmitted (CABI, 2013)  |
| <i>Tobacco necrosis virus</i>             | CABI, 2013                  |                      |                      | CABI, 2013                | CABI, 2013                | CABI, 2013                |                       | Not known                  | No   | Not seed transmitted (CABI, 2013)  |
| <i>Tobacco rattle virus</i>               |                             | CABI, 2013           | CABI, 2013           | CABI, 2013                |                           |                           |                       | Not known                  |      | Seed transmission reported in <i>Allium</i> , <i>Viola</i> , <i>Myosotis</i> , <i>Lamiun</i> , <i>Capsella</i> , <i>Polygonum</i> , <i>Papaver</i> , <i>Portulaca</i> , <i>Solanum sarachoiudes</i> , <i>Xanthium</i> , and <i>Aponaria</i> (CABI, 2013) |
| <i>Tobacco ringspot virus</i>             | CABI, 2013                  |                      |                      |                           | CABI, 2013                | CABI, 2013                |                       | Not known                  | Yes  | Reported in <i>Solanum tuberosum</i> , soybean, and <i>Amaranthus</i> (CABI, 2013)   |
| <i>Tomato chlorosis virus</i>             | CABI, 2013                  | CABI, 2013           |                      |                           |                           |                           |                       | Not known                  | No   | Not seed transmitted (CABI,  |

**DRAFT**

| Pest                                     | <i>Solanum lycopersicum</i>       | <i>Brassica</i> spp. | <i>Capsicum</i> spp. | <i>Lactuca</i> spp. | <i>Cucurbita</i> spp. | <i>Cucumis</i> spp. | <i>Citrillus</i> spp.    | Vietnam   | Seed | Comments                                   |
|--|-----------------------------------|----------------------|----------------------|---------------------|-----------------------|---------------------|--------------------------|-----------|------|--|
| <i>Tomato infectious chlorosis virus</i> | CABI, 2013                        |                      |                      | CABI, 2013          |                       |                     |                          | Not known | No   | 2013)<br>Not seed transmitted (CABI, 2013) |
| <i>Tomato mottle virus</i>               | [AL, FL, SC, TN, VI] (CABI, 2013) |                      |                      |                     |                       |                     |                          | Not known | No   | Not seed transmitted (CABI, 2013)          |
| <i>Tomato ringspot virus</i>             | CABI, 2013                        |                      |                      | CABI, 2013          | CABI, 2013            |                     |                          | Not known | No   | Not seed transmitted (CABI, 2013)          |
| <i>Tomato spotted wilt virus</i>         | CABI, 2013                        |                      | CABI, 2013           | CABI, 2013          | CABI, 2013            | CABI, 2013          | Not known                | No        |      | Not seed transmitted (CABI, 2013)          |
| <i>Tomato yellow leaf curl virus</i>     |                                   | CABI, 2013           |                      |                     |                       |                     | Díaz-Pendón et al., 2010 | No        |      | Not seed transmitted (CABI, 2013)          |
| <i>Turnip mosaic virus</i>               |                                   | CABI, 2013           |                      | CABI, 2013          |                       |                     | CABI, 2013               | No        |      | Not seed transmitted (CABI, 2013)          |
| <i>Watermelon mosaic virus</i>           |                                   |                      |                      | CABI, 2013          | CABI, 2013            | CABI, 2013          | Not known                | No        |      | Not seed transmitted (CABI, 2013)          |
| <i>Zucchini yellow mosaic virus</i>      |                                   |                      |                      | CABI, 2013          | CABI, 2013            | CABI, 2013          | CABI, 2013               | Yes       |      | Not seed transmitted (CABI, 2013)          |

## DRAFT

### **Appendix B. Pest list for *Zea mays*, *Cynodon* spp., *Festuca* spp., *Lolium* spp., *Oryza* spp., *Panicum* spp., and *Paspalum* spp. (Poaceae) seeds from the United States.**

Below we list a group of organisms that are **not** considered of quarantine significance for the Republic of Vietnam due to the following reasons: a) pest is present in Vietnam, b) pest is not seedborne, c) there is no reliable evidence of seed transmission, and d) pest is present and regulated in the United States. Species highlighted in gray are pests regulated by the Ministry of Agriculture and Rural Development (MARD) of the Republic of Vietnam, species bolded are pests regulated by the United States, and pest with limited distribution are shown with the state abbreviation in brackets [AB].

| Pest  | <i>Zea mays</i> | <i>Cynodon</i> spp. | <i>Festuca</i> spp. | <i>Lolium</i> spp. | <i>Oryza</i> spp. | <i>Panicum</i> spp. | <i>Paspalum</i> spp. | Vietnam    | Seed | Comments                     |
|---|-----------------|---------------------|---------------------|--------------------|-------------------|---------------------|----------------------|------------|------|------------------------------|
| <b>Mites</b>                                |                 |                     |                     |                    |                   |                     |                      |            |      |                              |
| <i>Aceria tosicella</i> Keifer              | CABI, 2013      |                     | CABI, 2013          | CABI, 2013         |                   |                     |                      | Not known  | No   | Foliage feeder (CABI, 2013)  |
| <i>Aceria tulipae</i> (Keifer,              |                 |                     |                     | CABI, 2013         |                   |                     |                      | Not known  | No   | Foliage feeder (CABI, 2013)  |
| <i>Acarus siro</i> Linnaeus                 | CABI, 2013      |                     |                     |                    |                   |                     |                      | Not known  | Yes  | External feeder (CABI, 2013) |
| <i>Brevipalpus phoenicis</i> (Geijskes)     | CABI, 2013      |                     |                     |                    |                   |                     |                      | CABI, 2013 | No   | Foliage feeder (CABI, 2013)  |
| <i>Penthaleus major</i> Dugès               |                 |                     |                     | CABI, 2013         |                   |                     |                      | Not known  | No   | Foliage feeder (CABI, 2013)  |
| <i>Tetranychus cinnabarinus</i> (Boisduval) | CABI, 2013      |                     |                     |                    |                   |                     |                      | Not known  | No   | Foliage feeder (CABI, 2013)  |
| <i>Tetranychus pacificus</i> McGregor       | CABI, 2013      |                     |                     |                    |                   |                     |                      | Not known  | No   | Foliage feeder (CABI, 2013)  |
| <i>Tetranychus urticae</i> Koch             | CABI, 2013      |                     |                     |                    |                   |                     |                      | CABI, 2013 | No   | Foliage feeder (CABI, 2013)  |
| <i>Typhaea stercorea</i> (Linnaeus)         | CABI, 2013      |                     |                     |                    |                   |                     |                      | Not known  | Yes  | External feeder (CABI, 2013) |
| <b>Insect</b>                               |                 |                     |                     |                    |                   |                     |                      |            |      |                              |
| <i>Acalymma vittatum</i> (Fabricius)        | CABI, 2013      |                     |                     |                    |                   |                     |                      | Not known  | No   | External feeder (CABI, 2013) |

**DRAFT**

| Pest                                    | <i>Zea mays</i> | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp. | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam    | Seed | Comments                     |
|---|-----------------|------------------------|------------------------|-----------------------|-------------------|------------------------|-------------------------|------------|------|------------------------------|
| <i>Acanthoscelides obtectus</i> Say     | CABI, 2013      |                        |                        |                       |                   |                        |                         | CABI, 2013 | Yes  | Internal feeder (CABI, 2013) |
| <i>Aceria tosicella</i> Keifer          | CABI, 2013      |                        |                        |                       |                   |                        |                         | Not known  | No   | External feeder (CABI, 2013) |
| <i>Acrosternum hilare</i> (Say)         | CABI, 2013      |                        |                        |                       |                   |                        |                         | Not known  | No   | External feeder (CABI, 2013) |
| <i>Agriotes lineatus</i> (Linnaeus)     | CABI, 2013      |                        |                        |                       |                   |                        |                         | Not known  | No   | Leaf feeder (CABI, 2013)     |
| <i>Agrotis ipsilon</i> (Hufnagel)       | CABI, 2013      | CABI, 2013             |                        |                       |                   |                        |                         | CABI, 2013 | No   | External feeder (CABI, 2013) |
| <i>Ahasverus advena</i> (Waltl)         | CABI, 2013      |                        |                        |                       | CABI, 2013        |                        |                         | Not known  | Yes  | External feeder (CABI, 2013) |
| <i>Alphitobius diaperinus</i> (Panzer)  |                 |                        |                        |                       | CABI, 2013        |                        |                         | Not known  | Yes  | External feeder (CABI, 2013) |
| <i>Anaphothrips obscurus</i> Müller     | CABI, 2013      |                        |                        |                       | CABI, 2013        |                        |                         | Not known  | No   | External feeder (CABI, 2013) |
| <i>Aphis craccivora</i> Koch            | CABI, 2013      |                        |                        |                       |                   |                        |                         | CABI, 2013 | No   | External feeder (CABI, 2013) |
| <i>Aphis fabae</i> Scopoli              | CABI, 2013      |                        |                        |                       |                   |                        |                         | Not known  | No   | External feeder (CABI, 2013) |
| <i>Aphis gossypii</i> Glover            | CABI, 2013      |                        |                        |                       |                   |                        |                         | CABI, 2013 | No   | External feeder (CABI, 2013) |
| <i>Aphis spiraecola</i> Patch           | CABI, 2013      | CABI, 2013             |                        |                       |                   |                        |                         | CABI, 2013 | No   | External feeder (CABI, 2013) |
| <i>Araecerus fasciculatus</i> (De Geer) | CABI, 2013      |                        |                        |                       |                   |                        |                         | CABI, 2013 | No   | External feeder (CABI, 2013) |
| <i>Atherigona orientalis</i> Schiner    | CABI, 2013      |                        |                        |                       | CABI, 2013        |                        |                         | Not known  | No   | Internal feeder (CABI, 2013) |
| <i>Blissus leucopterus</i> (Say)        | CABI, 2013      |                        |                        |                       | CABI, 2013        | CABI, 2013             |                         | Not known  | No   | External feeder (CABI, 2013) |
| <i>Brevennia rehi</i> (Lindigner)       |                 | CABI, 2013             |                        |                       | CABI, 2013        | CABI, 2013             | CABI, 2013              | CABI, 2013 | No   | External feeder (CABI, 2013) |

**DRAFT**

| Pest   | <i>Zea mays</i>   | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp. | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam    | Seed | Comments  |
|--|-------------------|------------------------|------------------------|-----------------------|-------------------|------------------------|-------------------------|------------|------|---|
| <i>Cadra cautella</i><br>Walker                          | CABI, 2013        |                        |                        |                       | CABI, 2013        | CABI, 2013             |                         | CABI, 2013 | Yes  | External feeder (CABI, 2013)  |
| <i>Carpophilus</i><br><i>hemipterus</i><br>(Linnaeus)    | CABI, 2013        |                        |                        |                       |                   |                        |                         | CABI, 2013 | Yes  | External feeder (CABI, 2013)  |
| <i>Carpophilus</i><br><i>humeralis</i><br>(Fabricius)    | CABI, 2013        |                        |                        |                       |                   |                        |                         | Not known  | No   | External feeder (CABI, 2013)  |
| <i>Caulophilus oryzae</i><br>(Gyllenhal)                 | CABI, 2013        |                        |                        |                       | CABI, 2013        |                        | Not known               | No         |      | This is a pest of stored grain and does not infest seeds in the field. (CABI, 2013) |
| <i>Chaetanaphothrips</i><br><i>orchidii</i> (Moulton)    | CABI, 2013        |                        |                        |                       |                   | CABI, 2013             | Not known               | No         |      | External feeder (CABI, 2013)  |
| <i>Chaetocnema</i><br><i>confinis</i> Crotch             | CABI, 2013        |                        |                        |                       |                   |                        | Not known               | No         |      | External feeder (CABI, 2013)  |
| <i>Chaetocnema</i><br><i>pulicaria</i><br>Melsheimer     | CABI, 2013        | CABI, 2013             | CABI, 2013             | CABI, 2013            |                   | CABI, 2013             |                         | Not known  | No   | Leaf feeder (CABI, 2013)  |
| <i>Chilo suppressalis</i><br>(Walker)                    | [HI] (CABI, 2013) |                        |                        |                       | CABI, 2013        | CABI, 2013             |                         | CABI, 2013 | No   | External feeder (CABI, 2013)  |
| <i>Chlorophorus</i><br><i>annularis</i><br>(Fabricius)   | [HI] (CABI, 2013) |                        |                        |                       |                   |                        | CABI, 2013              | No         |      | Internal feeder (CABI, 2013)  |
| <i>Chrysodeixis</i><br><i>eriosoma</i><br>Doubleday      | [HI] (CABI, 2013) |                        |                        |                       |                   |                        | CABI, 2013              | No         |      | External feeder (CABI, 2013)  |
| <i>Chrysodeixis</i><br><i>includens</i> (Walker)         | CABI, 2013        |                        |                        |                       |                   |                        | Not known               | No         |      | External feeder (CABI, 2013)  |
| <i>Corcyra</i><br><i>cephalonica</i> (rice<br>meal moth) | CABI, 2013        |                        |                        |                       | CABI, 2013        | CABI, 2013             |                         | CABI, 2013 | No   | External feeder (CABI, 2013)  |
| <i>Cryptoblabes</i>                                      | [HI] (CABI,       |                        |                        |                       | [HI] (CABI,       |                        |                         | Not known  | No   | External feeder (CABI, 2013); US regulated  |

**DRAFT**

| Pest  | <i>Zea mays</i>          | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp. | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp.                 | Vietnam | Seed   | Comments |
|---|--------------------------|------------------------|------------------------|-----------------------|-------------------|------------------------|---|---------|--|----------|
| <i>gnidiella</i> Millière   | 2013)                    | 2013)                  |                        |                       |                   |                        | pest (PestID, 2013)                     |         |  |          |
| <i>Cryptolestes</i><br><i>ferrugineus</i><br>(Stephens)           | CABI, 2013               | CABI, 2013             |                        |                       |                   |                        | CABI, 2013                              | Yes     | Internal feeder (CABI, 2013)                                   |          |
| <i>Cryptolestes</i><br><i>pusillus</i> Schönherr                  | CABI, 2013               | CABI, 2013             |                        |                       |                   |                        | CABI, 2013                              | Yes     | Internal feeder (CABI, 2013)                                   |          |
| <i>Cydia pomonella</i><br>Linnaeus                                | CABI, 2013               |                        |                        |                       |                   |                        | Not known                               | No      | Affects fruits, including pods (CABI, 2013)                    |          |
| <i>Dalbulus maidis</i><br>DeLong & Wolcott                        | CABI, 2013               |                        |                        |                       |                   |                        | Not known                               | No      | Leaf feeder (CABI, 2013)                                       |          |
| <i>Delia platura</i><br>(Meigen)                                  | CABI, 2013               |                        |                        |                       |                   |                        | Women Union of Vinh Chau District, 2010 | Yes     | Internal feeder (CABI, 2013)                                   |          |
| <i>Diabrotica balteata</i><br>LeConte                             | CABI, 2013               | CABI, 2013             |                        |                       |                   |                        | Not known                               | No      | External feeder (CABI, 2013)                                   |          |
| <i>Diabrotica barberi</i><br>Smith & Lawrence,<br>(Krysan et al.) | CABI, 2013               |                        |                        |                       |                   |                        | Not known                               | No      | External feeder (CABI, 2013)                                   |          |
| <i>Diabrotica</i><br><i>undecimpunctata</i><br>Mannerheim         | CABI, 2013               |                        |                        |                       |                   |                        | Not known                               | No      | External feeder (CABI, 2013)                                   |          |
| <i>Diabrotica</i><br><i>virgifera virgifera</i><br>LeConte        | CABI, 2013               |                        |                        |                       |                   |                        | Not known                               | No      | External feeder (CABI, 2013)                                   |          |
| <i>Diaprepes</i><br><i>abbreviatus</i><br>(Linnaeus)              | [FL, MS]<br>(CABI, 2013) |                        |                        |                       |                   |                        | Not known                               | No      | External feeder (CABI, 2013); US regulated pest (PestID, 2013) |          |
| <i>Diatraea</i><br><i>grandiosella</i> Dyar                       | CABI, 2013               |                        |                        |                       |                   |                        | Not known                               | No      | External feeder (CABI, 2013)                                   |          |

**DRAFT**

| Pest  | <i>Zea mays</i>   | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp.            | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam    | Seed | Comments   |
|---|-------------------|------------------------|------------------------|-----------------------|------------------------------|------------------------|-------------------------|------------|------|--|
| <i>Diatraea saccharalis</i><br>Fabricius        | CABI, 2013        |                        |                        |                       | CABI, 2013                   | CABI, 2013             |                         | Not known  | No   | External feeder (CABI, 2013)                                   |
| <i>Dinoderus minutus</i><br>(Fabricius)         |                   |                        |                        |                       | [CA, FL]<br>(CABI, 2013)     |                        |                         | CABI, 2013 | No   | Stem feeder (CABI, 2013)                                       |
| <i>Dysmicoccus brevipes</i><br>(Cockerell)      | CABI, 2013        |                        |                        |                       |                              |                        |                         | CABI, 2013 | No   | External feeder (CABI, 2013)                                   |
| <i>Elasmopalpus lignosellus</i> (Zeller)        | CABI, 2013        |                        |                        |                       | CABI, 2013                   |                        |                         | CABI, 2013 | No   | Foliage feeder (CABI, 2013)                                    |
| <i>Epitrix cucumeris</i><br>(Harris)            | CABI, 2013        |                        |                        |                       |                              |                        |                         | Not known  | No   | External feeder (CABI, 2013)                                   |
| <i>Exomala orientalis</i><br>(Waterhouse)       | CABI, 2013        |                        | CABI, 2013             | CABI, 2013            |                              |                        |                         | Not known  | No   | External feeder (CABI, 2013)                                   |
| <i>Ferrisia virgata</i><br>Cockerell            | CABI, 2013        |                        |                        |                       |                              |                        |                         | CABI, 2013 | No   | External feeder (CABI, 2013)                                   |
| <i>Fimbristylis littoralis</i> Gaud.            |                   |                        |                        |                       | [HI] (CABI, 2013)            |                        |                         | CABI, 2013 | No   | Foliage feeder (CABI, 2013)                                    |
| <i>Frankliniella fusca</i><br>(Hinds)           | CABI, 2013        |                        |                        |                       |                              |                        |                         | Not known  | No   | Foliage feeder (CABI, 2013)                                    |
| <i>Frankliniella intonsa</i> (Trybom)           |                   |                        |                        |                       | CABI, 2013                   |                        |                         | Not known  | No   | External feeder (CABI, 2013)                                   |
| <i>Frankliniella schultzei</i> (Trybom)         |                   |                        |                        |                       | [CO, FL, HI]<br>(CABI, 2013) |                        |                         | Not known  | No   | Foliage feeder (CABI, 2013); US regulated pest (PestID, 2013)  |
| <i>Gryllotalpa africana</i> Palisot de Beauvois | [HI] (CABI, 2013) |                        |                        |                       | [HI] (CABI, 2013)            |                        |                         | CABI, 2013 | No   | External feeder (CABI, 2013); US regulated pest (PestID, 2013) |
| <i>Gryllotalpa gryllotalpa</i> (Linnaeus)       | CABI, 2013        | CABI, 2013             |                        |                       | CABI, 2013                   | CABI, 2013             | CABI, 2013              | Not known  | No   | External feeder (CABI, 2013)                                   |

**DRAFT**

| Pest   | <i>Zea mays</i>                     | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp. | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam    | Seed | Comments                                |
|--|-------------------------------------|------------------------|------------------------|-----------------------|-------------------|------------------------|-------------------------|------------|------|---|
| <i>Helicoverpa zea</i><br>(Boddie)                     | CABI, 2013                          |                        |                        |                       | CABI, 2013        |                        |                         | Not known  | No   | External feeder (CABI, 2013)            |
| <i>Heliothis virescens</i><br>(Fabricius)              | CABI, 2013                          |                        |                        |                       |                   |                        |                         | Not known  | No   | External feeder (CABI, 2013)            |
| <i>Hydraecia immanis</i><br>Guenée                     | CABI, 2013                          |                        |                        |                       |                   |                        |                         | Not known  | No   | Root feeder (CABI, 2013)                |
| <i>Hydraecia micacea</i><br>(Esper)                    | [IA, NY, OH,<br>WI] (CABI,<br>2013) |                        |                        |                       |                   |                        |                         | Not known  | No   | Foliage and root feeder<br>(CABI, 2013) |
| <i>Hydrellia griseola</i><br>Fallén                    | CABI, 2013                          |                        |                        | CABI, 2013            |                   |                        |                         | Not known  | No   | Foliage feeder (CABI, 2013)             |
| <i>Hydrellia philippina</i> Ferino                     |                                     | CABI, 2013             |                        | CABI, 2013            | CABI, 2013        | CABI, 2013             | CABI, 2013              | No         |      | Foliage feeder (CABI, 2013)             |
| <i>Hypera zoilus</i><br>(Fabricius)                    | CABI, 2013                          |                        |                        |                       |                   |                        |                         | Not known  | No   | External feeder (CABI, 2013)            |
| <i>Lasioderma</i><br><i>serricorne</i><br>Fabricius    |                                     |                        |                        | CABI, 2013            |                   |                        |                         | Not known  | Ye   | Host status unknown<br>(CABI, 2013)     |
| <i>Latheticus oryzae</i><br>Waterhouse                 | CABI, 2013                          |                        |                        | CABI, 2013            |                   |                        |                         | Not known  | Yes  | External feeder (CABI, 2013)            |
| <i>Limonius</i><br><i>californicus</i><br>(Mannerheim) | CABI, 2013                          |                        |                        |                       |                   |                        |                         | Not known  | Yes  | External feeder (CABI, 2013)            |
| <i>Limothrips</i><br><i>cerealium</i> (Haliday)        | CABI, 2013                          |                        |                        |                       |                   |                        |                         | Not known  | Yes  | External feeder (CABI, 2013)            |
| <i>Limothrips</i><br><i>denticornis</i> Haliday        | CABI, 2013                          |                        |                        | CABI, 2013            |                   |                        |                         | Not known  | No   | External feeder (CABI, 2013)            |
| <i>Liriomyza sativae</i><br>Blanchard                  | CABI, 2013                          |                        |                        |                       |                   |                        |                         | CABI, 2013 | No   | Foliage feeder (CABI, 2013)             |
| <i>Lissorhoptrus</i><br><i>oryzophilus</i><br>Kuschel  | CABI, 2013                          | CABI, 2013             |                        |                       | CABI, 2013        | CABI, 2013             |                         | Not known  | No   | Foliage feeder (CABI, 2013)             |
| <i>Lygus lineolaris</i><br>Palisot de Beauvois         | CABI, 2013                          |                        |                        |                       |                   |                        |                         | Not known  | No   | External feeder (CABI, 2013)            |

**DRAFT**

| Pest                                       | <i>Zea mays</i>   | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp. | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam    | Seed | Comments   |
|--|-------------------|------------------------|------------------------|-----------------------|-------------------|------------------------|-------------------------|------------|------|--|
| <i>Maconellicoccus hirsutus</i> (Green)    | CABI, 2013        |                        |                        |                       |                   |                        |                         | CABI, 2013 | No   | External feeder (CABI, 2013); US regulated pest (PestID, 2013) |
| <i>Macrosiphum euphorbiae</i> Thomas       | CABI, 2013        |                        |                        |                       |                   |                        |                         | Not known  | No   | External feeder (CABI, 2013)                                   |
| <i>Macrosteles quadrilineatus</i> (Forbes) |                   |                        |                        |                       | CABI, 2013        |                        |                         | Not known  | No   | Foliage feeder (CABI, 2013)                                    |
| <i>Mamestra configurata</i> Walker         | CABI, 2013        |                        |                        |                       |                   |                        |                         | Not known  | Yes  | External feeder (CABI, 2013)                                   |
| <i>Mayetiola destructor</i> (Say)          |                   | CABI, 2013             |                        |                       |                   |                        |                         | Not known  | No   | External feeder (CABI, 2013)                                   |
| <i>Melanaphis sacchari</i> (Zehntner)      | CABI, 2013        |                        |                        |                       | CABI, 2013        | CABI, 2013             |                         | CABI, 2013 | No   | Foliage feeder (CABI, 2013)                                    |
| <i>Melanoplus bivittatus</i> (Say)         | CABI, 2013        |                        |                        |                       |                   |                        |                         | Not known  | No   | External feeder (CABI, 2013)                                   |
| <i>Melanoplus sanguinipes</i> (Fabricius)  | CABI, 2013        |                        |                        |                       |                   |                        |                         | Not known  | No   | External feeder (CABI, 2013)                                   |
| <i>Melanotus communis</i> Gyllenhal        | CABI, 2013        |                        |                        |                       |                   |                        |                         | Not known  | No   | Internal feeder (CABI, 2013)                                   |
| <i>Meromyza saltatrix</i> (Linnaeus)       |                   | [AK] CABI, 2013        |                        |                       |                   |                        |                         | Not known  | No   | Foliage feeder (CABI, 2013)                                    |
| <i>Metamasius hemipterus</i> Linnaeus      | [FL] (CABI, 2013) |                        |                        |                       |                   |                        |                         | Not known  | No   | Foliage feeder (CABI, 2013); US regulated pest (PestID, 2013)  |
| <i>Metopolophium dirhodum</i> (Walker)     | CABI, 2013        |                        | CABI, 2013             | CABI, 2013            |                   |                        |                         | Not known  | No   | Foliage feeder (CABI, 2013)                                    |
| <i>Murgantia histrionica</i> (Hahn)        | CABI, 2013        |                        |                        |                       |                   |                        |                         | Not known  | No   | Foliage feeder (CABI, 2013)                                    |

**DRAFT**

| Pest  | <i>Zea mays</i>              | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp.            | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp.      | Vietnam    | Seed | Comments  |
|---|------------------------------|------------------------|------------------------|-----------------------|------------------------------|------------------------|------------------------------|------------|------|---|
| <i>Mythimna unipuncta</i> Haworth               | CABI, 2013                   |                        |                        |                       | CABI, 2013                   | CABI, 2013             |                              | Not known  | Yes  | External feeder (CABI, 2013)                                  |
| <i>Myzus persicae</i> Sulzer                    | CABI, 2013                   |                        |                        | CABI, 2013            |                              |                        |                              | CABI, 2013 | No   | External feeder (CABI, 2013)                                  |
| <i>Nezara viridula</i> (Linnaeus)               | CABI, 2013                   |                        |                        |                       | CABI, 2013                   |                        |                              | CABI, 2013 | Yes  | External feeder (CABI, 2013)                                  |
| <i>Noctua pronuba</i> (Linnaeus)                |                              |                        |                        | CABI, 2013            |                              |                        |                              | Not known  | No   | External feeder (CABI, 2013)                                  |
| <i>Oebalus insularis</i> Stål,                  |                              |                        |                        |                       | [FL] CABI, 2013              |                        |                              | Not known  | No   | External feeder (CABI, 2013)                                  |
| <i>Opogona sacchari</i> Bojer                   | [FL, HI]<br>(CABI, 2013)     |                        |                        |                       |                              |                        |                              | Not known  | No   | Foliage feeder (CABI, 2013); US regulated pest (PestID, 2013) |
| <i>Orgyia leucostigma</i> (J.E. Smith)          | CABI, 2013                   |                        |                        |                       |                              |                        |                              | Not known  | No   | External feeder (CABI, 2013)                                  |
| <i>Oryzaephilus mercator</i> (Fauvel)           |                              |                        |                        |                       | CABI, 2013                   |                        |                              | Not known  | Yes  | External feeder (CABI, 2013)                                  |
| <i>Oryzaephilus surinamensis</i> (Linnaeus)     | CABI, 2013                   |                        |                        |                       | CABI, 2013                   | CABI, 2013             |                              | CABI, 2013 | Yes  | External feeder (CABI, 2013)                                  |
| <i>Oscinella frit</i> Linnaeus                  | CABI, 2013                   |                        | CABI, 2013             | CABI, 2013            |                              |                        |                              | Not known  | No   | External feeder (CABI, 2013)                                  |
| <i>Ostrinia nubilalis</i> (Hübner)              | CABI, 2013                   |                        |                        |                       |                              |                        |                              | Not known  | Yes  | External feeder (CABI, 2013)                                  |
| <i>Oulema melanopus</i> (Linnaeus)              | CABI, 2013                   |                        | CABI, 2013             |                       |                              |                        |                              | Not known  | No   | Foliage feeder (CABI, 2013)                                   |
| <i>Perkinsiella saccharicida</i> Kirkaldy, G.W. | [FL, HI, TX]<br>(CABI, 2013) |                        |                        |                       | [FL, HI, TX]<br>(CABI, 2013) |                        | [FL, HI, TX]<br>(CABI, 2013) | CABI, 2013 | No   | Foliage feeder (CABI, 2013); US regulated pest (PestID, 2013) |
| <i>Peregrinus maidis</i> (Ashmead)              | CABI, 2013                   |                        |                        |                       | CABI, 2013                   |                        |                              | CABI, 2013 | No   | Foliage feeder (CABI, 2013)                                   |

**DRAFT**

| Pest  | <i>Zea mays</i>      | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp. | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp.      | Vietnam    | Seed | Comments   |
|---|----------------------|------------------------|------------------------|-----------------------|-------------------|------------------------|------------------------------|------------|------|--|
| <i>Peridroma saucia</i><br>(Hübner)                               | CABI, 2013           |                        |                        | CABI, 2013            |                   |                        |                              | Not known  | No   | External feeder (CABI, 2013)   |
| <i>Piezodorus</i><br><i>gildinii</i> (stink bug)                  |                      |                        |                        |                       | CABI, 2013        |                        |                              | Not known  | Yes  | External feeder (CABI, 2013)   |
| <i>Phenacoccus</i><br><i>solenopsis</i> Tinsley                   | CABI, 2013           | CABI, 2013             |                        |                       |                   |                        |                              | CABI, 2013 | No   | External feeder (CABI, 2013)   |
| <i>Platynota stultana</i><br>Walsingham                           | CABI, 2013           |                        |                        |                       |                   |                        |                              | Not known  | No   | Foliage feeder (CABI, 2013)  |
| <i>Plodia</i><br><i>interpunctella</i><br>(Hübner)                | CABI, 2013           |                        |                        |                       | CABI, 2013        |                        |                              | CABI, 2013 | Yes  | External feeder (CABI, 2013)   |
| <i>Plutella xylostella</i><br>Linnaeus                            | CABI, 2013           |                        |                        |                       |                   |                        |                              | CABI, 2013 | No   | External feeder (CABI, 2013)   |
| <i>Prostephanus</i><br><i>truncatus</i> (Horn)                    |                      |                        |                        |                       |                   |                        |                              | CABI, 2013 | No   | This is a pest of stored grain and does not infest seeds in the field. Proper storage of harvested seeds may be sufficient to prevent infestation with this pest (CABI, 2013). |
| <i>Pseudococcus</i><br><i>calceolariae</i><br>(Maskell)           |                      |                        |                        | CABI, 2013            |                   |                        |                              | Not known  | No   | External feeder (CABI, 2013)   |
| <i>Pseudococcus</i><br><i>jackbeardsleyi</i><br>Gimpel and Miller | CABI, 2013           |                        |                        |                       |                   |                        |                              | Not known  | No   | External feeder (CABI, 2013)   |
| <i>Popillia japonica</i><br>Newman                                | CABI, 2013           |                        |                        |                       |                   |                        | Regulated<br>(MARD,<br>2005) | No         |      | External feeder (CABI, 2013); US regulated pest (PestID, 2013)   |
| <i>Rhabdoscelus</i><br><i>obscurus</i><br>(Boisduval)             | [HI] (CABI,<br>2013) |                        |                        |                       |                   |                        | Not known                    | No         |      | Foliage feeder (CABI, 2013); US regulated pest (PestID, 2013)  |
| <i>Rhopalosiphum</i>  | CABI, 2013           |                        | CABI, 2013             | CABI, 2013            |                   | CABI, 2013             |                              | Not known  | No   | External feeder (CABI, 2013)   |

**DRAFT**

| Pest   | <i>Zea mays</i>   | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp.          | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam                | Seed | Comments   |
|--|-------------------|------------------------|------------------------|-----------------------|----------------------------|------------------------|-------------------------|------------------------|------|--|
| <i>insertum</i> (Walker)                     |                   |                        |                        |                       |                            |                        |                         |                        |      |  |
| <i>Rhopalosiphum maidis</i> (Fitch)          | CABI, 2013        | CABI, 2013             |                        |                       | CABI, 2013                 |                        |                         | CABI, 2013             | No   | External feeder (CABI, 2013)                                   |
| <i>Rhopalosiphum padi</i> Linnaeus           | CABI, 2013        |                        | CABI, 2013             | CABI, 2013            | CABI, 2013                 |                        |                         | CABI, 2013             | No   | External feeder (CABI, 2013)                                   |
| <i>Rhopalosiphum rufiabdominale</i> (Sasaki) |                   |                        |                        | CABI, 2013            | CABI, 2013                 | CABI, 2013             |                         | Not known              | No   | External feeder (CABI, 2013)                                   |
| <i>Rhyzopertha dominica</i> (Fabricius)      | CABI, 2013        |                        |                        |                       | CABI, 2013                 | CABI, 2013             |                         | CABI, 2013             | Yes  | External feeder (CABI, 2013)                                   |
| <i>Saccharicoccus sacchari</i> (Cockerell)   |                   |                        |                        |                       | [FL, HI, TX]<br>CABI, 2013 |                        |                         | CABI, 2013             | No   | External feeder (CABI, 2013)                                   |
| <i>Scirtothrips dorsalis</i> Hood            | CABI, 2013        |                        |                        |                       |                            |                        |                         | CABI, 2013             | No   | External feeder (CABI, 2013); US regulated pest (PestID, 2013) |
| <i>Sesamia inferens</i> (Walker)             | [HI] (CABI, 2013) |                        |                        |                       | CABI, 2013                 | CABI, 2013             | CABI, 2013              | CABI, 2013             | No   | Foliage feeder (CABI, 2013); US regulated pest (PestID, 2013)  |
| <i>Sipha maydis</i> Passerini                | CABI, 2013        |                        | CABI, 2013             | CABI, 2013            |                            |                        |                         | Not known              | No   | External feeder (CABI, 2013); US regulated pest (PestID, 2013) |
| <i>Sipha flava</i> (Forbes)                  |                   | CABI, 2013             |                        |                       | CABI, 2013                 | CABI, 2013             |                         | Not known              | No   | External feeder (CABI, 2013)                                   |
| <i>Sitobion avenae</i> (Fabricius)           | CABI, 2013        |                        |                        |                       | CABI, 2013                 |                        |                         | Not known              | No   | External feeder (CABI, 2013)                                   |
| <i>Sitobion miscanthi</i> (Takahashi)        | [HI] (CABI, 2013) | CABI, 2013             |                        |                       | CABI, 2013                 |                        | CABI 2013               | CABI, 2013             | No   | External feeder (CABI, 2013)                                   |
| <i>Sitophilus granarius</i> Linnaeus         | CABI, 2013        |                        |                        |                       | CABI, 2013                 | CABI, 2013             |                         | Regulated (MARD, 2005) | Yes  | Internal feeder (CABI, 2013)                                   |
| <i>Sitophilus zeamais</i>                    | CABI, 2013        |                        |                        |                       | CABI, 2013                 |                        |                         | CABI, 2013             | Yes  | Internal feeder (CABI,   |

**DRAFT**

| Pest  | <i>Zea mays</i>                                | <i>Cynodon</i><br>spp.                            | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp.                                 | <i>Oryza</i> spp.                                 | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam              | Seed | Comments   |
|---|--|---|------------------------|---|---|------------------------|-------------------------|----------------------|------|--|
| Motschulsky   |  |   |                        |   |   |                        |                         |                      |      | 2013)  |
| <i>Sitotroga cerealella</i><br>(Olivier)                | CABI, 2013                                     |   |                        | CABI, 2013  | CABI, 2013  |                        |                         | Pham et al.,<br>1994 | Yes  | Internal feeder (CABI,<br>2013)                                      |
| <i>Solenopsis</i><br><i>geminata</i><br>(Fabricius)     | CABI, 2013                                     | CABI, 2013  | CABI, 2013             |   | CABI, 2013  |                        | CABI, 2013              | CABI, 2013           | No   | External feeder (CABI,<br>2013)                                      |
| <i>Solenopsis invicta</i><br>Buren<br>(APHIS)           | [AL, AR, FL,<br>GA, LA, MS,<br>NC, SC, TX]     |   | CABI, 2013             |   |   |                        |                         | Not known            | No   | External feeder (CABI,<br>2013); US regulated<br>pest (PestID, 2013) |
| <i>Sophonia orientalis</i><br>(Matsumura)               | [CA, HI]<br>(CABI, 2013)                       |   |                        |   |   |                        |                         | Not known            | No   | Foliage feeder (CABI,<br>2013)                                       |
| <i>Spodoptera</i><br><i>eridania</i> Stoll in<br>Cramer | CABI, 2013                                     |   |                        | CABI, 2013  |   |                        |                         | Not known            | No   | External feeder (CABI,<br>2013)                                      |
| <i>Spodoptera</i><br><i>exempta</i> Walker              | [CA, HI, KS,<br>OR, WA, WI]<br>(CABI,<br>2013) | [CA, HI,<br>KS, OR,<br>WA, WI]<br>(CABI,<br>2013) |                        | [CA, HI,<br>KS, OR,<br>OR, WA, WI]<br>(CABI,<br>2013) | [CA, HI,<br>KS, OR,<br>WA, WI]<br>(CABI,<br>2013) |                        |                         | CABI, 2013           | No   | External feeder (CABI,<br>2013); US regulated<br>pest (PestID, 2013) |
| <i>Spodoptera exigua</i><br>(Hübner)                    | CABI, 2013                                     |   |                        | CABI, 2013  |   |                        | CABI, 2013              | No                   |      | External feeder (CABI,<br>2013)                                      |
| <i>Spodoptera</i><br><i>frugiperda</i> J.E.<br>Smith    | CABI, 2013                                     |   |                        | CABI, 2013  | CABI, 2013  |                        |                         | Not known            | No   | External feeder (CABI,<br>2013)                                      |
| <i>Spodoptera litura</i><br>(Fabricius)                 | [FL, HI]<br>(CABI, 2013)                       |   |                        | [FL, HI]<br>(CABI, 2013)                              |   |                        | CABI, 2013              | No                   |      | External feeder (CABI,<br>2013); US regulated<br>pest (PestID, 2013) |
| <i>Spodoptera</i><br><i>mauritia</i><br>acronyctoides   | [HI] (CABI,<br>2013)                           | CABI, 2013  |                        | CABI, 2013  |   | CABI, 2013             | CABI, 2013              | No                   |      | External feeder (CABI,<br>2013); US regulated<br>pest (PestID, 2013) |

**DRAFT**

| Pest  | <i>Zea mays</i>               | <i>Cynodon</i><br>spp.  | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp.         | <i>Oryza</i> spp.    | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam                       | Seed | Comments   |
|---|-------------------------------|-------------------------|------------------------|-------------------------------|----------------------|------------------------|-------------------------|-------------------------------|------|--|
| <b>Guenée</b>   |                               |                         |                        |                               |                      |                        |                         |                               |      |  |
| <i>Spoladea recurvalis</i><br>(Fabricius)   | CABI, 2013                    |                         |                        |                               |                      |                        |                         | CABI, 2013                    | No   | Foliage feeder (CABI, 2013)                                    |
| <i>Stegobium</i><br><i>paniceum</i><br>(Linnaeus)   | CABI, 2013                    |                         |                        | CABI, 2013                    | CABI, 2013           | CABI, 2013             |                         | Not known                     | Yes  | External feeder (CABI, 2013)                                   |
| <i>Tagosodes</i><br><i>orizicolus</i> Muir  |                               |                         |                        | [FL, LA, MS]<br>CABI, 2013    |                      |                        |                         | Regulated<br>(MARD,<br>2005)  | No   | External feeder (CABI, 2013); US regulated pest (PestID, 2013) |
| <i>Tapima</i><br><i>melanocephalum</i><br>(Fabricius)   |                               |                         |                        |                               | CABI, 2013           |                        |                         | CABI, 2013                    | No   | External feeder (CABI, 2013)                                   |
| <i>Tenebroides</i><br><i>mauritanicus</i><br>Linnaeus   | CABI, 2013                    |                         |                        |                               |                      |                        |                         | Not known                     | Yes  | External feeder (CABI, 2013)                                   |
| <i>Tetraneura</i><br><i>nigriabdominalis</i><br>Sasaki  |                               | [FL]<br>(CABI,<br>2013) |                        |                               | [FL] (CABI,<br>2013) | [FL] (CABI,<br>2013)   | [FL] (CABI,<br>2013)    | Not known                     | No   | External feeder (CABI, 2013)                                   |
| <i>Thaumatotibia</i><br><i>leucotreta</i> Meyrick<br>Syn: <i>Cryptophlebia</i> <i>leucotreta</i><br>(Meyrick) |                               | [CA] (CABI,<br>2013)    |                        |                               |                      |                        |                         | Not known                     | Yes  | Internal feeder (CABI, 2013); US regulated pest (PestID, 2013) |
| <i>Thrips hawaiiensis</i><br>(Morgan)   | CABI, 2013                    |                         |                        |                               |                      |                        |                         | CABI, 2013                    | No   | Foliage feeder (CABI, 2013)                                    |
| <i>Thrips palmi</i><br>Karny  | [HI] (CABI,<br>2013)          |                         |                        |                               | [HI] (CABI,<br>2013) |                        |                         | CABI, 2013                    | No   | External feeder (CABI, 2013); US regulated pest (PestID, 2013) |
| <i>Tipula paludosa</i><br>Meigen  | [NY, OR,<br>WA] CABI,<br>2013 |                         |                        | [NY, OR,<br>WA] CABI,<br>2013 |                      |                        |                         | [NY, OR,<br>WA] CABI,<br>2013 | No   | Foliage feeder (CABI, 2013); US regulated pest (PestID, 2013); |

**DRAFT**

| Pest  | <i>Zea mays</i> | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp. | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam    | Seed       | Comments   |
|---|-----------------|------------------------|------------------------|-----------------------|-------------------|------------------------|-------------------------|------------|------------|--|
| CABI, 2013)   |                 |                        |                        |                       |                   |                        |                         |            |            |  |
| <i>Tribolium castaneum</i> Herbst   | CABI, 2013      |                        |                        |                       | CABI, 2013        | CABI, 2013             |                         | CABI, 2013 | Yes        | Internal feeder (CABI, 2013)                                   |
| <i>Tribolium confusum</i> Jacquelin du Val                                | CABI, 2013      |                        |                        |                       | CABI, 2013        |                        |                         | CABI, 2013 | Yes        | Internal feeder (CABI, 2013)                                   |
| <i>Trichoplusia ni</i> (Hübner)   | CABI, 2013      |                        |                        |                       |                   |                        |                         | CABI, 2013 | No         | Foliage feeder (CABI, 2013)                                    |
| <i>Trogoderma variabile</i> Ballion                                       | CABI, 2013      |                        |                        |                       | CABI, 2013        |                        |                         | Not known  | Yes        | External feeder (CABI, 2013)                                   |
| <i>Typhaea stercorea</i> (Linnaeus)                                       | CABI, 2013      |                        |                        |                       | CABI, 2013        |                        |                         | Not known  | Yes        | External feeder (CABI, 2013)                                   |
| <i>Xestia c-nigrum</i> (Linnaeus)   | CABI, 2013      |                        |                        |                       |                   |                        |                         | CABI, 2013 | Yes        | External feeder (CABI, 2013); US regulated pest (PestID, 2013) |
| <b>Bacteria</b>   |                 |                        |                        |                       |                   |                        |                         |            |            |  |
| <i>Acidovorax avenae</i> subsp. <i>avenae</i> (Manns 1909) Willems et al. |                 |                        |                        |                       |                   |                        |                         | CABI, 2013 | CABI, 2013 | Yes  |
|   |                 |                        |                        |                       |                   |                        |                         |            |            | Seed transmitted (CABI, 2013)                                  |
| <i>Acidovorax citrulli</i> (Schaad et al.) Schaad et al.                  |                 |                        |                        |                       |                   | CABI, 2013             |                         |            |            | Seedborne externally (CABI, 2013)                              |
|   |                 |                        |                        |                       |                   |                        |                         |            |            |  |
| <i>Burkholderia andropogonis</i> (Smith) Gillis et al.                    | CABI, 2013      |                        |                        |                       |                   |                        |                         | Not known  | No         | Not seed transmitted (CABI, 2013)                              |
|   |                 |                        |                        |                       |                   |                        |                         |            |            |  |
| <i>Burkholderia cepacia</i> (ex Burkholder) Yabuuchi et al.               | CABI, 2013      |                        |                        |                       |                   |                        |                         | Not known  | No         | Not seed transmitted (CABI, 2013)                              |
|   |                 |                        |                        |                       |                   |                        |                         |            |            |  |
| <i>Burkholderia glumae</i> (Kurita & Tabei) Urakami et al.                |                 |                        |                        | CABI, 2013            | CABI, 2013        |                        |                         | CABI, 2013 | Yes        | Seed transmitted (CABI, 2013)                                  |

**DRAFT**

| Pest   | <i>Zea mays</i>                     | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp.               | <i>Oryza</i> spp. | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam              | Seed | Comments  |
|--|-------------------------------------|------------------------|------------------------|-------------------------------------|-------------------|------------------------|-------------------------|----------------------|------|---|
| <i>Dickeya chrysanthemi</i><br>(Burkholder et al.)<br>Samson et al.                  | CABI, 2013                          |                        |                        |                                     | CABI, 2013        | CABI, 2013             | CABI, 2013              | Not known            | No   | Not seed transmitted<br>(CABI, 2013)                                |
| <i>Dickeya zeae</i><br>Samson et al.   | CABI, 2013                          |                        |                        |                                     | CABI, 2013        | CABI, 2013             | CABI, 2013              | Not known            | No   | Not seed transmitted<br>(CABI, 2013)                                |
| <i>Herbaspirillum rubrisubalbicans</i><br>(Christopher & Edgerton) Baldani et al.    | CABI, 2013                          |                        |                        |                                     |                   |                        |                         | Not known            | No   | Not seed transmitted<br>(CABI, 2013)                                |
| <i>Leifsonia xyli</i><br>subsp. <i>cynodontis</i>                                    | CABI, 2013                          |                        |                        |                                     |                   |                        |                         | Not known            | No   | (CABI, 2013)  |
| <i>Pantoea ananatis</i><br>pv. <i>ananatis</i><br>(Serrano) Mergaert et al.          | CABI, 2013                          |                        |                        |                                     | CABI, 2013        |                        |                         | Not known            | No   | No evidence of seed transmission in <i>Zea mays</i><br>(CABI, 2013) |
| <i>Pectobacterium atrosepticum</i> (van Hall) Gardan et al.                          | CABI, 2013                          |                        |                        |                                     |                   |                        |                         | CABI, 2013           | No   | Not seed transmitted<br>(CABI, 2013)                                |
| <i>Pectobacterium carotovorum</i> subsp. <i>carotovorum</i><br>(Jones) Hauben et al. |                                     |                        |                        |                                     | CABI, 2013        |                        |                         | Not known            | No   | Not seed transmitted<br>(CABI, 2013)                                |
| <i>Pseudomonas syringae</i> van Hall   | CABI, 2013                          |                        |                        |                                     | CABI, 2013        |                        |                         | Burgess et al., 2008 | No   | Host status unknown<br>(CABI, 2013)                                 |
| <i>Pseudomonas syringae</i> pv. <i>coronafaciens</i><br>(Elliott) Young et al.       | [AK, AR,<br>MN, WI]<br>(CABI, 2013) |                        |                        | [AK, AR,<br>MN, WI]<br>(CABI, 2013) |                   |                        |                         | Not known            | Yes  | Seed borne, not seed transmitted<br>(CABI, 2013)                    |
| Xanthomonas  | [LA, TX]<br>(CABI, 2013)            |                        |                        |                                     | CABI, 2013        | CABI, 2013             | CABI, 2013              | No                   |      | Foliage infecting pathogen<br>(CABI, 2013)                          |

**DRAFT**

| Pest   | <i>Zea mays</i> | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp. | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam                 | Seed | Comments                                   |
|--|-----------------|------------------------|------------------------|-----------------------|-------------------|------------------------|-------------------------|-------------------------|------|--|
| albilineans (Ashby)<br>Dowson  |                 |                        |                        |                       |                   |                        |                         |                         |      |  |
| <i>Xanthomonas</i><br><i>oryzae</i> pv. <i>oryzae</i><br>(Ishiyama) Swings<br>et al.       |                 | CABI, 2013             |                        |                       | CABI, 2013        | CABI, 2013             | CABI, 2013              | CABI, 2013              | Yes  | Seed transmitted (CABI,<br>2013)           |
| <i>Xanthomonas</i><br><i>vasicola</i> pv.<br><i>holcicola</i> (Elliott)<br>Vauterin et al. | CABI, 2013      |                        |                        |                       | CABI, 2013        |                        |                         | Not known               | No   | Foliage infecting<br>pathogen (CABI, 2013) |
| <i>Xylella fastidiosa</i><br>(Wells et al., 1987)  | CABI, 2013      |                        | CABI, 2013             |                       |                   | CABI, 2013             |                         | Not known               | No   | Not seed transmitted<br>(CABI, 2013)       |
| <b>Fungi</b>   |                 |                        |                        |                       |                   |                        |                         |                         |      |  |
| <i>Albonectria</i><br><i>rigidiuscula</i> (Berk.<br>& Broome)<br>Rossman &<br>Samuels      |                 |                        |                        |                       | CABI, 2013        |                        |                         | Burgess et<br>al., 2008 | Yes  | Seed transmitted (CABI,<br>2013)           |
| <i>Alternaria</i><br><i>brassicae</i> (Berk.)<br>Sacc                                      | CABI, 2013      |                        |                        |                       |                   |                        | CABI, 2013              |                         | Yes  | Seed transmitted (CABI,<br>2013)           |
| <i>Aspergillus flavus</i><br>Link  | CABI, 2013      |                        |                        |                       | CABI, 2013        |                        | CABI, 2013              |                         | Yes  | Seed transmitted (CABI,<br>2013)           |
| <i>Aspergillus niger</i><br>Tiegh  | CABI, 2013      |                        |                        |                       | CABI, 2013        |                        | CABI, 2013              |                         | Yes  | Seed transmitted (CABI,<br>2013)           |
| <i>Athelia rolfsii</i><br>(Curzi) C. C. Tu &<br>Kimbr                                      | CABI, 2013      | CABI, 2013             |                        |                       | CABI, 2013        |                        | CABI, 2013              |                         | No   | Not seed transmitted<br>(CABI, 2013)       |
| <i>Bipolaris sacchari</i><br>(E. J. Butler)<br>Shoemaker                                   | CABI, 2013      |                        |                        |                       |                   |                        | CABI, 2013              |                         | Yes  | Seed transmitted (CABI,<br>2013)           |
| <i>Blumeria graminis</i><br>(DC.) Speer  |                 | CABI, 2013             | CABI, 2013             |                       |                   |                        | Not known               |                         | No   | Not seed transmitted<br>(CABI, 2013)       |

**DRAFT**

| Pest  | <i>Zea mays</i> | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp. | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam    | Seed | Comments   |
|---|-----------------|------------------------|------------------------|-----------------------|-------------------|------------------------|-------------------------|------------|------|--|
| <i>Ceratocystis paradoxa</i> (Dade) C. Moreau                     | CABI, 2013      |                        |                        |                       |                   |                        |                         | CABI, 2013 | No   | Not seed transmitted (CABI, 2013)  |
| <i>Cercospora sorghi</i> Ellis & Everh.                           | CABI, 2013      |                        |                        |                       |                   |                        |                         | Not known  | No   | Unknown (CABI, 2013)   |
| <i>Cercospora zae-maydis</i> Tehon & E.Y.Daniels                  | CABI, 2013      |                        |                        |                       |                   |                        |                         | Not known  | No   | Unknown (CABI, 2013)   |
| <i>Choanephora cucurbitarum</i> (Berk. & Ravenel) Thaxt.          | CABI, 2013      |                        |                        |                       |                   |                        |                         | Not known  | No   | Not seed transmitted (CABI, 2013)  |
| <i>Claviceps fusiformis</i> Loveless                              |                 |                        |                        |                       | [TX] (CABI, 2013) |                        |                         | Not known  | Yes  | Infected seed is not viable, but sclerotia can be present as contaminant in a seed lot |
| <i>Claviceps purpurea</i> (Fr.) Tul.                              | CABI, 2013      | CABI, 2013             | CABI, 2013             | CABI, 2013            |                   | CABI, 2013             |                         | Not known  | No   | Infected seed is not viable, but sclerotia can be present as contaminant in a seed lot |
| <i>Cochliobolus carbonum</i> Nelson                               | CABI, 2013      | CABI, 2013             |                        |                       | CABI, 2013        |                        |                         | Not known  | No   | Seedborne, seed transmitted unknown (CABI, 2013)                                       |
| <i>Cochliobolus heterostrophus</i> (Drechsler) Drechsler          | CABI, 2013      |                        |                        |                       | CABI, 2013        |                        |                         | CABI, 2013 | Yes  | Seedborne, seed transmitted unknown (CABI, 2013)                                       |
| <i>Cochliobolus lunatus</i> R.R. Nelson & Haasis                  | CABI, 2013      | CABI, 2013             |                        | CABI, 2013            | CABI, 2013        |                        |                         | CABI, 2013 | Yes  | Seed transmitted (CABI, 2013)  |
| <i>Cochliobolus miyabeanus</i> (Ito & Kurib.) Drechsler ex Dastur |                 |                        |                        |                       | CABI, 2013        | CABI, 2013             |                         | CABI, 2013 | Yes  | Seed transmitted (CABI, 2013)  |
| <i>Caulophilus oryzae</i> (Gyllenhal)                             | CABI, 2013      |                        |                        |                       | CABI, 2013        |                        |                         | Not known  | Yes  | This is a pest of stored grain and does not infest seeds in the field. Proper          |

**DRAFT**

| Pest   | <i>Zea mays</i> | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp. | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp.    | Vietnam           | Seed  | Comments   |
|--|-----------------|------------------------|------------------------|-----------------------|-------------------|------------------------|----------------------------|-------------------|---|--|
| <i>Cochliobolus sativus</i> (S. Ito & Kurib.) Drechsler ex Dastur            | CABI, 2013      |                        | CABI, 2013             | CABI, 2013            | CABI, 2013        | CABI, 2013             |                            | Minh et al., 1997 | Yes   | storage of harvested seeds may be sufficient to prevent infestation with this weevil (CABI, 2013). |
| <i>Bipolaris sacchari</i> (E. J. Butler) Shoemaker                           | CABI, 2013      |                        |                        |                       |                   |                        |                            | CABI, 2013        | Yes   | Seed transmitted (CABI, 2013)  |
| <i>Erysiphe cruciferarum</i> Opiz ex L. Junell                               | CABI, 2013      |                        |                        |                       |                   |                        |                            | Not known         | No  | Not seed transmitted (CABI, 2013)  |
| <i>Fusarium oxysporum</i> Schlechtendahl                                     | CABI, 2013      |                        |                        |                       | CABI, 2013        |                        |                            | Not known         | No  | Unknown (CABI, 2013)   |
| <i>Fusarium sporotrichioides</i> Sherb.                                      | CABI, 2013      |                        |                        | CABI, 2013            |                   |                        |                            | Not known         | Yes   | Seed transmission not reported in corn (CABI, 2013)  |
| <i>Gaeumannomyces graminis</i> var. <i>graminis</i> (Sacc.) v. Arx & Olivier |                 | CABI, 2013             |                        | CABI, 2013            |                   |                        |                            | Not known         | No  | Seed transmission not recorded (CABI, 2013)  |
| <i>Gibberella fujikuroi</i> var. <i>fujikuroi</i> (Sawada) Wollenw.          | CABI, 2013      |                        |                        | CABI, 2013            |                   |                        | CABI, 2013                 | Yes               | Seed transmitted (CABI, 2013)                             |  |
| <i>Gibberella zeae</i> (Schwein.) Petch                                      | CABI, 2013      |                        |                        | CABI, 2013            | CABI, 2013        |                        | RBG and Domain Trust, 2013 | Yes               | Seed transmitted (CABI, 2013)                             |  |
| <i>Gloeocercospora sorghi</i> Bain & Edgerton ex Deighton                    | CABI, 2013      | CABI, 2013             |                        |                       |                   |                        | Not known                  | No                | Seed transmission reported in <i>Sorghum</i> (CABI, 2013) |  |
| <i>Haematonectria</i>  | CABI, 2013      |                        |                        | CABI, 2013            |                   |                        | Not known                  | No                | Not seed transmitted (CABI, 2013)                         |  |

**DRAFT**

| Pest   | <i>Zea mays</i>   | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp. | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam    | Seed | Comments                                   |
|--|-------------------|------------------------|------------------------|-----------------------|-------------------|------------------------|-------------------------|------------|------|--|
| <i>haematococca</i><br>(Berk. & Broome)<br>Samuels &<br>Rossman                              |                   |                        |                        |                       |                   |                        |                         |            |      |  |
| <i>Kabatiella zae</i><br>Narita & Y. Hirats  | CABI, 2013        |                        |                        |                       |                   |                        |                         | Not known  | No   | Seed transmitted not recorded (CABI, 2013) |
| <i>Khuskia oryzae</i><br>Huds.   | CABI, 2013        |                        |                        |                       | CABI, 2013        |                        |                         | Not known  | Yes  | Not seed transmitted (CABI, 2013)          |
| <i>Lasiodiplodia</i><br><i>theobromae</i> (Pat.)<br>Griffiths & Maubl.                       | CABI, 2013        |                        |                        |                       | CABI, 2013        |                        |                         | CABI, 2013 | Yes  | Seed transmitted (CABI, 2013)              |
| <i>Macrophomina</i><br><i>phaseolina</i> (Tassi)<br>Goid                                     | CABI, 2013        |                        |                        |                       | CABI, 2013        |                        |                         | Not known  | Yes  | Not seed transmitted (CABI, 2013)          |
| <i>Magnaporthe</i><br><i>grisea</i> (Hebert)<br>Barr   |                   |                        |                        | CABI, 2013            | CABI, 2013        |                        |                         | CABI, 2013 | Yes  | Seed transmitted (CABI, 2013)              |
| <i>Magnaporthe</i><br><i>salvinii</i> (Catt.) R.A.<br>Krause &<br>R.K.Webster                |                   |                        |                        |                       | CABI, 2013        |                        |                         | CABI, 2013 | Yes  | Seed transmitted (CABI, 2013)              |
| <i>Monographella</i><br><i>albescens</i><br>(Thümen)<br>Parkinson,<br>Sivanesan &<br>C.Booth |                   |                        |                        |                       | CABI, 2013        |                        |                         | CABI, 2013 | Yes  | Seed transmitted (CABI, 2013)              |
| <i>Mycosphaerella</i><br><i>zeae-maydis</i><br>D.M.Mukunya &<br>C.W.Boothroyd                | [WI] (CABI, 2013) |                        |                        |                       |                   |                        |                         | Not known  | No   | Not seed transmitted (CABI, 2013)          |
| <i>Mycovellosiella</i><br><i>oryzae</i> (white leaf)   |                   |                        |                        |                       | CABI, 2013        |                        |                         | Not known  | No   | Foliage pathogen (CABI, 2013)              |

**DRAFT**

| Pest   | <i>Zea mays</i>      | <i>Cynodon</i><br>spp.            | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp.             | <i>Oryza</i> spp. | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam    | Seed | Comments  |
|--|----------------------|-----------------------------------|------------------------|-----------------------------------|-------------------|------------------------|-------------------------|------------|------|---|
| streak)  |                      |                                   |                        |                                   |                   |                        |                         |            |      |   |
| <i>Neotyphodium</i><br><i>coenophialum</i><br>(Morgan-Jones &<br>W. Gams) Glenn,<br>C.W. Bacon &<br>Hanlin |                      |                                   |                        |                                   | CABI, 2013        |                        |                         | Not known  | Yes  | Seed transmitted (CABI,<br>2013). Endophyte                     |
| <i>Oculimacula</i><br><i>yallundae</i><br>(Wallwork &<br>Spooner) Crous &<br>W. Gams                       |                      | [ID, NY,<br>OR, WA]<br>CABI, 2013 |                        | [ID, NY, OR,<br>WA] CABI,<br>2013 |                   |                        |                         | Not known  | No   | Not seed transmitted<br>(CABI, 2013)                            |
| <i>Penicillium</i><br><i>digitatum</i> (Pers.)<br>Sacc.  | CABI, 2013           |                                   |                        |                                   | CABI, 2013        |                        |                         | CABI, 2013 | No   | Unknown (CABI, 2013)  |
| <i>Penicillium</i><br><i>expansum</i> Link   | CABI, 2013           |                                   |                        |                                   |                   |                        |                         | Not known  | No   | Unknown (CABI, 2013)  |
| <i>Penicillium</i><br><i>expansum</i> Link   | CABI, 2013           |                                   |                        |                                   |                   |                        |                         | Not known  | No   | Unknown (CABI, 2013)  |
| <i>Perenosclerospora</i><br><i>sorgii</i> W. Weston<br>& Uppal) C.G.<br>Shaw                               | CABI, 2013           |                                   |                        |                                   | CABI, 2013        |                        |                         | CABI, 2013 | Yes  | Seed transmitted (CABI,<br>2013)                                |
| <i>Mycosphaerella</i><br><i>zeae-maydis</i><br>D.M.Mukunya &<br>C.W.Boothroyd                              | [WI] (CABI,<br>2013) |                                   |                        |                                   |                   |                        |                         | Not known  | No   | Not seed transmitted<br>(CABI, 2013)                            |
| <i>Phoma pinodella</i><br>(L.K. Jones)<br>Morgan-Jones &<br>K.B. Burch                                     |                      |                                   |                        |                                   | CABI, 2013        |                        |                         | Not known  | Yes  | Seed transmitted (CABI,<br>2013). Unconfirmed<br>report on rice |
| <i>Phyllachora maydis</i><br>Maubl.  | CABI, 2013           | CABI, 2013                        |                        |                                   |                   |                        |                         | Not known  | No   | Not seed transmitted<br>(CABI, 2013)                            |

**DRAFT**

| Pest   | <i>Zea mays</i> | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp. | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam    | Seed | Comments                             |
|--|-----------------|------------------------|------------------------|-----------------------|-------------------|------------------------|-------------------------|------------|------|--------------------------------------|
| <i>Physoderma maydis</i><br>(Miyabe) Miyabe                                | CABI, 2013      |                        |                        |                       |                   |                        |                         | Not known  | No   | Not seed transmitted<br>(CABI, 2013) |
| <i>Phytophthora</i><br><i>nicotianae</i> (black<br>shank)                  | CABI, 2013      |                        |                        |                       |                   |                        |                         | CABI, 2013 | No   | Not seed transmitted<br>(CABI, 2013) |
| <i>Podosphaera</i><br><i>xanthii</i> (Castagne)<br>U. Braun &<br>Shishkoff |                 |                        |                        |                       | CABI, 2013        |                        |                         | Not known  | No   | Not seed transmitted<br>(CABI, 2013) |
| <i>Polymyxa graminis</i><br>Ledingham                                      | CABI, 2013      |                        |                        |                       | CABI, 2013        | CABI, 2013             |                         | Not known  | No   | Soil-borne pathogen<br>(CABI, 2013)  |
| <i>Puccinia coronata</i><br>Corda  |                 | CABI, 2013             | CABI, 2013             |                       |                   |                        |                         | Not known  | No   | Seed transmitted (CABI,<br>2013)     |
| <i>Puccinia graminis</i>   |                 | CABI, 2013             | CABI, 2013             |                       |                   |                        |                         | Not known  | No   | Seed transmitted (CABI,<br>2013)     |
| <i>Puccinia polysora</i><br>Underw   | CABI, 2013      |                        |                        |                       |                   |                        |                         | CABI, 2013 | No   | Foliage pathogen (CABI,<br>2013)     |
| <i>Puccinia purpurea</i><br>Cooke  | CABI, 2013      |                        |                        |                       |                   |                        |                         | CABI, 2013 | No   | Foliage pathogen (CABI,<br>2013)     |
| <i>Puccinia sorghi</i><br>Schwein  | CABI, 2013      |                        |                        |                       |                   |                        |                         | Not known  | No   | Foliage pathogen (CABI,<br>2013)     |
| <i>Puccinia substriata</i><br>var. <i>substriata</i> Ellis<br>& Barthol.   |                 |                        |                        |                       | CABI, 2013        | CABI, 2013             |                         | Not known  | No   | Foliage pathogen (CABI,<br>2013)     |
| <i>Puccinia triticina</i><br>Erikss. & Henn.                               |                 |                        | CABI, 2013             |                       |                   |                        |                         | Not known  | No   | Foliage pathogen (CABI,<br>2013)     |
| <i>Pyrenophora teres</i><br>Drechsler                                      | CABI, 2013      |                        |                        |                       |                   |                        |                         | Not known  | No   | Host status unknown<br>(CABI, 2013)  |
| <i>Pythium</i><br><i>aphanidermatum</i><br>(Edson) Fitzp                   | CABI, 2013      |                        |                        |                       |                   |                        |                         | CABI, 2013 | No   | Soil borne pathogen<br>(CABI, 2013)  |
| <i>Pythium</i><br><i>arrhenomanes</i><br>Drechsler                         | CABI, 2013      |                        |                        | CABI, 2013            | CABI, 2013        |                        |                         | Not known  | No   | Soil borne pathogen<br>(CABI, 2013)  |

**DRAFT**

| Pest  | <i>Zea mays</i> | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp. | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam    | Seed | Comments  |
|---|-----------------|------------------------|------------------------|-----------------------|-------------------|------------------------|-------------------------|------------|------|---|
| <i>Pythium debaryanum</i> Hesse                                       | CABI, 2013      |                        |                        |                       |                   |                        |                         | Not known  | No   | Soil borne pathogen (CABI, 2013)                  |
| <i>Pythium graminicola</i> Subram.                                    | CABI, 2013      |                        |                        |                       | CABI, 2013        |                        |                         | Not known  | No   | Soil borne pathogen (CABI, 2013)                  |
| <i>Pythium irregularе</i> Buisman                                     | CABI, 2013      |                        |                        |                       | CABI, 2013        |                        |                         | CABI, 2013 | No   | Soil borne pathogen (CABI, 2013)                  |
| <i>Pythium myriotylum</i> Drechsler                                   | CABI, 2013      |                        |                        |                       | CABI, 2013        |                        |                         | Not known  | No   | Soil borne pathogen (CABI, 2013)                  |
| <i>Pythium splendens</i> Braun  | CABI, 2013      |                        |                        |                       |                   |                        |                         | CABI, 2013 | No   | Soil borne pathogen (CABI, 2013)                  |
| <i>Rosellinia necatrix</i> Prill.                                     | CABI, 2013      |                        |                        |                       |                   |                        |                         | Not known  | No   | Soil borne pathogen (CABI, 2013)                  |
| <i>Sarocladium oryzae</i> (Sawada) W. Gams & D. Hawksw.               | CABI, 2013      |                        |                        |                       | CABI, 2013        | CABI, 2013             |                         | CABI, 2013 | No   | Seed borne, not seed transmitted (CABI, 2013)     |
| <i>Sclerotophthora macrospora</i> (Sacc.) Thirum., C.G. Shaw & Naras. | CABI, 2013      |                        |                        | CABI, 2013            | CABI, 2013        | CABI, 2013             |                         | Not known  | Yes  | Seed borne, seed transmitted unknown (CABI, 2013) |
| <i>Sclerospora graminicola</i> (Sacc.) J. Schröt.                     | CABI, 2013      |                        |                        |                       | CABI, 2013        |                        |                         | Not known  | Yes  | Seed borne, seed transmitted unknown (CABI, 2013) |
| <i>Setosphaeria turcica</i> (Luttr.) K. J. Leonard & Suggs            | CABI, 2013      |                        |                        |                       | CABI, 2013        | CABI, 2013             | CABI, 2013              | Yes        |      | Seed borne, seed transmitted unknown (CABI, 2013) |
| <i>Sphacelotheca reiliana</i> (J. G. Kühn) Clinton                    | CABI, 2013      |                        |                        |                       |                   |                        |                         | Not known  | Yes  | Seed borne, not seed transmitted (CABI, 2013)     |
| <i>Sphaerulina oryzina</i> Hara                                       |                 |                        |                        |                       | CABI, 2013        | CABI, 2013             |                         | CABI, 2013 | Yes  | Seed borne, seed transmitted unknown (CABI, 2013) |
| <i>Sporisorium sorghi</i>   | CABI, 2013      |                        |                        |                       |                   |                        |                         | CABI, 2013 | Yes  | Seed transmitted (CABI,                           |

**DRAFT**

| Pest   | <i>Zea mays</i> | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp.       | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam                      | Seed | Comments   |
|--|-----------------|------------------------|------------------------|-----------------------|-------------------------|------------------------|-------------------------|------------------------------|------|--|
| Ehrenb. ex Link  |                 |                        |                        |                       |                         |                        |                         |                              |      |  |
| <i>Thanatephorus</i><br><i>cucumeris</i> (Frank)<br>Donk       | CABI, 2013      |                        |                        | CABI, 2013            | CABI, 2013              |                        |                         | CABI, 2013                   | Yes  | Seed borne, seed transmitted unknown (CABI, 2013)      |
| <i>Tilletia barclayana</i><br>(Bref.) Sacc. & P.<br>Syd.       |                 |                        |                        |                       | CABI, 2013              | CABI, 2013             |                         | CABI, 2013                   | Yes  | Seed transmitted (CABI, 2013)                          |
| <i>Ustilaginoidea</i><br><i>virens</i> (Cke.) Tak.             | CABI, 2013      |                        |                        |                       | CABI, 2013              | CABI, 2013             |                         | CABI, 2013                   | Yes  | Seed borne, not seed transmitted (CABI, 2013)          |
| <i>Ustilago zae</i><br>(Schwein.) Unger                        | CABI, 2013      |                        |                        |                       |                         |                        |                         | CABI, 2013                   | Yes  | Seed borne, not seed transmitted (CABI, 2013)          |
| <i>Verticillium albo-</i><br><i>atrum</i> Reinke &<br>Berthold |                 |                        |                        |                       | Burgess et al.,<br>2008 |                        |                         | Regulated<br>(MARD,<br>2005) | Yes  | Seed transmission unknown (CABI, 2013)                 |
| <i>Verticillium dahliae</i><br>Kleb.                           |                 |                        |                        | CABI, 2013            |                         |                        |                         | Not known                    | Yes  | Seed transmission unknown (CABI, 2013)                 |
| <b>Nematodes</b>   |                 |                        |                        |                       |                         |                        |                         |                              |      |  |
| <i>Aphelenchoides</i><br><i>besseyi</i> Christie               | CABI, 2013      |                        |                        |                       | CABI, 2013              |                        |                         | CABI, 2013                   | No   | Folage nematode, seed transmitted on rice (CABI, 2013) |
| <i>Belonolaimus</i><br><i>longicaudatus</i> Rau                | CABI, 2013      | CABI, 2013             | CABI, 2013             | CABI, 2013            |                         |                        | CABI, 2013              | Not known                    | No   | Root nematode (CABI, 2013)                             |
| <i>Ditylenchus</i><br><i>destructor</i> Thorne                 | CABI, 2013      |                        |                        |                       |                         |                        |                         | Regulated<br>(MARD,<br>2005) | No   | Foliage nematode (CABI, 2013)                          |
| <i>Ditylenchus dipsaci</i><br>(Kühn) Filip'ev                  | CABI, 2013      |                        |                        |                       |                         |                        |                         | Regulated<br>(MARD,<br>2005) | No   | Foliage nematode (CABI, 2013)                          |
| <i>Helicotylenchus</i><br><i>dihystera</i> (Cobb)<br>Sher      | CABI, 2013      | CABI, 2013             |                        | CABI, 2013            | CABI, 2013              | CABI, 2013             | CABI, 2013              | CABI, 2013                   | No   | Root nematode (CABI, 2013)                             |
| <i>Helicotylenchus</i><br><i>multicinctus</i> (Cobb)<br>Golden | CABI, 2013      | CABI, 2013             |                        |                       | CABI, 2013              |                        |                         | CABI, 2013                   | No   | Root nematode (CABI, 2013)                             |
| <i>Helicotylenchus</i>   | CABI, 2013      |                        |                        |                       | CABI, 2013              |                        |                         | CABI, 2013                   | No   | Root nematode (CABI, 2013)                             |

**DRAFT**

| Pest   | <i>Zea mays</i>          | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp.  | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam            | Seed       | Comments   |                               |
|--|--------------------------|------------------------|------------------------|-----------------------|--------------------|------------------------|-------------------------|--------------------|------------|--|-------------------------------|
| <i>pseudorobustus</i><br>(Steiner) Golden  |                          |                        |                        |                       |                    |                        |                         |                    |            |  |                               |
| <i>Hemicriconemoides</i><br><i>mangiferae</i> Siddiqi                                      | CABI, 2013               |                        |                        |                       |                    |                        |                         | CABI, 2013         | No         | Root nematode (CABI,<br>2013)                                      |                               |
| <i>Heterodera avenae</i><br>Wollenweber  | [ID, OR]<br>(CABI, 2013) |                        |                        |                       |                    |                        |                         | Not known          | No         | Root nematode (CABI,<br>2013); US regulated<br>pest (PestID, 2013) |                               |
| <i>Heterodera</i><br><i>schachtii</i> A.<br>Schmidt,                                       | CABI, 2013               |                        |                        |                       |                    |                        |                         | Not known          | No         | Root nematode (CABI,<br>2013)                                      |                               |
| <i>Heterodera zaeae</i><br>Koshy et al.  | [MD, VA]<br>(CABI, 2013) |                        |                        |                       | CABI, 2013         |                        |                         | Not known          | No         | Root nematode (CABI,<br>2013)                                      |                               |
| <i>Hirschmanniella</i><br><i>oryzae</i> (van Breda<br>de Haan)<br>Luc&Goodey               | [AR, FL]<br>(CABI, 2013) |                        |                        |                       | [AR, FL]<br>(CABI, |                        |                         | [AR, FL]<br>(CABI, | CABI, 2013 | No   | Root nematode (CABI,<br>2013) |
| <i>Hirschmanniella</i><br><i>spinicaudata</i><br>(Schuurmans<br>Stekhoven) Luc &<br>Goodey |                          |                        |                        |                       | [CA] CABI,<br>2013 |                        |                         | Not known          | No         | Root nematode (CABI,<br>2013)                                      |                               |
| <i>Longidorus</i><br><i>elongatus</i> (de Man)<br>Micoletzky                               |                          |                        |                        | CABI, 2013            |                    |                        |                         | CABI, 2013         | No         | Root nematode (CABI,<br>2013)                                      |                               |
| <i>Meloidogyne</i><br><i>arenaria</i> (Neal)<br>Chitwood                                   | CABI, 2013               |                        | CABI, 2013             | CABI, 2013            | CABI, 2013         |                        |                         | Not known          | No         | Root nematode (CABI,<br>2013)                                      |                               |
| <i>Meloidogyne</i><br><i>chitwoodi</i> Golden,<br>O'Bannon, Santo &<br>Finley              | CABI, 2013               |                        |                        |                       |                    |                        |                         | Not known          | No         | Root nematode (CABI,<br>2013)                                      |                               |
| <i>Meloidogyne</i><br><i>graminicola</i> Golden  | CABI, 2013               | CABI, 2013             |                        |                       | CABI, 2013         | CABI, 2013             | CABI, 2013              | CABI, 2013         | No         | Root nematode (CABI,<br>2013)                                      |                               |

**DRAFT**

| Pest  | <i>Zea mays</i>                         | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp. | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam    | Seed | Comments                      |
|---|---|------------------------|------------------------|-----------------------|-------------------|------------------------|-------------------------|------------|------|-------------------------------|
| <b>&amp; Birchfield</b>   |   |                        |                        |                       |                   |                        |                         |            |      |                               |
| <i>Meloidogyne</i><br><i>incognita</i> (Kofoid<br>& White) Chitwood                             | CABI, 2013                              |                        |                        |                       | CABI, 2013        |                        |                         | CABI, 2013 | No   | Root nematode (CABI,<br>2013) |
| <i>Meloidogyne</i><br><i>javanica</i> (sugarcane<br>eelworm)                                    |   |                        |                        |                       | CABI, 2013        |                        |                         | CABI, 2013 | No   | Root nematode (CABI,<br>2013) |
| <i>Paratrichodorus</i><br><i>minor</i> (Colbran)<br>Siddiqi                                     | CABI, 2013                              |                        |                        |                       |                   |                        |                         | CABI, 2013 | No   | Root nematode (CABI,<br>2013) |
| <i>Paratrichodorus</i><br><i>porosus</i> (Allen)<br>Siddiqi                                     | CABI, 2013                              |                        |                        |                       |                   |                        |                         | CABI, 2013 | No   | Root nematode (CABI,<br>2013) |
| <i>Pratylenchus</i><br><i>brachyurus</i><br>Godfrey) Filipjev &<br>Schuurmans<br>Stekhoven      |   |                        |                        |                       | CABI, 2013        |                        |                         | CABI, 2013 | No   | Root nematode (CABI,<br>2013) |
| <i>Pratylenchus</i><br><i>coffeae</i><br>(Zimmermann)<br>Filipjev &<br>Schuurmans<br>Steckhoven | [AR, CA, FL,<br>HI, SC]<br>(CABI, 2013) |                        |                        |                       |                   |                        |                         | CABI, 2013 | No   | Root nematode (CABI,<br>2013) |
| <i>Pratylenchus loosi</i><br>Loof   | CABI, 2013                              |                        |                        |                       | CABI, 2013        | CABI, 2013             | Not known               | No         |      | Root nematode (CABI,<br>2013) |
| <i>Pratylenchus</i><br><i>penetrans</i> (Cobb)<br>Filipjev &<br>Schuurmans<br>Stekhoven         | CABI, 2013                              |                        |                        | CABI, 2013            | CABI, 2013        | CABI, 2013             |                         | CABI, 2013 | No   | Root nematode (CABI,<br>2013) |
| <i>Pratylenchus</i><br><i>thornei</i> Sher &  | CABI, 2013                              |                        |                        |                       |                   |                        | Not known               | No         |      | Root nematode (CABI,<br>2013) |

**DRAFT**

| Pest   | <i>Zea mays</i>         | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp. | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam                | Seed | Comments                   |
|--|-------------------------|------------------------|------------------------|-----------------------|-------------------|------------------------|-------------------------|------------------------|------|----------------------------|
| <b>Allen</b>                                       |                         |                        |                        |                       |                   |                        |                         |                        |      |                            |
| <i>Pratylenchus vulnus</i> Allen & Jensen          | CABI, 2013              |                        |                        |                       |                   |                        |                         | Not known              | No   | Root nematode (CABI, 2013) |
| <i>Pratylenchus zeae</i> Graham                    | CABI, 2013              | CABI, 2013             |                        |                       | CABI, 2013        | CABI, 2013             |                         | CABI, 2013             | No   | Root nematode (CABI, 2013) |
| <i>Punctodera punctata</i> (Thorne) Mulvey & Stone |                         |                        | CABI, 2013             | CABI, 2013            |                   |                        |                         | Not known              | No   | Root nematode (CABI, 2013) |
| <i>Radopholus similis</i> (Cobb) Thorne            | CABI, 2013              |                        |                        |                       |                   |                        |                         | Regulated (MARD, 2005) | No   | Root nematode (CABI, 2013) |
| <i>Rotylenchulus parvus</i> (Williams) Sher        | CABI, 2013              | CABI, 2013             |                        |                       |                   |                        |                         | Not known              | No   | Root nematode (CABI, 2013) |
| <i>Rotylenchulus reniformis</i> Linford & Oliveira | Restricted (CABI, 2013) |                        |                        |                       |                   |                        | Restricted (CABI, 2013) | CABI, 2013             | No   | Root nematode (CABI, 2013) |
| <i>Scutellonema brachyurus</i> Steiner. Andrassy   | CABI, 2013              |                        |                        |                       | CABI, 2013        |                        |                         | Not known              | No   | Root nematode (CABI, 2013) |
| <i>Trichodorus viruliferus</i> Hooper              | [FL] (CABI, 2013)       |                        |                        |                       |                   |                        |                         | Not known              | No   | Root nematode (CABI, 2013) |
| <i>Tylenchorhynchus acutus</i> Allen               |                         | CABI, 2013             |                        |                       |                   |                        |                         | Not known              | No   | Root nematode (CABI, 2013) |
| <i>Tylenchorhynchus annulatus</i> (Cassidy) Golden |                         |                        |                        |                       | CABI, 2013        |                        |                         | Not known              | No   | Root nematode (CABI, 2013) |
| <i>Tylenchorhynchus claytoni</i> Steiner           | CABI, 2013              | CABI, 2013             | CABI, 2013             | CABI, 2013            | CABI, 2013        |                        |                         | Not known              | No   | Root nematode (CABI, 2013) |
| <i>Xiphinema americanum</i> Cobb                   | CABI, 2013              | CABI, 2013             |                        |                       | CABI, 2013        |                        |                         | Not known              | No   | Root nematode (CABI, 2013) |
| <i>Zygotylenchus guevarai</i> (Tobar)              | [CA] (CABI, 2013)       |                        |                        |                       |                   |                        |                         | Not known              | No   | Root nematode (CABI, 2013) |

**DRAFT**

| Pest   | <i>Zea mays</i>           | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp. | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam                | Seed | Comments                                     |
|--|---------------------------|------------------------|------------------------|-----------------------|-------------------|------------------------|-------------------------|------------------------|------|--|
| Jiménez) Braun & Loof                              |                           |                        |                        |                       |                   |                        |                         |                        |      |  |
| <b>Phytoplasmas</b>                                |                           |                        |                        |                       |                   |                        |                         |                        |      |  |
| <i>Aster yellows phytoplasma</i> group             |                           |                        |                        |                       |                   |                        |                         |                        |      |  |
|  | CABI, 2013                |                        |                        |                       |                   |                        |                         | Not known              | No   | Not seed transmitted (CABI, 2013)            |
| <i>Maize bushy stunt phytoplasma</i>               |                           |                        |                        |                       |                   |                        |                         |                        |      |  |
|  | CABI, 2013                |                        |                        |                       |                   |                        |                         | Not known              | No   | Vector transmitted (CABI, 2013)              |
| <i>Spiroplasma kunkelii</i> Whitcomb, Chen et al., |                           |                        |                        |                       |                   |                        |                         |                        |      |  |
|  | CABI, 2013                |                        |                        |                       |                   |                        |                         | Not known              | No   | Not seed transmitted (CABI, 2013)            |
| <i>Spiroplasma citri</i>                           |                           |                        |                        |                       |                   |                        |                         |                        |      |  |
|  |                           |                        |                        |                       | CABI, 2013        |                        |                         | Not known              | No   | Not seed transmitted (CABI, 2013)            |
| <b>Viruses</b>                                     |                           |                        |                        |                       |                   |                        |                         |                        |      |  |
| <i>Barley yellow dwarf viruses</i>                 |                           |                        |                        |                       |                   |                        |                         |                        |      |  |
|  | CABI, 2013                | CABI, 2013             | CABI, 2013             | CABI, 2013            | CABI, 2013        | CABI, 2013             | CABI, 2013              | Not known              | No   | Vector transmitted (CABI, 2013)              |
| <i>Cucumber mosaic virus</i>                       |                           |                        |                        |                       |                   |                        |                         |                        |      |  |
|  | CABI, 2013                |                        |                        |                       |                   |                        |                         | CABI, 2013             | No   | Not reported in <i>Zea mays</i> (CABI, 2013) |
| <i>High plains virus</i>                           |                           |                        |                        |                       |                   |                        |                         |                        |      |  |
|  | CABI, 2013                |                        |                        |                       |                   |                        |                         | Not known              | Yes  | Not seed transmitted (CABI, 2014)            |
| <i>Maize chlorotic dwarf virus</i>                 |                           |                        |                        |                       |                   |                        |                         |                        |      |  |
|  | CABI, 2013                | CABI, 2013             |                        |                       |                   |                        |                         | Not known              | No   | Vector transmitted (CABI, 2013)              |
| <i>Maize mosaic virus</i>                          |                           |                        |                        |                       |                   |                        |                         |                        |      |  |
|  | [AL, FL, HI] (CABI, 2013) |                        |                        |                       |                   |                        |                         | Not known              | No   | Vector transmitted (CABI, 2013)              |
| <i>Maize rayado fino virus</i>                     |                           |                        |                        |                       |                   |                        |                         |                        |      |  |
|  | CABI, 2013                |                        |                        |                       |                   |                        |                         | Not known              | No   | Vector transmitted (CABI, 2013)              |
| <i>Maize stripe virus</i>                          |                           |                        |                        |                       |                   |                        |                         |                        |      |  |
|  | [FL] CABI, 2013           |                        |                        |                       | [FL] CABI, 2013   |                        |                         | Not known              | No   | Not seed transmitted (CABI, 2013)            |
| <i>Maize streak virus</i>                          |                           |                        |                        |                       |                   |                        |                         |                        |      |  |
|  | CABI, 2013                |                        |                        |                       |                   |                        |                         | Not known              | No   | Not seed transmitted (CABI, 2013)            |
| <i>Rice hoja blanca virus</i>                      |                           |                        |                        |                       |                   |                        |                         |                        |      |  |
|  |                           |                        |                        |                       | CABI, 2013        |                        |                         | Regulated (MARD, 2005) | No   | Not seed transmitted (CABI, 2013)            |
| <i>Sweet potato feathery mottle virus</i>          |                           |                        |                        |                       |                   |                        |                         |                        |      |  |
|  | CABI, 2013                |                        |                        |                       |                   |                        |                         | CABI, 2013             | No   | Not seed transmitted (CABI, 2013)            |
| <i>Sugarcane</i>                                   |                           |                        |                        |                       |                   |                        |                         |                        |      |  |
|  |                           |                        |                        |                       | [HI, LA]          | CABI, 2013             |                         | CABI, 2013             | No   | Not seed transmitted (CABI, 2013)            |

**DRAFT**

| Pest                          | <i>Zea mays</i> | <i>Cynodon</i><br>spp. | <i>Festuca</i><br>spp. | <i>Lolium</i><br>spp. | <i>Oryza</i> spp. | <i>Panicum</i><br>spp. | <i>Paspalum</i><br>spp. | Vietnam    | Seed | Comments                                  |
|-------------------------------|-----------------|------------------------|------------------------|-----------------------|-------------------|------------------------|-------------------------|------------|------|---|
| <i>chlorotic streak virus</i> |                 |                        |                        |                       |                   |                        |                         |            |      |   |
| <i>Sugarcane mosaic virus</i> | CABI, 2013      |                        |                        |                       |                   |                        |                         | CABI, 2013 | Yes  | Seed borne, seed transmitted (CABI, 2013) |